

# DOYON

INC.

BAKING EQUIPMENT SPECIALISTS

## 2007 U.S. PRICE LIST

Effective January 2007



[www.doyon.qc.ca](http://www.doyon.qc.ca)

## **NORTHEAST REGION**

### **JIM MARKEE**

**Regional sales director, N.E. & Central**  
1617 Todd Lane,  
Chester Springs, PA 19425  
Tel. : (610) 458-5418  
Fax : (610) 458-5419  
Cell. : (610) 952-0886  
E-mail : jmarkee@comcast.net

### **201 STANDLEY-RUSSIAN MARKETING**

Bob Standley  
191 Steere Street  
Attleboro, MA 02703  
Tel. : (508) 222-8686  
Fax : (508) 226-3621  
E-mail : standley.sales@comcast.net  
Steve Russian  
Tel. : (508) 369-8040  
Fax : (617) 289-4687  
E-mail : srussian@comcast.net

### **202 ELLIOT HOROWITZ & ASSOCIATES**

Elliot Horowitz  
127 West 96th Street, Apt. 13A  
New York, NY 10025  
Tel. : (212) 873-5177  
Fax : (212) 362-0458  
E-mail : eha@earthlink.net

### **202 BSE MARKETING**

Head Office  
116 South 6th Street  
New Hyde Park, NY 11040-4849  
Tel. : (516) 694-0300  
Fax : (516) 694-1234  
E-mail : bse@bsemarketing.com  
Jeff Hessel  
E-mail : jeffh@bsemarketing.com  
Cheryl Vogt  
E-mail : cherylv@bsemarketing.com  
Rick Gengaro  
Cell : (908) 963-3203  
E-mail : rickg@bsemarketing.com  
Jason Butler  
Cell : (516) 242-9454  
E-mail : jasonb@bsemarketing.com

### **203 JIM LAW & ASSOCIATES**

Head Office  
2117 Buffalo Road, Suite 266  
Rochester, NY, 13624-1507  
Tel : (585) 247-3819  
Fax : (585) 247-3819  
E-mail : info@gojimplaw.com  
Web : www.gojimplaw.com  
Joe Niedwiecki  
Cell : (585) 247-3819  
E-mail : joe.rep@frontiernet.net  
Jim Law  
E-mail : jimlaw@frontiernet.net

### **204 BSE KEYSTONE**

112 Autumn Trail  
Sadbury, PA 19320  
Toll free : (800) 242-9095  
Fax : (610) 857-4311  
Robert Fisher  
Cell : (610) 733-5870  
E-mail : robertf@bsemarketing.com  
Charles DeComa  
Cell : (609) 841-4890  
E-mail : charlied@bsemarketing.com  
Mike Steil  
Tel : (610) 908-4432  
E-mail : mikes@bsemarketing.com

### **205 APPLIED SYSTEMS MARKETING**

Jim Day  
5085 Vest Lane  
Waldorf, MD 20601  
Tel. : (301) 870-8861  
Fax : (301) 638-5516  
E-mail : jday.asm@comcast.net

## **CENTRAL REGION**

### **JIM MARKEE**

**Regional sales director, N.E. & Central**  
1617 Todd Lane,  
Chester Springs, PA 19425  
Tel. : (610) 458-5418  
Fax : (610) 458-5419  
Cell. : (610) 952-0886  
E-mail : jmarkee@comcast.net

### **310 ZINK MARKETING INC.**

Head Office  
Skip Zink, Jim Zink  
L-2945  
Columbus, OH 43260-2945  
Tel. : (614) 899-9500  
Toll free : (800) 492-7400  
Fax : (614) 899-9797  
E-mail : info@zinkmarketing.com  
Web : www.zinkmarketing.com  
Carter Ufferman (Corporate Chef)  
E-mail : chefcarter@zinkmarketing.com

### **Cincinnati & Dayton**

Mike McGuire, V.P. Sales  
Head Office  
Cell. : (513) 383-0270  
E-mail : miken@zinkmarketing.com

### **Cleveland, Northern Ohio**

Norm Jesser, Territory Mgr  
Tel. : (330) 896-3589  
Fax : (330) 896-3596  
Cell : (216) 214-6703  
E-mail : normj@zinkmarketing.com

### **Columbus, Central Ohio**

Jim Zink, V.P. Sales  
Head Office  
Cell : (614) 679-9465  
E-mail : jimz@zinkmarketing.com

### **311 ZINK MARKETING INC.**

West PA & West Virginia  
John Schmeck  
724 Pine Valley Dr.  
Pittsburg, PA 15239  
Tel. : (724) 325-9034  
Fax : (724) 325-5775  
Cell : (412) 400-7762

### **312 ZINK MARKETING INC.**

Except Evansville, Central IL  
Ger Noonan, Territory Mgr  
923 Pleasant Ridge Court  
Lafayette, IN 47905  
Fax : (765) 420-0551  
Cell : (317) 696-2942  
E-mail : gern@zinkmarketing.com

### **313 ZINK MARKETING INC.**

**Grand Rapids, western/upper Peninsula MI**  
Kevin Felix, Territory Mgr  
9089 Forest Pines  
Mecosta, MI 49332  
Tel. : (231) 972-0306  
Fax : (509) 479-2981  
Cell. : (616) 893-3301  
E-mail : kevinf@zinkmarketing.com  
**Detroit, Eastern MI, Toledo OH**  
Tom Swartz  
Tel. : (586) 677-7181  
Fax : (586) 677-7183  
Cell. : (586) 243-0092  
E-mail : toms@zinkmarketing.com

### **314 ZINK MARKETING**

Chicago & Northern IL  
Tim Riordan, Territory Mgr  
1133, Jefferson  
Downers Grove, IL 60516  
Tel. : (630) 541-5406  
Fax : (630) 541-5407  
Cell. : (630) 768-2143  
E-mail : timr@zinkmarketing.com  
Bill Beshilas, Territory Mgr  
4155 Easy circle  
Naperville, IL 60564  
Tel. : (630) 904-4746  
Fax : (630) 922-9884  
Cell : (630) 768-2050  
E-mail : billb@zinkmarketing.com

### **315 ZINK MARKETING**

Bob Stefka, Territory Mgr.  
6903 Fallen Leaf Circle  
Louisville, KY 40241  
Tel. : (502) 894-3383  
Fax : (502) 749-9044  
Cell : (502) 773-9652  
E-mail : bobs@zinkmarketing.com

### **320 THRUSH & ASSOCIATES**

1001 South Imperial Drive  
Hartland, WI 53029  
Tel. : (262) 432-3142  
Fax : (262) 432-3147  
Randy Thrush  
Cell : (248) 752-4805  
E-mail : rthrush@wi.rr.com  
Jeremy Moravy  
Cell : (989) 560-5087  
E-mail : jmoravy@wi.rr.com

### **330 HEARTLAND REPS, LLC**

Rocky Brock, CFSP  
13422 Highview Drive  
Kearney, MO 64060  
Tel : (816) 415-3130  
Fax : (816) 415-3016  
Web : www.heartlandreps.com  
Rocky Brock, CFSP  
Cell : (816) 885-0801  
E-Mail : rocky@heartlandreps.com  
John Moore, CFSP  
Cell : (515) 865-8929  
E-Mail : john@heartlandreps.com  
Joe Beck, CFSP  
Cell : (314) 497-3257  
E-Mail : joe@heartlandreps.com

### **340 JOHNSON COMMERCIAL AGENTS**

1408 Northland Dr Ste 406  
Mendota Heights, MN 55120  
Tel. : (651) 686-8499  
Toll free : (800) 676-8488  
Fax : (651) 686-7670  
Web : www.jcagents.com

## **SOUTHEAST REGION**

### **JOHN HEBERT**

**Regional sales director, Southeast**  
237 East Bay Ridge Drive  
Weston, FL 33326-3531  
Tel. : (954) 349-2401  
Fax : (954) 349-1021  
Cell : (954) 849-7669  
E-mail : doyon@bellsouth.net

### **401 UNISOURCE MARKETING**

Head Office  
Michael Costantini  
24 NE 24th Avenue, suite 102  
Pompano Beach, FL 33062  
Tel. : (954) 785-0034  
Cell : (954) 444-0808  
Fax : (954) 785-0854  
E-mail : mikec@unisourcemarketing.com  
Web : www.unisourcemarketing.com

### **Central Florida**

Chip Costantini  
Tel. : (407) 509-8421  
Fax : (407) 897-3537  
E-mail : chipc@unisourcemarketing.com

### **North Florida**

Robert Wilson  
Tel. : (904) 219-0832  
Fax : (904) 339-9200  
E-mail : robertw@unisourcemarketing.com

### **West Coast Office**

William (Bill) Burke, Jim Fisher  
Tel. : (813) 267-0522  
Fax : (941) 727-7978  
E-mail : bilb@unisourcemarketing.com  
jimf@unisourcemarketing.com

### **402 MASTER MARKETING SUNLOW**

Head Office  
1071 NW Howell Mill rd  
Atlanta, GA 30318  
Toll free : (800) 678-6569  
Fax : (404) 872-0471  
Jerry Hennebaul  
Cell : (404) 245-2270  
Jerry@master-marketing.com  
Rick Hennebaul  
Rick@master-marketing.com  
John Varner  
john@master-marketing.com  
Bruce Marlette  
bruce@master-marketing.com  
Walt Hennebaul  
walt@master-marketing.com  
Danny Graham  
sunlow1@earthlink.net

### **403 MASTER MARKETING SUNLOW**

Wilson P. Sawyer  
301 South Burbank Drive  
Hoover, AL 35226  
Cell : (205) 910-3056  
Fax : (205) 823-6569  
E-mail : wilson@master-marketing.com

### **404 MASTER MARKETING SUNLOW**

Jack Lewis  
6115 Glen Manor Drive  
Charlotte, NC 28269  
Toll free : (800) 678-6569  
Fax : (704) 875-2828  
Cell : (704) 875-2620  
E-mail : jack@master-marketing.com  
Lisa Lewis  
Cell : (704) 502-7148  
E-mail : lisa@master-marketing.com  
Rick Hennebaul  
Cell : (404) 444-7425  
E-mail : rick@master-marketing.com

### **405 STERLING SALES & MARKETING**

Charles Taylor  
76202 Hwy 1077  
Folsom, LA 70437  
Tel : (985) 796-8112  
Cell : (985) 373-8390  
Fax : (985) 796-8033  
E-mail : sterlingales@bellsouth.net

### **406 STERLING SALES & MARKETING**

Ron Swann  
5341 Chickasaw Rd.  
Memphis, TN 38120  
Tel. : (901) 767-1059  
Fax : (901) 818-9473  
Cell : (501) 912-1337  
E-mail : stersale14@aol.com

### **407 MILLER & ASSOCIATES**

Head Office  
2920 Merrell Rd  
Dallas, TX 75229  
Tel. : (214) 353-0498  
Fax : (214) 353-0451

### **Dallas Office**

Joanne Stephenson  
E-mail : joanne@millerequip.com  
Steve Hershman  
Tel : (972) 735-9099  
E-mail : steve@millerequip.com

### **Houston Office**

Tel. : (713) 355-4191  
Fax : (713) 355-4192

### **Dave Rogers**

E-mail : dave@millerequip.com

### **Fredericksburg Office**

Tel. : (830) 997-2691  
Fax : (830) 997-6741  
Bobby Watson  
E-mail : bobby@millerequip.com

### **408 MILLER & ASSOCIATES**

Head Office  
2920 Merrell Rd  
Dallas, TX 75229  
Tel. : (214) 353-0498  
Fax : (214) 353-0451  
Jeff Griffiths  
E-mail : jeff@millerequip.com



<b>Table of contents</b> .....	<b>Page</b>
<b>Sales Representative Locator</b> .....	<b>2-3</b>
<b>Oven / Proofer Combination</b> .....	<b>5</b>
<b>Ovens</b> .....	<b>6</b>
<b>Rotating Rack Ovens</b> .....	<b>7</b>
<b>Artisan Stone Deck Ovens</b> .....	<b>7</b>
<b>Rotisserie</b> .....	<b>8</b>
<b>Conveyor Ovens</b> .....	<b>8</b>
<b>Pizza Ovens</b> .....	<b>9</b>
<b>Warmers</b> .....	<b>9</b>
<b>Mobile Cabinets</b> .....	<b>9</b>
<b>Mobile Proofers Non Insulated</b> .....	<b>10</b>
<b>Holding Cabinets</b> .....	<b>10</b>
<b>Roll-In Proofers</b> .....	<b>11</b>
<b>Retarder Proofers</b> .....	<b>11</b>
<b>Reversible Sheeters</b> .....	<b>12</b>
<b>Sheeters &amp; Moulder</b> .....	<b>12</b>
<b>Dividers &amp; Rounders</b> .....	<b>12</b>
<b>Dough Dividers</b> .....	<b>12</b>
<b>Conical Rounder</b> .....	<b>12</b>
<b>Water Meters</b> .....	<b>12</b>
<b>Bread Slicers</b> .....	<b>13</b>
<b>Bread Mill</b> .....	<b>13</b>
<b>Depanning Tables</b> .....	<b>13</b>
<b>Work Tables</b> .....	<b>13</b>
<b>Racks</b> .....	<b>14</b>
<b>Rack Covers</b> .....	<b>14</b>
<b>Mixers</b> .....	<b>15</b>
<b>Spiral Mixers</b> .....	<b>16</b>
<b>Mixer Accessories</b> .....	<b>17</b>
<b>Pans</b> .....	<b>18</b>
<b>Cleaning &amp; Polishing Products</b> .....	<b>18</b>
<b>Notes</b> .....	<b>19</b>
<b>Ordering Information</b> .....	<b>20</b>
<b>Warranty</b> .....	<b>20</b>

### **AutoCAD PARTICIPANTS**



CAD symbols for Doyon equipment are available on the KCL CaDalog. Symbols include standard equipment in plan, side, front, layered to FEDA/FCSI recommended guideline. Contact Kochman Consultants, Ltd. (KCL) for a 14-day trial version. Call KCL at (847) 470-1195 or visit their website at [www.kclad.com](http://www.kclad.com) to download your trial version or request a free trial CD-ROM.

### **AutoQuotes™ PARTICIPANTS**



In addition to comprehensive brochures and FCSI/NAFEM formatted specification sheet, Doyon participates in AutoQuotes Quotation System and Database. For more information on this service, please contact AutoQuotes, 4425 Merrimac Ave., Suite 3, Jacksonville, FL 32210; (904) 384-2279.

# OVEN/PROOFER COMBINATION

## JET AIR OVEN/PROOFER (JAOP SERIES)

Jet Air oven/Proofer Combination 18" x 26" pans, steam injection system, reversing fan system, digital temperature controller and timer, proofer with auto water fill, glass doors, interior light, stainless steel interior & exterior, casters.

**CODING** Prefix: JAOP : Jet air oven proofer Suffix SL : Side pan loading Numbers Pans fitting in the oven

Model	Energy	Overall Ext. Dimensions			Capacity (18x26 pans)		Shelf spacing		Gas System BTU	Crated Weight (lbs)	Freight Class	Price
		W	D	H	Oven	Proofer	Oven	Proofer				
JAOP3	Electric	32 1/2"	37"	71"	3	9	5"	3"		750	85	\$11,700
JAOP3G	Gas	32 1/2"	42 1/2"	71"	3	9	5"	3"	52 000	860	85	\$15,900
JAOP6	Electric	36 1/2"	48 1/4"	72 3/4"	6	18	3 1/2"	3"		965	85	\$14,600
JAOP6G	Gas	36 1/2"	52 3/4"	72 3/4"	6	18	3 1/2"	3"	65 000	1135	85	\$16,700
JAOP6SL	Electric	38"	37 1/2"	72 3/4"	6	9	3 1/2"	3"		965	85	\$14,600
JAOP6SLG	Gas	38"	43"	72 3/4"	6	9	3 1/2"	3"	65 000	1135	85	\$16,700
JAOP8	Electric	36 1/2"	51 3/4"	75 1/4"	8	12	3 1/2"	3"		1000	85	\$16,200
JAOP8G	Gas	36 1/2"	54 1/4"	75 1/4"	8	12	3 1/2"	3"	65 000	1135	85	\$19,000
* JAOP10	Electric	53 1/2"	48 3/4"	72 3/4"	10	12	3 3/4"	3"		1175	85	\$16,900
* JAOP10G	Gas	53 1/2"	53 1/2"	72 3/4"	10	12	3 3/4"	3"	85 000	1340	85	\$19,800
JAOP12SL	Electric	71 1/2"	37 1/2"	72 3/4"	12	18	3 1/2"	3"		1500	85	\$22,700
JAOP12SLG	Gas	71 1/2"	43"	72 3/4"	12	18	3 1/2"	3"	130 000	1700	85	\$26,500
JAOP14	Electric	70"	49 1/4"	72 3/4"	14	32	3 1/4"	3"		1700	85	\$23,800
JAOP14G	Gas	70"	53 1/2"	72 3/4"	14	32	3 1/4"	3"	130 000	2000	85	\$27,800

\* Note : Some pan rotation may be needed with JAOP10

## CIRCLE AIR OVEN/PROOFER (CAOP SERIES)

Circle Air oven/Proofer Combo, oven with rotating rack, 18" x 26" pans, reversing fan system, steam injection system, digital temperature controller and timer, proofer with auto water fill, glass doors, stainless steel interior & exterior, casters.

**CODING** Prefix: CAOP : Circle air oven proofer Suffix Numbers Pans fitting in the oven

Model	Energy	Overall Ext. Dimensions			Capacity (18x26 pans)		Shelf spacing		Gas System BTU	Crated Weight (lbs)	Freight Class	Price
		W	D	H	Oven	Proofer	Oven	Proofer				
CAOP6 (rotating)	Electric	44 1/4"	54"	76 1/4"	6	18	4"	3"		1 175	85	\$21,700
CAOP6G (rotating)	Gas	44 1/4"	57 1/2"	76 1/4"	6	18	4"	3"	78 500	1 360	85	\$24,700
CAOP12 (rotating)	Electric	76 1/2"	54"	76 1/4"	12	32	4"	3"		1 832	85	\$30,900
CAOP12G (rotating)	Gas	76 1/2"	57 1/2"	76 1/4"	12	32	4"	3"	157 000	2 025	85	\$36,900

## OPTIONAL (JAOP & CAOP Series)

PLF240	Optional water softener system (head & cartridge)	\$295
PC001	Optional programmable controls for oven only	\$1,250
HW001	Optional humidified warmer instead of proofer with 250°F thermostat (except JAOP14 & CAOP12)	\$825
AS001	Programmable pulse steam per oven section. Allows sequential steaming throughout the baking cycle (ex.: 5 sec. steam every 30 sec.)	\$685
FTD001	Delay timer for each oven section (electric models only)	\$725
RH	Electronic relative humidity control (RH %) for proofer	\$1,250
GRPIZ3	Nickel plated pizza shelf for JAOP3 & JAOP6SL only (each)	\$325
GRPIZ6	Nickel plated pizza shelf for JAOP6 & JAOP14 only (each)	\$325
GRPIZ	Nickel plated pizza shelf for all other models (each)	\$385
1675KIT	4' Gas quick disconnect with ball valve, cable & securing device	\$390



JAOP3



JAOP6  
JAOP6SL



JAOP8



JAOP10



JAOP14



CAOP6  
(Rotating)



CAOP12  
(Rotating)



Standard  
Controls



PC001  
Programmable  
controls



RH %



AS001  
Programmable Pulse  
Steam



FTD001  
Delay timer

# OVENS

## JET AIR OVEN (JA Series)

Jet-Air oven, 18"x26" pans, reversing fan system, digital temperature controller and timer, steam injection system, full view glass doors, interior light, stainless steel interior & exterior, casters (except for JA3, JA3MC, JA4, JA6 and JA6SL).

**CODING** Prefix JA : Jet air oven Suffix G : Gas units SL : Side pan loading SC : Storage cabinet MC : Minimum countertop space



JA3MC



JA4



JA6 + Stand



JA10



JA12  
JA14



JA20



JA28



CA6 + Stand  
Rotating)



CA12  
Rotating

Model	Energy	Overall Ext. Dimensions			Cap. (18 x 26 pans) Oven	Shelf spacing	Gas System BTU	Crated Weight (lbs)	Freight Class	Price
		W	D	H						
JA3MC	Electric	23 1/2"	31 1/4"	13 1/2"	2 half pans	4"	No steam	150	85	\$3,300
JA3	Electric	23 1/2"	35"	13 1/2"	2 half pans	4"	No steam	175	85	\$3,800
JA4	Electric	32 1/2"	40"	31"	4	3 1/2"		425	85	\$8,400
JA4SC	Electric	32 1/2"	37"	71"	4	3 1/2"		650	85	\$10,900
JA4SCG	Gas	32 1/2"	42 1/2"	71"	4	3 1/2"	52 000	750	85	\$13,900
JA6	Electric	36 1/2"	48 1/4"	34 3/4"	6	3 1/2"		700	85	\$10,200
JA6G	Gas	36 1/2"	52 3/4"	34 3/4"	6	3 1/2"	65 000	760	85	\$14,000
JA6SL	Electric	38"	37 1/2"	34 3/4"	6	3 1/2"		700	85	\$10,200
JA6SLG	Gas	38"	43"	34 3/4"	6	3 1/2"		760	85	\$14,000
JA6SLSC	Electric	38"	37 1/2"	72 3/4"	6	3 1/2"		870	85	\$12,200
JA6SLSCG	Gas	38"	43"	72 3/4"	6	3 1/2"	65 000	970	85	\$15,500
JA8	Electric	36 1/2"	51 3/4"	41 1/2"	8	3 1/2"		840	85	\$12,000
JA8G	Gas	36 1/2"	54 1/4"	41 1/2"	8	3 1/2"	65 000	900	85	\$15,000
* JA10	Electric	53 1/2"	48 3/4"	34 1/2"	10	3 3/4"		950	85	\$12,400
* JA10G	Gas	53 1/2"	53 1/2"	34 1/2"	10	3 3/4"	85 000	950	85	\$15,700
JA12SL	Electric	38"	37 1/2"	72 3/4"	12	3 1/2"		1060	85	\$17,500
JA12SLG	Gas	38"	43"	72 3/4"	12	3 1/2"	130 000	1170	85	\$21,600
JA14	Electric	38 3/4"	49 1/4"	72 3/4"	14	3 1/4"		1135	85	\$17,800
JA14G	Gas	38 3/4"	53 1/2"	72 3/4"	14	3 1/4"	130 000	1300	85	\$23,000
* JA20	Electric	53 1/2"	48 3/4"	72 3/4"	20	3 3/4"		1435	85	\$20,700
* JA20G	Gas	53 1/2"	53 1/2"	72 3/4"	20	3 3/4"	170 000	1625	85	\$26,700
JA28	Electric	72 1/4"	49 1/4"	72 3/4"	28	3 1/4"		1975	85	\$32,200
JA28G	Gas	72 1/4"	53 1/2"	72 3/4"	28	3 1/4"	260 000	2335	85	\$42,200

\* Note : Some pan rotation may be needed with JA10 & JA20

## CIRCLE AIR OVEN (CA Series)

Circle Air oven with rotating rack 18"x26" pans, reversing fan system, digital temperature controller and timer, steam injection system, full view glass doors, stainless steel interior & exterior.

**CODING** Prefix CA : Circle air oven Suffix G : Gas units

Model	Energy	Overall Ext. Dimensions			Cap. (18 x 26 pans) Oven	Shelf spacing	Gas System BTU	Crated Weight (lbs)	Freight Class	Price
		W	D	H						
CA6 (rotating)	Electric	44 1/4"	54"	38"	6	4"		825	85	\$16,000
CA6G (rotating)	Gas	44 1/4"	57 1/2"	38"	6	4"	78 500	900	85	\$19,800
CA12 (rotating)	Electric	44 1/4"	54"	76 1/4"	12	4"		1450	85	\$25,900
CA12G (rotating)	Gas	44 1/4"	57 1/2"	76 1/4"	12	4"	157 000	1600	85	\$32,500

## OPTIONAL (JA & CA Series)

JA4B	Equipment Stand for Jet Air 4 pans oven, 9 pans 18" x 26"	125	85	\$1,050
JA6B	Equipment Stand for Jet Air 6 pans oven, 9 pans 18" x 26"	170	85	\$1,050
JA6SLB	Equipment Stand for Jet Air 6 pans oven, 18 pans 18" x 26"	170	85	\$1,050
JA8B	Equipment Stand for Jet Air 8 pans oven, 16 pans 18" x 26"	200	85	\$1,250
JA10B	Equipment Stand for Jet Air 10 pans oven, 20 pans 18" x 26"	225	85	\$1,350
CA6B (rotating)	Equipment Stand for Circle Air 6 pans oven, 20 pans 18" x 26"	225	85	\$1,250
AS001	Programmable pulse steam per oven section. Allows sequential steaming throughout the baking cycle (ex.: 5 sec. steam every 30 sec.)			\$685
PLF240	Optional water softener system (head & cartridge)		N/A	\$295
PC001	Optional programmable controls for each oven section (see p.5) (electric models only) Add 2 in. JA6-8-10-12-14-20 / 4 in. JA28		N/A	\$1,250
FTD001	Delay timer for each oven section (p.3)		N/A	\$725
GRPIZ3	Nickel plated pizza shelf for JA4 & JA12SL only (each)			\$325
GRPIZ	Nickel plated pizza shelf for all other models (each)			\$385
1675KIT	4' Gas quick disconnect with ball valve, cable & securing device for all models (except JA28G)			\$390
16100KIT	4' Gas quick disconnect with ball valve, cable & securing device for JA28G only			\$415

## ROTATING RACK OVENS

### DOYON THINLINE SERIES (RACK OVENS, TLOI, TLOII)

Rotating Rack Oven, single or double rack. Jet Air air flow system, steam injection system with digital timers, digital thermostat, full door with viewing glass, stainless steel interior & exterior.

**CODING** Prefix TLO: thinline rack oven I Single rack II Double rack **Suffix** E: Electric G: Gas unit

Model	Energy	Overall Ext. Dimensions			Max. Cap (18x26pans) Pan Qty	Gas System BTU	Crated Weight (lbs)	Freight Class	Price
		W	D	H					
TLOIE	Electric	49 1/2"	72 1/2"	106"	18		2600	85	\$40,900
TLOIG	Gas	49 1/2"	72 1/2"	106"	18	200 000	2600	85	\$40,900
TLOIIE	Electric	60 1/2"	82 1/2"	106"	36		3600	85	\$50,500
TLOIIG	Gas	60 1/2"	82 1/2"	106"	36	300 000	3600	85	\$50,500



TLOI



TLOII



RTLOI



RTLOII

OPTIONAL		Price
AS001	Automatic steam per oven section Allows sequential steaming throughout the baking cycle (ex.: 5 sec. steam every 30 sec.)	\$685
PLF240	Optional water softener system (head & cartridge)	\$295
PC001	Optional programmable controls for oven only	\$1,250
RTLOI	Oven Rack, Roll In, stainless steel, single 10-18 spaces, end load, for TLOI oven	\$1,300
RTLOISL	Oven Rack, Roll In, stainless steel, single 10-18 spaces, side load, for TLOI oven	\$1,300
RTLOII	Oven Rack, Roll In, stainless steel, double 20-36 spaces, end load, for TLOI oven	\$1,400
GF001	Grease filter for TLO oven for interior ventilation system	\$595
PPTLO	Prison package includes interior emergency shut off switch, top cover, special screws and locked panel for controls	\$5,000

## ARTISAN STONE DECK OVENS

### ARTISAN STONE DECK OVEN

Artisan Stone Deck Oven, Electric, stone hearth bake decks, individual digital electronic control boards, individual self-contained steam injection, includes oven top with legs & casters.

Model number	Energy	Description	Crated Weight (lbs)	Freight Class	Price
1T1	Electric	Artisan 1 stone deck oven, 1 pan 18" X 26" per deck w/stand & steam	675	85	\$9,800
1T2	Electric	Artisan 2 stone decks oven, 1 pan 18" X 26" per deck w/stand & steam	1010	85	\$15,400
1T3	Electric	Artisan 3 stone decks oven, 1 pan 18" X 26" per deck w/stand & steam	1685	85	\$20,900
1T4	Electric	Artisan 4 stone decks oven, 1 pan 18" X 26" per deck w/stand & steam	2200	85	\$25,400
ES1T	Proofer	Artisan proofer with steam for oven 1T model 6 pans cap	300	85	\$5,950
ES1TP	Proofer	Artisan low profile 3 pans capacity proofer for 1T model	250	85	\$5,950
2T1	Electric	Artisan 1 stone deck oven, 2 pans 18" X 26" per deck w/stand & steam	1050	85	\$12,900
2T2	Electric	Artisan 2 stone decks oven, 2 pans 18" X 26" per deck w/stand & steam	1570	85	\$20,900
2T3	Electric	Artisan 3 stone decks oven, 2 pans 18" X 26" per deck w/stand & steam	1800	85	\$28,900
2T4	Electric	Artisan 4 stone decks oven, 2 pans 18" X 26" per deck w/stand & steam	2400	85	\$36,500
ES2T	Proofer	Artisan proofer with steam for oven 2T model 12 pans cap	590	85	\$8,100
ES2TP	Proofer	Artisan low profile 6 pans capacity proofer for 2T model	490	85	\$8,100
3T1	Electric	Artisan 1 stone deck oven, 3 pans 18" X 26" per deck w/stand & steam	1230	85	\$16,500
3T2	Electric	Artisan 2 stone decks oven, 3 pans 18" X 26" per deck w/stand & steam	1850	85	\$28,200
3T3	Electric	Artisan 3 stone decks oven, 3 pans 18" X 26" per deck w/stand & steam	2620	85	\$39,900
3T4	Electric	Artisan 4 stone decks oven, 3 pans 18" X 26" per deck w/stand & steam	3760	85	\$51,000
ES3T	Proofer	Artisan proofer with steam for oven 3T model 18 pans cap	700	85	\$10,200
ES3TP	Proofer	Artisan low profile 9 pans capacity proofer for 3T model	550	85	\$10,200



1T3



2T3



3T3

Stand on casters included with oven

Note: 208-220-240V – 3 Phases only.

OPTIONAL (Artisan stone deck ovens)		Price
MP	Marine package 100% stainless steel construction, stainless steel deck	35% EXTRA
MO	Modular oven (individual sections)	12% EXTRA
	To change voltage from 3 PH to 1PH / per deck	\$1,150
	To change voltage to 440V – 480V & 600V 3PH	Call for pricing
LL	Loaf loader (manual)	\$290
	Eyebrow hood for artisan stone deck oven 1T	\$250
	Eyebrow hood for artisan stone deck oven 2T	\$330
	Eyebrow hood for artisan stone deck oven 3T	\$390
MPA085	Cleaning brush for artisan stone deck	\$68

# ROTISSERIE



**DBBQ12**  
(rotisserie) & RPBBQ

## ROTISSERIE (DBBQ12, RPBBQ)

Rotisserie Oven, electric, oven with moving air system, grease filter, digital timer, digital temperature controller, 12 chickens capacity, four (4) removable shelves, 2" legs, cord & plug set included. (optional RPBBQ heated holding cabinet available).

Model	Overall Ext. Dimensions			Capacity	Electric System			Crated Weight (lbs)	Freight Class	Price
	W	D	H		Volts	Phase	Amps			
DBBQ12	25 1/2"	33"	35 1/2"	12 chickens	240 or 208	1	22.5	470	85	\$7,900
RPBBQ	25 1/2"	32"	35"	4 pans (18" x 26")	120	1	9.2	200	85	\$3,650

# CONVEYOR OVENS



**FC16**

Jet Air Bake/Pizza Conveyor Oven, 16", 18" or 36" wide, stainless steel conveyor belt with variable speed control, digital temperature control, stainless steel interior and exterior finish included with exit shelves (except FC2). Available single or stacked (FC2 also available tunnel).

Note : FC18 models included with stand and exit shelves. FC2 models stacked or tunnel included with legs on casters. Up to six line tunnel available, call factory.

**CODING** Prefix FC : Fast conveyor oven Suffix G : Gas units



**FC18**



**FC182**



**FC183**



**FC2**



**FC22**



**FC21IG**



**FC21IG**



**FC21VG**

Model	Energy	Cooking Zone	Gas System BTU	Crated Weight (lbs)	Freight Class	Price
FC16	Electric	23 1/4" x 17 1/4"		360	85	\$8,400
FC162	Electric	2 x (23 1/4" x 17 1/4")		720	85	\$16,800
FC163	Electric	3 x (23 1/4" x 17 1/4")		1080	85	\$25,200
FC18	Electric	28 1/4" x 19 1/2"		550	85	\$14,200
FC182	Electric	2 x (28 1/4" x 19 1/2")		1100	85	\$28,400
FC183	Electric	3 x (28 1/4" x 19 1/2")		1650	85	\$42,600
FC18G	Gas	28 1/4" x 19 1/2"	52 000	650	85	\$15,200
FC18G2	Gas stacked	2 x (28 1/4" x 19 1/2")	2 x 52 000	1300	85	\$30,400
FC18G3	Gas stacked	3 x (28 1/4" x 19 1/2")	3 x 52 000	1950	85	\$45,600
FC2	Electric	42 1/4" x 37 1/2"		1300	85	\$19,900
FC22	Electric	2 x (42 1/4" x 37 1/2")		2600	85	\$39,800
FC2G	Gas	42 1/4" x 37 1/2"	115 000	1300	85	\$20,900
FC22G	Gas	2 x (42 1/4" x 37 1/2")	2 x 115 000	2600	85	\$41,800
FC1IG	Gas tunnel	2 x (42 1/4" x 37 1/2")	2 x 115 000	2600	85	\$41,800
FC1IG	Gas tunnel	3 x (42 1/4" x 37 1/2")	3 x 115 000	3900	85	\$62,700
FC1VG	Gas tunnel	4 x (42 1/4" x 37 1/2")	4 x 115 000	5200	85	\$83,600
FC1VG	Gas tunnel	5 x (42 1/4" x 37 1/2")	5 x 115 000	6500	85	\$104,500
FC1VG	Gas tunnel	6 x (42 1/4" x 37 1/2")	6 x 115 000	7800	85	\$125,400

## OPTIONAL

FC2R	Rack	Kit for stacking two FC2 conveyor ovens				\$700
FC18D	Option	Optional glass door for conveyor FC18 (New oven from factory only)				\$950
FC2D	Option	Optional glass door for conveyor FC2 (New oven from factory only)				\$990
FC2W	Option	Optional one warming shelf for one side of the opening of the baking chamber				\$199
FC2DK	Door Kit	Installation kit to install glass door on FC2 (when oven is on site)				\$1,700
FC2B	Belt	Split conveyor belt for FC2 (2 x 16" belts)				\$3,550
FC2SMB	Belt	Small mesh conveyor belt for FC2				\$1,800
FC2S	Shelf	12" extended exit shelf for FC2				\$275
FC18H	Deflector	Heat deflector for FC18				\$300
FC16SMB	Belt	Small mesh conveyor belt for FC16				\$595
FC18SMB	Belt	Small mesh conveyor belt for FC18				\$875
FC2L	Legs	4 legs for FC2 conveyor oven (additional)				\$840
FC2EU	EC	Conform to European Community (EC) for FC2 electric, add				\$630
FC18EU	EC	Conform to European Community (EC) for FC18 electric, add				\$630
FC2GEU	EC	Conform to European Community (EC) for FC2 Gas, add				\$1,800
FC18GEU	EC	Conform to European Community (EC) for FC18 Gas, add				\$1,240
FC2C	Lock	Lock for control panel for FC2 (thermostat and speed control)				\$250
FC18C	Lock	Lock for control panel for FC18 (thermostat and speed control)				\$250
FC16EXT	Ext	53" extension belt for conveyor FC16 (65" with exit shelves)				\$660



**FC2R**



**FC18D**



**FC2D**



**FC2W**

NEW

# PIZZA OVENS

**CODING** Prefix PIZ: Jet air pizzas ovens FPR: Revolving oven **Suffix** G: Gas units B: Stand

Model	Energy	Overall Ext. Dimensions			Gas System BTU	Electric System			Crated Weight (lb)	Freight Class	Price
		W	D	H		Volts	Phase	Amps			
FPR2	Electric	26 1/2"	36 3/8"	26 1/4"		208	1	26	385	85	\$6,300
Speed cook oven, electric, nickel plated two (2) plates with removable top tray, capacity one 18" dia. and one 16" dia. pizzas, full view glass door, stainless steel interior and exterior finish.											
FPR3	Electric	26 1/2"	36 3/8"	26 1/4"		208	1	26	400	85	\$6,950
Speed cook oven, electric, nickel plated three (3) plates with removable top tray, capacity one 18" dia. and two 17" dia. pizzas, full view glass door, stainless steel interior and exterior finish.											
PIZ3	Electric	35 3/4"	40 3/4"	32 1/2"		120/208	3	24	560	85	\$8,800
Jet Air Bake/Pizza Oven, triple deck, capacity three 18" dia. pizzas, full view glass door, interior lights, stainless steel interior & exterior											
PIZ3G	GAS	36"	45 3/4"	32 1/2"	70 000	120	1	10	610	85	\$11,900
Jet Air Bake/Pizza oven, triple deck, capacity three 18" dia. pizzas, full view glass door, interior lights, stainless steel interior & exterior											
PIZ6	Electric	47 3/4"	43 1/2"	34 1/2"		120/208	3	43	875	85	\$12,000
Jet Air Counter Top Bake/Pizza Oven, triple deck, capacity six 18" dia. pizzas, full view glass door, interior lights, stainless steel interior & exterior											
PIZ6G	GAS	47 3/4"	47 3/4"	34 1/2"	70 000	120	1	12	875	85	\$15,300
Jet Air Counter Top Bake/Pizza Oven, triple deck, capacity six 18" dia. pizzas, full view glass door, interior lights, stainless steel interior & exterior											



FPR2  
FPR3




PIZ3



PIZ6

## OPTIONAL

FPR2T	Stand, s/s tubular legs with undershelf and casters for FPR2 & FPR3 ovens	150	85	\$990
PIZ3B	Stand, with casters for PIZ3 pizza oven, two shelves, stainless steel	185	85	\$990
PIZ6B	Stand, with casters for PIZ6 pizza oven, two shelves, stainless steel	200	85	\$1,050
FPR2-15	Rotating square shelves (2) 14" x 12" for FPR2	100	85	\$575
PIZ3GEU	Conform to European Community (EC) for PIZ3 gaz only, add			\$1,800
PIZ6GEU	Conform to European Community (EC) for PIZ6 gaz only, add			\$1,800
PIZV	Steam option for PIZ series, add			\$900
PIZTIM	Three (3) timers on each side of the oven (PIZ3 or PIZ6)			\$2,195
PIZTIM(R/L)	Six (6) timers on the right side (PIZTIMR) or left side (PIZTIML) of the oven (PIZ3 or PIZ6)			\$1,995



FPR2T



PIZ6B  
PIZ3B

# WARMERS

## WARMERS (DRP3, DRPR3, RPBBQ, DRP4, DRPR4)

Food Warmers/Display Case, counter model, with water pan humidity, adjustable heat control, removable tempered glass front, sides and doors, stainless steel interior and exterior.

Model	Overall Ext. Dimensions			Capacity	Electric System			Crated Weight (lbs)	Freight Class	Price
	W	D	H		Volts	Phase	Amps			
RPBBQ	25 1/2"	32"	35"	4 pans (18" x 26")	120	1	9.2	200	85	\$3,650
DRP3	20 1/8"	21 7/8"	21 1/2"	3 x 18" pizzas	120	1	8.2	80	85	\$1,750
DRPR3 Rotating	20 1/8"	21 7/8"	21 1/2"	3 x 18" pizzas	120	1	8.4	80	85	\$2,100
DRP4	22 1/2"	23 3/4"	31"	4 x 20" pizzas	120	1	11	125	85	\$2,450
DRPR4 Rotating	22 1/2"	23 3/4"	31"	4 x 20" pizzas	120	1	11.5	150	85	\$2,650
DRP4S	22 1/2"	23 3/4"	26"	Same description as DRP4, except no top and no logo				125		\$2,050
DRPR4S	22 1/2"	23 3/4"	26"	Same description as DRPR4, except no top and no logo				150		\$2,400



DRP3



DRPR3



DRP4



DRPR4

## OPTIONAL

PT3	Pass through door for DRP3 & DRPR3	\$265
PT4	Pass through door for DRP4 & DRPR4	\$275
PH3	Pretzel holder for DRPR3	\$160
PH4	Pretzel holder for DRPR4	\$175

# MOBILE CABINETS

## NON-INSULATED ALUMINUM CABINET

Transport Mobile Cabinet, non-insulated, one door, capacity 18" x 26" sheet pans, with 3" spacing (except R20: 2 1/4" spacing), aluminum construction, casters.

Model	Description	Exterior Dimensions			Capacity Pans (pan size)	Crated Weight (lbs)	Freight Class	Price
		W	D	H				
K9	Cabinet	22 3/4"	29"	35 1/2"	9 (18" x 26")	90	85	\$1,775
K21	Cabinet	22 3/4"	29"	70"	21 (18" x 26")	150	85	\$2,050
R20	Cabinet	20 1/2"	14 1/2"	50 3/4"	20 (13" x 18")	75	85	\$900



K21

See options on next page.

## MOBILE PROOFERS NON INSULATED



E1420

### MOBILE PROOFERS NON INSULATED

Mobile Proofer, electric, capacity 18" x 26" sheet pans, with 3" spacing, heat (up to 110°F) and humidity, manual water fill (except DP9, DP14 and E2330PA), full view glass door with aluminum frame, caster, cord and plug.

**CODING** Prefix P : Humidity I : Insulated



DP7



DP18AD

E2330

Model	Overall Ext. Dimensions			Capacity (pans 18" x 26")	Electric System		Construction		Crated Weight (lbs)	Freight Class	Price
	W	D	H		Volts	Amps	Aluminum	S/S			
E1420	23 1/2"	35"	18 1/2"	3	120	7.5		x	150	85	\$2,800
DP7	22 3/4"	29"	35 1/2"	7	120	12	x		150	85	\$3,900
DP7D	27 3/4"	29"	35 1/2"	7 (Donut screen)	120	12	x		175	85	\$3,900
DP7AD	22 3/4"	29"	35 1/2"	7	120	12	x		175	85	\$3,900
DP9	35 1/2"	34 3/4"	39 1/2"	9	120	27		x	450	85	\$6,100
DP14	33 1/2"	49 1/2"	75"	20	120	24		x	600	85	\$7,150
DP18	22 3/4"	29"	69"	18	120	12	x		450	85	\$3,900
DP18D	27 3/4"	29"	69"	18 (Donut screen)	120	12	x		475	85	\$3,975
DP18AD	22 3/4"	29"	69"	18	120	12	x		475	85	\$3,975
E2330PA	23 1/4"	35"	76 1/2"	20	120	12		x	380	85	\$5,500
E2330PM	23 1/4"	35"	76 1/2"	20	120	12		x	380	85	\$5,500

See options at bottom of the page.

## HOLDING CABINETS

### HOLDING CABINETS

Holding cabinet, electric, cap. 7 or 18 18" x 26" sheet pans, with 3" spacing, heat (up to 250°F) with or without humidity, manual water fill, stainless steel power pack assembly, aluminum construction, caster, cord and plug.

**CODING** Prefix P : Humidity I : Insulated W : 250°F Warmer



DWI17



DWI18

Model	Overall Ext. Dimensions			Capacity	Volts	Amp	Crated Weight (lbs)	Freight Class	Price		
	Insulated	W	D							H	
DW7	Heat	No	22 3/4"	29"	35 1/2"	7 pans (18" x 26")	120	11.5	200	85	\$3,500
DWI7	Heat	Yes	22 3/4"	29"	35 1/2"	7 pans (18" x 26")	120	11.5	235	85	\$3,900
DPWI7	Heat + Humidity	Yes	22 3/4"	29"	35 1/2"	7 pans (18" x 26")	120	16.0	250	85	\$4,200
DW18	Heat	No	22 3/4"	29"	69"	18 pans (18" x 26")	120	11.5	450	85	\$4,300
DWI18	Heat	Yes	22 3/4"	29"	69"	18 pans (18" x 26")	120	11.5	450	85	\$4,800
DPWI18	Heat + Humidity	Yes	22 3/4"	29"	69"	18 pans (18" x 26")	120	16.0	450	85	\$5,400

See options at bottom of the page.

### OPTIONAL (Cabinets, Proofers, Holding Cabinets)

LC001	Locking casters for cabinet (2)	\$24
CB001	Corner Bumpers (4)	\$65
PB001	Perimeter bumpers	\$95
PH001	Push handles (flush mounted) (2)	\$95
PT	Pass through door	\$750

## ROLL-IN PROOFERS

### ROLL-IN PROOFERS

For more than 35 years Doyon has been manufacturing roll-in proofers with a quality of workmanship that no other manufacturer ever matched. Our proofers provide uniform proofing with our unique "even flow" system precisely mixing heat and humidity to produce exceptional results with our RH% precision electronic control. Available in three modular widths to better fit your production level: single, double-wide and triple-wide. Many special depths are also available to best match your production requirements.

**CODING** Prefix E: Roll-in proofer

Model	Description	Single rack Capacity	Double rack Capacity	Crated Weight (lbs)	Freight Class	Price
DRIP1	Proofer 1door, 1 single rack	1		400	85	\$6,700
DRIP1TLO	Proofer 1 door, 1 TLO double rack or 2 single racks	2	1	500	85	\$7,500
E236	Proofer 2 doors, capacity of 1 single rack and 10 shelves	2		600	85	\$10,200
E236R	Proofer 2 doors, capacity of 2 single racks	2		600	85	\$9,600
E236TLO	Proofer 2 doors, 2 TLO double racks or 4 single racks capacity	4	2	900	85	\$10,500
E336	Proofer 3 doors, 2 single racks and 10 shelves	3		900	85	\$12,500
E336R	Proofer 3 doors, 3 single racks	3		900	85	\$12,000
E336TLO	Proofer 3 doors, 3 TLO double racks, or 6 single racks	6	3	1200	85	\$14,100
E460	Proofer 2 doors, 4 single racks capacity	4		1200	85	\$13,100
E460TLO	Proofer 2 doors, 4 TLO double racks, or 8 single racks	8	4	1200	85	\$14,600
E660TLO	Proofer 2 doors, 6 TLO double racks, or 12 single racks	12	6	1500	85	\$15,700

**Note: Larger models available . Call factory.**

**Proofers available in 120/240V/1PH or 120/208V/1PH except DRIP1 & DRIP1TLO available in 120V also.**



DRIP1



E236



E336



E236

(Shown with optional solid doors and optional door bumpers)

### OPTIONAL

PLF240	Water softener system (head & cartridge)	\$295
SR	Additional side rack for roll-in proofer	\$1,200
PPE	Prison package includes cover and lock for all controls	\$595
DB	Door bumper (price per door )	\$85
SD	Solid door (price per door when ordering proofer)	\$650
SDW	Stainless steel solid door with window (price per door when ordering proofer)	\$650
PT	Pass through (price per door)	\$750

## RETARDER PROOFERS

### RETARDER - PROOFER

Proofer/Retarder, roll-in, one or two-section, single rack capacity, heat and humidity controls, self-contained refrigeration, 7 day timer, automatic refrigeration to proofing system, full view glass doors, stainless steel interior and exterior.

Model	Overall Ext. Dimensions			Capacity (Single Rack)	Electric System			Crated Weight (lbs)	Freight Class	Price
	W	D	H		Volts	Phase	Amp			
ER136	37 1/2"	50 1/4"	89 3/4"	1	120/208	1	27	900	85	\$18,000
ER136TLO	37 1/2"	50 1/4"	96 1/4"	1	120/240	1	24	900	85	\$19,000
ER236	71"	44 1/4"	88"	2	120/208	1	35	1000	85	\$21,500
ER236TLO	71"	44 1/4"	94 1/2"	2	120/240	1	30	1000	85	\$22,500



ER136



ER236

### OPTIONAL

PLF240	Water softener system (head & cartridge)	\$295
SR	Additional side rack for retarder-proofer	\$1,200
PPER	Prison package includes cover and lock for all controls for ER136 & ER236	\$750
DB	Door bumper (price per door )	\$85
SD	Solid door (price per door when ordering proofer)	\$650
SDW	Stainless steel solid door with window (price per door when ordering proofer)	\$650

## REVERSIBLE SHEETERS

### REVERSIBLE DOUGH SHEETER (LSB516, LMF624)

Reversible dough sheeter, floor model (LMF624) or bench model (LSB516), 20 speeds, stainless steel rollers, adj. roller gap.



Model	Overall Ext. Dimensions			Conveyor Width	Electric System		Crated Weight (lbs)	Freight Class	Price
	W	D	H		Volts	Amp			
LSB516	81 1/2"	33 5/8"	32"	19"	120	4	525	85	\$9,200
LMF624	108 3/4"	37 5/8"	42 1/2"	23"	120	4	750	85	\$11,500
LSB516T	Standard stainless steel stand for reversible sheeter								\$925

## SHEETERS & MOULDER



Model	Ext. Dimensions			Description	Electric System			Crated Weight (lb)	Freight Class	Price
	W	D	H		Voltage	Phase	Amp			
DL12S	17 5/8"	14 3/8"	13"	Crust sheeter, counter top, 12" wide rollers	120	1	8	45	85	\$2,150
DL18S	20 1/2"	17 3/8"	29 5/8"	Dough sheeter, counter top, 18" maximum	120	1	10	70	85	\$3,195
DFP18	29 1/2"	34"	31 1/4"	Dough sheeter, pizza and pie crust	120	1	10	450	85	\$6,950
DFAP2	38 1/4"	23 1/4" to 35"	26 1/4"	French bread moulder included with stand	220	3	3	675	85	\$16,500

## DIVIDERS & ROUNDERS

### DOUGH DIVIDER & ROUNDERS (DSF015, DSF022, DSF030)

Dough divider & rounder, semi-automatic, includes 3 sanitary rounding plates, stainless steel cutting knives, wheel mounted.



DSF015  
DSF022  
DSF030

Model	Mode	Dimensions			Portions Cap.	Electric System			Weight / Portion		Crated Weight (lbs)	Freight Class	Price
		W	D	H		Volts	Phase	Amp	min	max			
DSF015	Semi-automatic	23"	20"	83"	15	120	1	8	3.5 oz	7 oz	800	85	\$11,600
DSF022	Semi-automatic	23"	20"	83"	22	120	1	8	1.4 oz	4.8 oz	800	85	\$11,600
DSF030	Semi-automatic	23"	20"	83"	30	120	1	8	0.7 oz	3.5 oz	800	85	\$11,600

#### OPTIONAL

NEW FMF550	Sanitary dough plate for DSF015	\$240
NEW FMF551	Sanitary dough plate for DSF022	\$240
NEW FMF553	Sanitary dough plate for DSF030	\$240

## DOUGH DIVIDERS

### DOUGH DIVIDER, MANUAL, AUTOMATIC OR HYDRAULIC



Model	Mode	Dimensions			Portions Cap.	Electric System			Weight / Portion		Crated Weight (lbs)	Freight Class	Price
		W	D	H		Volts	Phase	Amp	min	max			
DIVA	Hydraulic	23 3/8"	27 1/8"	43 3/4" (closed)	20	220	3	7.1	5.9 oz	28 oz	440	85	\$17,500
MDF820	Manual	22 1/2"	20"	47"	20	No electrical			2 oz	14 oz	270	85	\$5,350
VD3M	Manual adjustments	24"	55 1/2"	62"	1200 to 2000	208-240	1 or 3	10	9 oz	35 oz	1200	85	\$15,500

## CONICAL ROUNDER



CR3

Model	Overall Ext. Dimensions			Electric System Volts	Phase	Weight / Portion		Crated Weight (lbs)	Freight Class	Price
	W	D	H			min	max			
CR3	36"	36"	58"	208-240	3	5.7 oz to 3 lb		615	85	\$9,000

## WATER METERS



Model	Overall Ext. Dimensions			Electric System			Crated Weight (lbs)	Price
	W	D	H	Volts	Phase	Amp		
DAF001	9 1/4"	5"	12 1/2"	120	1	1	15	\$2,195
WM35	Manual			120	1	1	25	\$5,600
WM45	Programmable			120	1	1	30	\$7,600

## BREAD SLICERS

Model	Description	Maximum Capacity	Slice Thickness (Non Adjustable)	Crated Weight (lbs)	Freight Class	Price
SM302	Bread slicer bench model with chute, 5/8" thickness	15" loaf	5/8"	200	85	\$2,600
SM302A	Bread slicer bench model with chute, 3/4" thickness	15" loaf	3/4"	200	85	\$2,600
SM302B	Bread slicer bench model with chute, 1/2" thickness	15" loaf	1/2"	200	85	\$2,600
SM302C	Bread slicer bench model with chute, 1" thickness	15" loaf	1"	200	85	\$2,600
CPF412	Bread slicer for Artisan bread	16" loaf	1/2"	580	85	\$8,400
CPF416	Bread slicer for Artisan bread	16" loaf	5/8"	580	85	\$8,400
CPF512	Bread slicer for Artisan bread	20" loaf	1/2"	660	85	\$8,900
CPF516	Bread slicer for Artisan bread	20" loaf	5/8"	660	85	\$8,900



SM302



CPF452

### OPTIONAL

RCPF01	Replacement blade for CPF series bread slicers					\$6
R347	Replacement blade for bread slicer SM302					\$6
SS2830	Stainless steel table on casters for bread slicer					\$975
PPTMT	Additional bread pusher for slicer					\$90

## BREAD MILL

Model	Description	Electric System Volts	Amp	Crated Weight (lbs)	Freight Class	Price
DMC175	Bread mill with cord and plug set, make breadcrumbs easily, up to 175 lb/hour	120	1	75	85	\$750



DMC175

## DEPANNING TABLES

Depanning table, stainless steel cabinet base and top, with wire cooling rack, intermediate shelf with dividers, stainless steel under shelf with wire rack, adjustable legs.

Model	Width	Depth	Height	Crated Weight (lbs)	Freight Class	Price
DT2436	36"	25"	37"	125	85	\$1,200
DT2448	48"	25"	37"	150	85	\$1,300
DT2460	60 1/2"	25"	37"	185	85	\$1,500
DT2472	72 1/2"	25"	37"	200	85	\$1,800
GR2436DT	Additional chromed shelves for depanning table 36"					\$140
GR2448DT	Additional chromed shelves for depanning table 48"					\$165
GR2460DT	Additional chromed shelves for depanning table 60"					\$195
GR2472DT	Additional chromed shelves for depanning table 72"					\$225



DT2436



DT2436

## WORK TABLES

Maple top work table 1 3/4" thick laminated maple top, stainless steel tubular legs and 3 sided cross rails, adjustable legs.

Model	Width	Depth	Height	Crated Weight (lbs)	Freight Class	Price
WT3048	48"	30"	35 1/2"	125	85	\$1,100
WT3060	60"	30"	35 1/2"	150	85	\$1,200
WT3072	72"	30"	35 1/2"	175	85	\$1,350
WT3096	96"	30"	35 1/2"	200	85	\$1,500
WT3672	72"	36"	35 1/2"	200	85	\$1,500
WT3696	96"	36"	35 1/2"	225	85	\$1,800
WTT30	Shelf for work table 30" X 48-60-72-96"					\$235
WTT36	Shelf for work table 36" X 48-60-72-96"					\$245
WTT1	Drawer for work table					\$105
LC001	Locking casters (2)					\$24



WT3048

## RACKS



1818  
1818D

### PAN RACK

Pan Racks, different heights available, open sides, end or side loading, aluminum angle slides on 3" or 5" centers, for 18" x 26" sheet pans, knock down or welded aluminum frame, 5" heavy duty casters.

Model	Shelf Spacing	Shelves Quantity	Pans Size	Price	Model	Shelf Spacing	Shelves Quantity	Pans Size	Price
<b>ECONOMY SERIES (Knocked down)</b>					<b>1818 SL</b> 3" 18 18" x 26" \$295				
1811D	5"	11	18" x 26"	\$265	18267	5 3/4"	6 + 1	18" x 26"	\$275
1818D	3"	18	18" x 26"	\$295	18268	3 1/16"	8	18" x 26"	\$275
1811BD	5"	11	Tote Box	\$265	182610	3"	10	18" x 26"	\$285
					218T x 2	3 1/4"	18	18" x 26"	\$430
<b>STANDARD ALUMINUM RACKS (welded)</b>					<b>STAINLESS STEEL RACKS (welded)</b>				
152110	3 7/16"	10	15" x 21"	\$260	1809SS	6 7/16"	9	18" x 26"	\$615
1611	5"	11	16" x 26"	\$265	1811SS	5 1/4"	11	18" x 26"	\$615
1618	3"	18	18" x 26"	\$265	1818SS	3 3/16"	18	18" x 26"	\$745
1811	5"	11	18" x 26"	\$265	<b>OPTIONAL</b>				
1811 x 2	5"	22	18" x 26"	\$355	LC001	Locking casters for rack (2)			\$24
1811B	5"	11	Tote Box	\$265	CB001	Corner bumpers (4)			\$65
1811 SL	5"	11	18" x 26"	\$265	PB001	Perimeter bumpers			\$95
1818	3"	18	18" x 26"	\$295	PS	Pan stopper			\$65
1818 x 2	3"	36	18" x 26"	\$430					



1811  
1811D

## RACK COVERS



PCRHD

Model	Description	Price
PCRHD	Cover HD Heavy duty clear plastic cover for 18" x 26" bun pan racks	\$110
PCRTLOI	Cover-I-SL Plastic cover for single rack of TLOI and TLOII oven SIDE LOAD	\$130
PCRTLOII	Cover-II-SL Plastic cover for double rack of TLOII oven SIDE LOAD	\$160
PCRTLOSII	Cover-II-SL Plastic cover for single rack of TLOII oven SIDE LOAD	\$130
PCR7	Cover-7 Plastic cover for 18267	\$115
PCSLR	Cover-SL Plastic cover for side load rack	\$130

# MIXERS

## SM GEAR DRIVEN PLANETARY MIXERS (SM200, SM201, SM300, SM401, SM402NA)

Planetary mixer, emergency stop, 3 speeds, includes: one stainless steel bowl, flat beater, whip, dough hook and bowl guard.

Model	Bowl Capacity (qts)	Hub	Dimensions			Electrical			Crated Weight (lbs)	Freight Class	Price
			W	D	H	Motor HP	Volts	Amps			
SM201	20	no	19"	21"	32 1/2"	1/2	120	12	250	85	\$3,450
SM200	20	yes	20 1/4"	21"	31 3/4"	1/2	120	8	250	85	\$4,050
SM300	30	yes	25 3/4"	24"	46 1/2"	1	120	16	525	85	\$5,300
SM401	40	no	29 1/4"	24"	38 1/2"	1	120	14	465	85	\$4,800
SM402NA	40	yes	29 3/4"	26 1/4"	42"	1 1/2	208-240	14	575	85	\$5,950



**SM200**

**SM201**

**SM300**


**SM401**

**SM402NA**

### OPTIONAL

SM100CL	Vegetable and peperoni slicer attachment with 3 shredders (3/32", 3/16" & 1/4") for BTF & SM mixers with hub	60	85	\$1,690
SM100HV	Meat grinder attachment for BTF & SM mixers with hub	20	85	\$375

See accessories on page 17.



**SM100CL**



**SM100HV**

## GEAR BELT DRIVEN MIXERS (BTF010, BTF020, BTF040, BTF040H, BTF060, BTF060H, BTFP60, BTFP60H)

Planetary mixer, 20 speeds, includes stainless steel bowl, safety guard, dough hook, whip and flat beater (except BTFP60 and BTFP60H, 1 bowl, 1 hook and dolly only), cast iron frame with enamel coated steel finish.

Model	Bowl Capacity (qts)	Hub	Dimensions			Electrical			Crated Weight (lbs)	Freight Class	Price
			W	D	H	Motor HP	Volts	Amps			
BTF010	10	No	15"	22 3/4"	33"	1/2	120	4	250	85	\$4,500
BTF020	20	No	18"	26 3/4"	41 3/4"	1	120	8	330	85	\$5,600
BTF040	40	No	23 1/2"	36 3/4"	53"	3	208-240	12	700	85	\$7,700
BTF040H	40	Yes	23 1/2"	36 3/4"	53"	3	208-240	12	700	85	\$8,900
BTF060	60	No	24 1/4"	37"	56 3/4"	4	208-240	16	750	85	\$10,600
BTFP60 (pizza)	60	No	24 1/4"	37"	57 1/4"	4	208-240	16	850	85	\$13,800
BTF060H	60	Yes	24 1/4"	37"	56 3/4"	4	208-240	16	750	85	\$11,800
BTFP60H (pizza)	60	Yes	24 1/4"	37"	57 1/4"	4	208-240	16	850	85	\$14,800



**BTF010**

**BTF020**

**BTF040**  
**BTF040H**

**BTF060**  
**BTFP60 (pizza)**  
**BTF060H**  
**BTFP60H (pizza)**

## STATIONARY BOWL SPIRAL MIXERS

### SPIRAL MIXERS (AEF Series)

Proper oxygenation, rotational speed, synchronization of bowl and hook as well as time are crucial for making perfect dough. That is why the award winning Doyon spiral mixer will beat the competition everytime in making the finest quality dough. Great for breads, bagels, pizza and gentle type french dough. Our mixers will significantly reduce your operating time.



AEF050

Model	Dimensions			Electric System			Capacity			Crated Weight (lbs)	Freight Class	Price
	W	D	H	Voltage	Phase	Amp	Bowl (qts)	Flour (lbs)	Dough (lbs)			
Spiral Mixer, 2 speeds, stationary stainless steel bowl, safety guard and mixing, hook, digital display with 9 programs, cast iron frame with enamel coated steel finish.												
AEF015SP	16"	29"	37 1/4"	208-240	1	14	30	30	50	540	85	\$7,500
AEF025	19"	33"	42 1/4"	208-240	3	10	50	55	88	980	85	\$9,200
AEF035	21 3/4"	41"	46 1/4"	208-240	3	14	70	75	120	980	85	\$12,900
AEF050	26 1/4"	46 1/2"	53 1/2"	208-240	3	20	100	110	175	1300	85	\$16,100
AEF080	31"	60 1/4"	54"	208-240	3	32	175	175	280	1810	85	\$21,200
AEF100	34 1/4"	63 1/2"	54"	208-240	3	32	225	220	350	1850	85	\$23,900
AEF150	39"	63 1/2"	54"	208-240	3	32	285	330	525	1990	85	\$27,000

### OPTIONAL

AEF015B	Stainless steel table for AEF015SP	\$750
AEFHUB	Hub for spiral mixer	\$1,200
AEF001	Integrated water meter for AEF050 and up	\$1,900

NEW  
NEW

## TILT OVER SPIRAL MIXERS

Model	Dimensions			Electric System			Capacity			Crated Weight (lbs)	Freight Class	Price
	W	D	H	Voltage	Phase	Amp	Bowl (qts)	Flour (lbs)	Dough (lbs)			
Spiral Mixer, 2 speeds, stationary stainless steel bowl, safety guard and mixing, hook, digital display with 9 programs, cast iron frame with enamel coated steel finish including hydraulic lift and protective rail.												
AB080	59 1/4"	59 1/4"	98 1/4" or 114 1/2"	208-240	3	32	175	175	280	2425	85	\$40,500
AB100	59 1/4"	59 1/4"	98 1/4" or 114 1/2"	208-240	3	32	225	220	350	2650	85	\$43,500
AB150	59 1/2"	59 1/4"	98 1/4" or 114 1/2"	208-240	3	32	285	330	525	3300	85	\$47,500

**NOTE: Specify A: Dropping on table (55") - B: Dropping in hopper (71") - C: Dumping on left - D: Dumping on right**

Spiral mixer with removable bowl, automatic or manual digital control, 9 programs, digital display of mixing time, automatic bowl locking system, see through bowl guard with safety interlock.



AB080

## REMOVABLE BOWL SPIRAL MIXERS

ATA100	34 1/4"	83 3/4"	78 1/4"	208-240	3	32	225	min. 22 max 220	min. 35 max 350	3120	85	\$52,000
ATA150	38 1/2"	88"	82 1/4"	208-240	3	32	345	min. 22 max 330	min. 35 max 520	3620	85	\$56,900

### BOWLS FOR ATA MIXERS SERIES

TAF100	Removable stainless steel bowl for ATA100	\$8,650
TAF150	Removable stainless steel bowl for ATA150	\$8,800

### OPTIONAL

IWM	Integrated water meter	\$1,780
-----	------------------------	---------



ATA100

# MIXER ACCESSORIES

Model	Description	Price	Model	Description	Price
BTF010B	Bowl Bowl. for 10 Qt mixer BTF010	\$495	BTF060D	Dolly Dolly for mixer 60 Qt. BTF060	\$480
BTF010C	Hook Dough hook for 10 Qt. mixer BTF010	\$240	SM100CL	Shredders Vegetable and pepperoni slicer attachment w/3 shredders for mixer	\$1,690
BTF010F	Whip Whip for 10 Qt. mixer BTF010	\$345	SM100HV	Grinder Meat grinder attachment for mixer	\$375
BTF010P	Beater Flat beater for 10 Qt. mixer BTF010	\$345	SM200B	Bowl Stainless steel bowl 20 Qt. for SM200	\$360
BTF010T	Table Stainless steel table for BTF010 mixer	\$925	SM200C	Hook Dough hook 20 Qt. for SM200	\$310
BTF020B	Bowl Bowl for 20 Qt. mixer BTF020	\$790	SM200F	Whip Whip 20 Qt. for SM200	\$380
BTF020C	Hook Dough hook for 20 Qt. mixer BTF020	\$460	SM200P	Beater Flat beater 20 Qt. for SM200	\$310
BTF020F	Whip Whip for 20 Qt. mixer BTF020	\$430	SM200T	Table Stainless steel table for SM200 mixer	\$925
BTF020P	Beater Flat beater for 20 Qt. mixer BTF020	\$430	SM201B	Bowl Stainless steel bowl 20 Qt. for SM201	\$380
BTF020T	Table Stainless steel table for BTF020 mixer	\$925	SM201C	Hook Dough hook 20 Qt. for SM201	\$240
BTF040A	Bowl Alternative material 20 Qt.: bowl, hook whip, flat beater, for BTF040	\$2,150	SM201F	Whip Whip 20 Qt. for SM201	\$260
BTF040AB	Bowl Alternative bowl 20 Qt. for mixer BTF040	\$1,115	SM201P	Beater Flat beater 20 Qt. for SM201	\$290
BTF040AC	Hook Alternative dough hook 20 Qt. for mixer BTF040	\$465	SM201T	Table Stainless steel table for SM201 mixer	\$925
BTF040AF	Whip Alternative whip 20Qt. for mixer BTF040	\$545	SM300B	Bowl Stainless steel bowl 30 Qt. for SM300	\$580
BTF040AP	Beater Alternative flat beater 20 Qt. for mixer BTF040	\$545	SM300C	Hook Dough hook 30 Qt. for SM300	\$355
BTF040B	Bowl Bowl for 40 Qt. mixer BTF040	\$1,115	SM300F	Whip Whip 30 Qt. for SM300	\$495
BTF040C	Hook Dough hook for 40 Qt. mixer BTF040	\$465	SM300P	Beater Flat beater 30 Qt. for SM300	\$355
BTF040F	Whip Whip for 40 Qt. mixer BTF040	\$545	SM401B	Bowl Stainless Steel Bowl 40 Qt. for SM401	\$580
BTF040P	Beater Flat beater for 40 Qt. mixer BTF040	\$545	SM401C	Hook Dough hook 40 Qt. for SM401	\$380
BTF040D	Dolly Dolly for 40 Qt. mixer BTF040	\$475	SM401F	Whip Whip 40 Qt. for SM401	\$380
BTF060A	Bowl Alternative material 40 Qt.: bowl, hook whip, flat beater, for BTF060	\$2,150	SM401P	Beater Flat beater 40 Qt. for SM401	\$295
BTF060AB	Bowl Alternative bowl 40 Qt. for mixer BTF060	\$1,115	SM402B	Bowl Stainless Steel Bowl 40 Qt. for SM402A	\$795
BTF060AC	Hook Alternative dough hook 40 Qt. for mixer BTF060	\$465	SM402C	Hook Dough hook 40 Qt. for SM402A	\$495
BTF060AF	Whip Alternative whip 40 Qt. for mixer BTF060	\$545	SM402F	Whip Whip 40 Qt. for SM402A	\$510
BTF060AP	Beater Alternative flat beater 40 Qt. for mixer BTF060	\$545	SM402P	Beater Flat beater 40 Qt. for SM402A	\$495
BTF060B	Bowl Bowl for 60 Qt. mixer BTF060	\$1,350	SM402NB	Bowl Stainless Steel Bowl 40 Qt. for SM402NA	\$795
BTF060C	Hook Dough hook for 60 Qt. mixer BTF060	\$545	SM402NC	Hook Dough hook 40 Qt. for SM402NA	\$495
BTF060F	Whip Whip for 60 Qt. mixer BTF060	\$620	SM402NF	Whip Whip 40 Qt. for SM402NA	\$510
BTF060P	Beater Flat beater for 60 Qt. mixer BTF060	\$620	SM402NP	Beater Flat beater 40 Qt. for SM402NA	\$495



**BTF040D  
BTF060D**  
(Bowl sold separately)

## PANS

Model	Description	Price
D26-3G	3 Baguettes Perforated Baguette pan (3) (french stick) glazed	\$79
D26-5G	5 Baguettes Perforated Baguette pan (5) (french stick) glazed	\$79
1826PG	Pan 18 x 26 Perforated Glazed Aluminium pan 18" x 26"	\$76
1826PE	Extender Pan extender 18" x 26"	\$64
B6903	Roll pan Small roll pan (12)	\$90
1318A	Pan 13x18 Aluminium pan 13" x 18"	\$23
1826P	Plastic pan Plastic yellow pan 18" x 26" (not for oven)	\$28
198-12	Subroll Subroll pan 12"	\$90
2014	Pan 14 x 20 Alum. pan 14" x 20" perforated for JA3MC oven	\$39
275-24	Muffin Muffin pan 2 oz (24)	\$72
275-515	Muffin Muffin pan 4 oz (15) mushroom type	\$115
6282	Muffin Muffin pan 4 oz (12) mushroom type	\$79
40010	Submarine Submarine bread pan 12"	\$195
45305	Muffin Extra large muffin pan (Mammoth)	\$119
4016N	Alum. pan Aluminium pan 18" x 26"	\$21
3695	6 bread 5" Bread pan (6) 5" x 2 1/2"	\$116
407	Bread 8 1/2" Bread pan 8 1/2" x 4 1/2"	\$79
409	Bread 9 1/2" Bread pan 9 1/2" x 4 1/2"	\$88
410	Bread 10" Bread pan 10" x 5"	\$102
412	Bread 12" Bread pan 12" x 5"	\$104
516-10	Subroll Subroll pan 10"	\$104

## CLEANING & POLISHING PRODUCTS

Model	Description	Price
EXC300	Cleaner Copper pan cleaner for oven glass	\$9
EXS400	Protector Protector silicone for oven interior (10 oz)	\$19
NEB201	Cleaner Int. Cleaner Chemco for oven interior (1 litre)	\$16
NES201	Polish Stainless steel polish (1 litre)	\$19



## TERMS OF SALE

### Terms:

Net 30 days subject to credit department approval.  
All amounts past due are subject to 1½% per month service charge.

### F.O.B.

Liniere, Qc, Canada G0M 1J0  
Call factory for freight prices.

### Prices:

All prices are subject to change without notice.  
Prices do not include sales tax.  
Doyon is not responsible for printing errors in pricing or specifications.

### Shipments:

Shipment must be inspected promptly upon receipt.  
No claims for damaged merchandise or missing parts or other errors will be recognized unless written notice thereof is given to Doyon Equipment inc. within 30 days from shipping date.

### Notes:

Doyon Equipment inc. reserves the right without prior notice to make changes and revisions in product specifications, design, and materials which in the opinion of the company will provide greater efficiency, performance and durability.

### Installation:

Installation and start-up is the responsibility of the buyer, its agent, contractor, as the case may be.

### Returned Goods:

Returned goods are subject to a 15% restocking charge and the cost of reconditioning. Prior authorization by Doyon must be granted, and returned goods must be sent freight prepaid. Custom units built to buyer specifications may not be returned or cancelled.

## ORDERING INFORMATION

### How to place an order:

- Federal ID number: required for U.S. customs purposes from all Dealers (N/A in Canada).
- All orders are subject to acceptance by the local representative and our office.
- All orders must have the Dealer's name, address, phone number, purchase order number and purchase order dollar amount.
- All orders must include a requested ship date, ship address, job name and location.

- All orders must include model number, voltage requirement, type of gas and altitude if installation is over 2000 feet, and conveyor belt direction.
- There will be no additional charges for duties and customs (U.S. Customers).

### International order

- All international orders must specify either CE-specific or non-CE ovens.
- International orders may be subject to a warranty administration fee at the time the order is placed.

## WARRANTY - One year parts and labor Doyon limited warranty (Continental United States of America and Canada only)

This Doyon Equipment Inc. warranty applies to all equipment that has been unaltered, properly installed and maintained in accordance with the Doyon installation manuals.

Doyon products are warranted to the original purchaser to be free from defects in material and workmanship for a period of (1) one year from the date of original installation. This warranty does not apply to equipment damaged, abused or altered accidentally or intentionally or modified by unqualified service personnel or with missing or altered serial nameplates.

Doyon agrees to repair or replace defective parts due to flaws in material or workmanship during the warranty period. Labor to repair or replace defective parts shall be warranted when performed by an authorized Doyon service agency. Travel over 50 miles, holiday or overtime labor charges are not covered.

Proper installation, initial check out, or normal maintenance such as lubrication, adjustment or calibration is the responsibility of the dealer, owner-user or installing contractor and is not covered by this warranty.



1255, rue Principale  
Linière (Québec)  
Canada G0M 1J0

Phone: 418-685-3431  
Fax: 418-685-3948  
U.S.A.: 1-800-463-4273  
Canada: 1-800-463-1636

E-mail : [doyon@doyon.qc.ca](mailto:doyon@doyon.qc.ca) [www.doyon.qc.ca](http://www.doyon.qc.ca)