


# price b'ook

effective october 15 of





## **GENERAL INFORMATION ..... 3-7**

|  |     |
|--|-----|
| Model Page Guide .....                   | 3-4 |
| How to Place an Order .....              | 5   |
| Specification Aids .....                 | 5   |
| Quote and PO Processing Commitment ..... | 5-6 |
| Processing Times .....                   | 6   |
| Fulfillment Commitment .....             | 6   |
| Product Categories & Families .....      | 7   |
| Lead Times .....                         | 7   |

## **PREPARATION TABLES ..... 8-21**

### **Introduction ..... 8-9**

### **8000N Series ..... 10-13**

|                             |       |
|-----------------------------|-------|
| Raised Rail Features .....  | 10    |
| Raised Rail Specs .....     | 11    |
| Options & Accessories ..... | 12-13 |

### **9000K Series ..... 14-16**

|  |    |
|--|----|
| 9000K Features .....                               | 14 |
| Mega-Top High Volume Salad, Side Mount Specs ..... | 15 |
| Options & Accessories .....                        | 16 |

### **9000 Series ..... 17-21**

|  |    |
|--|----|
| Countertop Rail Features & Specs .....   | 17 |
| Salad, Side Mount Features & Specs ..... | 18 |
| Options & Accessories .....              | 19 |
| Salad, Rear Mount Features & Specs ..... | 20 |
| Options & Accessories .....              | 21 |

## **PRECISE REFRIGERATION ..... 22-29**

### **Introduction ..... 22-25**

### **FX Series ..... 26-28**

|                             |    |
|-----------------------------|----|
| FX Series Features .....    | 26 |
| FX Series Specs .....       | 27 |
| Options & Accessories ..... | 28 |

### **Blast Chillers ..... 29**

|                                      |    |
|--------------------------------------|----|
| Blast Chiller Features & Specs ..... | 29 |
| Options & Accessories .....          | 29 |

## **CHEF STANDS ..... 30-33**

|                             |       |
|-----------------------------|-------|
| Chef Stand Features .....   | 30    |
| Chef Stand Specs .....      | 31-32 |
| Options & Accessories ..... | 33    |

## **CHEF TABLES ..... 34-37**

### **Introduction & Features ..... 34-37**

## **RANSERVE SERVING LINES ..... 38-49**

### **Introduction & Features ..... 38-39**

|                                     |       |
|-------------------------------------|-------|
| Cashier Stand Specs .....           | 40    |
| Tray & Silverware Stand Specs ..... | 40    |
| Freezer/Plate Chiller Specs .....   | 40    |
| Work Top Specs .....                | 41    |
| Milk Cooler Specs .....             | 42    |
| Cold Pan Specs .....                | 42-43 |

|                       |    |
|-----------------------|----|
| Frost Top Specs ..... | 44 |
|-----------------------|----|

|                      |       |
|----------------------|-------|
| Hot Well Specs ..... | 45-47 |
|----------------------|-------|

|                             |       |
|-----------------------------|-------|
| Options & Accessories ..... | 48-49 |
|-----------------------------|-------|

## **DROP-IN COMPONENTS ..... 50-55**

|                                 |    |
|---------------------------------|----|
| Cold Pan Features & Specs ..... | 50 |
|---------------------------------|----|

|                                  |    |
|----------------------------------|----|
| Frost Top Features & Specs ..... | 51 |
|----------------------------------|----|

|                       |                 |
|-----------------------|-----------------|
| NEW! Forced Air ..... | Contact Factory |
|-----------------------|-----------------|

|                             |    |
|-----------------------------|----|
| Options & Accessories ..... | 51 |
|-----------------------------|----|

|                                |    |
|--------------------------------|----|
| Station Features & Specs ..... | 52 |
|--------------------------------|----|

|                             |    |
|-----------------------------|----|
| Options & Accessories ..... | 52 |
|-----------------------------|----|

|                         |    |
|-------------------------|----|
| Hot Well Features ..... | 53 |
|-------------------------|----|

|                      |       |
|----------------------|-------|
| Hot Well Specs ..... | 53-54 |
|----------------------|-------|

|                             |    |
|-----------------------------|----|
| Options & Accessories ..... | 55 |
|-----------------------------|----|

## **HOT FOOD SERVING ..... 56-58**

|  |    |
|--|----|
| Individual Well Features & Specs ..... | 56 |
|--|----|

|                                  |    |
|----------------------------------|----|
| Waterbath Features & Specs ..... | 57 |
|----------------------------------|----|

|                             |    |
|-----------------------------|----|
| Options & Accessories ..... | 58 |
|-----------------------------|----|

## **UPRIGHTS ..... 59-63**

|                                   |    |
|-----------------------------------|----|
| Reach-In & Roll-In Features ..... | 59 |
|-----------------------------------|----|

|                                |       |
|--------------------------------|-------|
| Reach-In & Roll-In Specs ..... | 59-60 |
|--------------------------------|-------|

|                                      |    |
|--------------------------------------|----|
| Dual Temp & Pass-Thru Features ..... | 61 |
|--------------------------------------|----|

|                                   |       |
|-----------------------------------|-------|
| Dual Temp & Pass-Thru Specs ..... | 61-62 |
|-----------------------------------|-------|

|                               |    |
|-------------------------------|----|
| Heated Features & Specs ..... | 62 |
|-------------------------------|----|

|                             |    |
|-----------------------------|----|
| Options & Accessories ..... | 63 |
|-----------------------------|----|

## **WORK TOP/UNDERCOUNTER ... 64-67**

|                                   |    |
|-----------------------------------|----|
| Side Mount Features & Specs ..... | 64 |
|-----------------------------------|----|

|                             |    |
|-----------------------------|----|
| Options & Accessories ..... | 65 |
|-----------------------------|----|

|                                   |    |
|-----------------------------------|----|
| Rear Mount Features & Specs ..... | 66 |
|-----------------------------------|----|

|                             |    |
|-----------------------------|----|
| Options & Accessories ..... | 67 |
|-----------------------------|----|

## **DISPLAY MERCHANDISERS ..... 68-73**

|  |    |
|--|----|
| Grab-N-Go Air Curtain Features & Specs ..... | 68 |
|--|----|

|                                     |    |
|-------------------------------------|----|
| Curved Glass Features & Specs ..... | 69 |
|-------------------------------------|----|

|  |    |
|--|----|
| Wall Mount & Countertop Features & Specs ..... | 70 |
|--|----|

|                                |    |
|--------------------------------|----|
| Drop-In Features & Specs ..... | 71 |
|--------------------------------|----|

|                          |    |
|--------------------------|----|
| Full View Features ..... | 72 |
|--------------------------|----|

|                       |       |
|-----------------------|-------|
| Full View Specs ..... | 72-73 |
|-----------------------|-------|

|                             |    |
|-----------------------------|----|
| Options & Accessories ..... | 73 |
|-----------------------------|----|

## **CUSTOM FABRICATION ..... 74-75**

### **Introduction & Features ..... 74-75**

## **PROCEDURES ..... 76-79**

|                                      |    |
|--------------------------------------|----|
| Freight Claim Policy & Process ..... | 76 |
|--------------------------------------|----|

|  |    |
|--|----|
| Order Placement Terms & Conditions ..... | 76 |
|--|----|

|   |    |
|---|----|
| Sales Order Confirmation Terms & Conditions ..... | 76 |
|---|----|

|                                 |       |
|---------------------------------|-------|
| Credit Terms & Conditions ..... | 77-78 |
|---------------------------------|-------|

|                            |    |
|----------------------------|----|
| Warranty Information ..... | 79 |
|----------------------------|----|

## MODEL PAGE GUIDE

| MODEL NUMBER | PAGE | MODEL NUMBER      | PAGE | MODEL NUMBER      | PAGE | MODEL NUMBER      | PAGE |
|--------------|------|-------------------|------|-------------------|------|-------------------|------|
| 8148N/PCB    | 11   | FX-2WS            | 27   | 20042RF/-32       | 32   | RAN/FG/14G IC-5S  | 43   |
| 8260N/PCB    | 11   | FX-2WSA           | 27   | 20065RF/-32       | 32   | RAN/FG/14G IC-6S  | 43   |
| 8268N/PCB    | 11   | FX2-4N1WSB        | 27   | 20092RF/-32       | 32   | RAN/FG/14G FTA-2  | 44   |
| 8383N/PCB    | 11   | FX2-4N1WST        | 27   | RAN/FG/14G CA     | 40   | RAN/FG/14G FTA-3  | 44   |
| 8395N/PCB    | 11   | FX-2              | 27   | RAN/FG/14G SW-8   | 40   | RAN/FG/14G FTA-4  | 44   |
| 84111N/PCB   | 11   | FX-2WSRE          | 27   | RAN/FG/14G SW-12  | 40   | RAN/FG/14G FTA-5  | 44   |
| 9030K-7      | 15   | FX-3SS            | 27   | RANFG/14G SW-8PS  | 40   | RAN/FG/14G FTA-6  | 44   |
| 9040K-7      | 15   | BC-3              | 29   | RAN/FG/14G FRA-1  | 40   | RAN/14G FTA-2S    | 44   |
| 9045K-7      | 15   | BC-5              | 29   | RAN/FG/14G FRA-2  | 40   | RAN/14G FTA-3S    | 44   |
| 9050K-7      | 15   | BC-10             | 29   | RAN/FG/14G ST-2   | 41   | RAN/FG/14G FTA-4S | 44   |
| CR9039       | 17   | BC-20             | 29   | RAN/FG/14G ST-3   | 41   | RAN/FG/14G FTA-5S | 44   |
| CR9046       | 17   | BC-5E             | 29   | RAN/FG/14G ST-4   | 41   | RAN/FG/14G FTA-6S | 44   |
| CR9053       | 17   | BC-10E            | 29   | RAN/FG/14G ST-5   | 41   | RAN/FG/14G HTD-2  | 45   |
| CR9060       | 17   | FX-1CS            | 31   | RAN/FG/14G ST-6   | 41   | RAN/FG/14G HTD-3  | 45   |
| CR9067       | 17   | FX-2CS            | 31   | RAN/FG/14G ST-7   | 41   | RAN/FG/14G HTD-4  | 45   |
| CR9074       | 17   | FX1-4N1CS         | 31   | RAN/FG/14G ST-2S  | 41   | RAN/FG/14G HTD-5  | 45   |
| CR9080       | 17   | FX2-4N1CS         | 31   | RAN/FG/14G ST-3S  | 41   | RAN/FG/14G HTD-6  | 45   |
| CR9087       | 17   | FX2-4N1CSL        | 31   | RAN/FG/14G ST-4S  | 41   | RAN/FG/14G HTD-2S | 46   |
| CR9099       | 17   | FX2-4N1CSR        | 31   | RAN/FG/14G ST-5S  | 41   | RAN/FG/14G HTD-3S | 46   |
| 9210-32-7    | 18   | FX-1RECS          | 31   | RAN/FG/14G ST-6S  | 41   | RAN/FG/14G HTD-4S | 46   |
| 9200-32-7    | 18   | 20048SC/-C4       | 31   | RAN/FG/14G ST-7S  | 41   | RAN/FG/14G HTD-5S | 46   |
| 9230-32-7    | 18   | 20072SC/-C4       | 31   | RAN MC54A         | 42   | RAN/FG/14G HTD-6S | 46   |
| 9220-32-7    | 18   | 20078SC/-C4       | 31   | RAN MC66A         | 42   | RAN/FG/14G HTD-3B | 47   |
| 9401-7       | 20   | 20105SC/-C4       | 31   | RANFG MC60A       | 42   | RAN/FG/14G HTD-4B | 47   |
| 9412-32-7    | 20   | 20048SC-32/-C4    | 31   | RANFG MC72A       | 42   | RAN/FG/14G HTD-5B | 47   |
| 9412-32D-7   | 20   | 20072SC-32/-C4    | 31   | RAN/FG/14G SCA-2  | 42   | RAN/FG/14G HTD-6B | 47   |
| 9801-7       | 20   | 20105SC-32/-C4    | 31   | RAN/FG/14G SCA-3  | 42   | 9550A             | 50   |
| 9303-7       | 20   | 20048SC-32-6/-C4  | 31   | RAN/FG/14G SCA-4  | 42   | 9550APC           | 50   |
| 9304-7       | 20   | 20072SC-32-6/-C4  | 31   | RAN/FG/14G SCA-5  | 42   | 9552A             | 50   |
| 9305-7       | 20   | 20105SC-32-6/-C4  | 31   | RAN/FG/14G SCA-6  | 42   | 9718IC            | 50   |
| 9601-7       | 20   | 20048SCF/-C4      | 32   | RAN/14G SCA-2S    | 42   | 9728IC            | 50   |
| FX-1UC       | 27   | 20072SCF/-C4      | 32   | RAN/14G SCA-3S    | 42   | 9743IC            | 50   |
| FX-1         | 27   | 20078SCF/-C4      | 32   | RAN/FG/14G SCA-4S | 42   | 9757IC            | 50   |
| FX-1A        | 27   | 20105SCF/-C4      | 32   | RAN/FG/14G SCA-5S | 42   | 9772IC            | 50   |
| FX1-4N1      | 27   | 20048SCF-32/-C4   | 32   | RAN/FG/14G SCA-6S | 42   | 9786IC            | 50   |
| FX1-4N1A     | 27   | 20072SCF-32/-C4   | 32   | RAN/FG/14G IC-2   | 43   | 9918SCA           | 50   |
| FX-1CS       | 27   | 20105SCF-32/-C4   | 32   | RAN/FG/14G IC-3   | 43   | 9928SCA           | 50   |
| FX-2CS       | 27   | 20048SCF-32-6/-C4 | 32   | RAN/FG/14G IC-4   | 43   | 9943SCA           | 50   |
| FX1-4N1CS    | 27   | 20072SCF-32-6/-C4 | 32   | RAN/FG/14G IC-5   | 43   | 9957SCA           | 50   |
| FX2-4N1CS    | 27   | 20105SCF-32-6/-C4 | 32   | RAN/FG/14G IC-6   | 43   | 9972SCA           | 50   |
| FX2-4N1CSL   | 27   | 20042R/-32        | 32   | RAN/14G IC-2S     | 43   | 9986SCA           | 50   |
| FX2-4N1CSR   | 27   | 20065R/-32        | 32   | RAN/FG/14G IC-3S  | 43   | 9946SCN           | 50   |
| FX-1RECS     | 27   | 20092R/-32        | 32   | RAN//FG14G IC-4S  | 43   | 9966SCN           | 50   |

## MODEL PAGE GUIDE

| MODEL NUMBER          | PAGE               | MODEL NUMBER | PAGE | MODEL NUMBER | PAGE | MODEL NUMBER    | PAGE |
|-----------------------|--------------------|--------------|------|--------------|------|-----------------|------|
| 9987SCN               | 50                 | 3613-120/240 | 56   | 9205-32-7    | 64   | 40048A          | 70   |
| 9828SCA               | 51                 | 3614-120/240 | 56   | 9235-32-7    | 64   | 40048SSA        | 70   |
| 9843SCA               | 51                 | 3615-120/240 | 56   | 9225-32-7    | 64   | 40024A          | 70   |
| 9857SCA               | 51                 | 3312-208/240 | 57   | 9215F-32-7   | 64   | 40024SSA        | 70   |
| 9872SCA               | 51                 | 3313-208/240 | 57   | 9205F-32-7   | 64   | 4030GA          | 70   |
| 9886SCA               | 51                 | 3314-208/240 | 57   | 9402-7       | 66   | 44250DIMA/PA/SA | 71   |
| NEW! 9900FA           | CONTACT<br>FACTORY | 3315-208/240 | 57   | 9802-7       | 66   | 44262DIMA/PA/SA | 71   |
| 9500                  | 52                 | 3412-NG/LP   | 57   | 9302-7       | 66   | 44274DIMA/PA/SA | 71   |
| 9510                  | 52                 | 3413-NG/LP   | 57   | 9602-7       | 66   | 44250PA         | 72   |
| 9505                  | 52                 | 3414-NG/LP   | 57   | 9604-7       | 66   | 44262PA         | 72   |
| 9515                  | 52                 | 3415-NG/LP   | 57   | 9402F-7      | 66   | 44274PA         | 72   |
| 9500IC                | 52                 | 2010/HL/E    | 59   | 9802F-7      | 66   | 44350PA         | 72   |
| 9510IC                | 52                 | 2020/E       | 59   | 9302F-7      | 66   | 44362PA         | 72   |
| 9530                  | 52                 | 2030/E       | 59   | 9404-7       | 66   | 44374PA         | 72   |
| 95702-208Z/240Z       | 53                 | 2010F/E      | 59   | 9404-7R      | 66   | 43250PA         | 72   |
| 95703-208Z/240Z       | 53                 | 2020F/E      | 59   | 9404-7DW     | 66   | 43262PA         | 72   |
| 95704-208Z/240Z       | 53                 | 2030F/E      | 59   | 9404-32-7    | 66   | 43274PA         | 72   |
| 95705-208Z/240Z       | 53                 | 2011/HL/E    | 60   | 9404-32D-7   | 66   | 43350PA         | 72   |
| 95706-208Z/240Z       | 53                 | 2021/E       | 60   | 9301-7       | 66   | 43362PA         | 72   |
| 95802-208Z            | 53                 | 2022/E       | 60   | 9404F-7      | 66   | 43374PA         | 72   |
| 95803-208Z            | 53                 | 2031/E       | 60   | 9404F-7R     | 66   | 44250A          | 73   |
| 95804-208Z            | 53                 | 2011F/E      | 60   | 9404F-7DW    | 66   | 44262A          | 73   |
| 95805-208Z            | 53                 | 2021F/E      | 60   | 9404F-32-7   | 66   | 44274A          | 73   |
| 95806-208Z            | 53                 | 2135/E       | 60   | 9404F-32D-7  | 66   | 44350A          | 73   |
| 95601-120Z/208Z/240Z  | 54                 | 2168/E       | 60   | 9301F-7      | 66   | 44362A          | 73   |
| 95602-120Z/208Z/240Z  | 54                 | 2235/E       | 60   | SSAC-35SSC   | 68   | 44374A          | 73   |
| 95603-120Z/208Z/240Z  | 54                 | 2268/E       | 60   | SSAC-40SSC   | 68   | 43250A          | 73   |
| 95604-120Z/208Z/240Z  | 54                 | 2010D/E      | 61   | 4137SCA/REA  | 69   | 43262A          | 73   |
| 95605-120Z/208Z/240Z  | 54                 | 2020D/E      | 61   | 4149SCA/REA  | 69   | 43274A          | 73   |
| 95606-120Z/208Z/240Z  | 54                 | 2010P/E      | 61   | 4161SCA/REA  | 69   | 43350A          | 73   |
| 95601-208DZ           | 54                 | 2020P/E      | 61   | 4173SCA/REA  | 69   | 43362A          | 73   |
| 95602-208DMZ          | 54                 | 2030P/E      | 61   | 4137DR       | 69   | 43374A          | 73   |
| 95603-208DMZ          | 54                 | 2022P/E      | 62   | 4149DR       | 69   |                 |      |
| 95604-208DMZ          | 54                 | 2011P        | 62   | 4161DR       | 69   |                 |      |
| 95605-208DMZ          | 54                 | 2021P        | 62   | 4173DR       | 69   |                 |      |
| 95606-208DMZ          | 54                 | 2031P        | 62   | 4137DT       | 69   |                 |      |
| 95602N-120Z/208Z/240Z | 54                 | 2410/E       | 62   | 4149DT       | 69   |                 |      |
| 95603N-120Z/208Z/240Z | 54                 | 2420/E       | 62   | 42036A       | 70   |                 |      |
| 3512-120/240          | 56                 | 2335/E       | 62   | 42048A       | 70   |                 |      |
| 3513-120/240          | 56                 | 2368/E       | 62   | 42060A       | 70   |                 |      |
| 3514-120/240          | 56                 | 2410P/E      | 62   | 41036A       | 70   |                 |      |
| 3515-120/240          | 56                 | 2420P/E      | 62   | 41048A       | 70   |                 |      |
| 3612-120/240          | 56                 | 9215-32-7    | 64   | 41060A       | 70   |                 |      |

## HOW TO PLACE AN ORDER WITH RANDELL

---

### Information required for an order to be finalized:

- ☐ An authorized Purchase Order matching the quote or fixed pricing program must be received by the Unified Brands Customer Service Department prior to processing an order. The Purchase Order should include:
  - ☐ Customer name and address
  - ☐ Purchase Order #
  - ☐ Complete shipping address
  - ☐ Job name and Installation location (if applicable)
  - ☐ Pricing and Discounts by line item including all options and accessories desired
  - ☐ Part numbers for standard items ordered. Part numbers should include a list of all characteristics including electrical (Voltage/Phase/Hertz), type of gas (Altitude if over 2,000 ft is required).
    - ☐ Gas equipment prices are based on natural or propane (LP) gas
  - ☐ Freight payment terms — all orders shipped **FOB Origin**
  - ☐ Requested ship or delivery date
- ☐ Final signed approved drawings (SAD) including all revisions, if necessary
- ☐ Credit approval

**Purchase Order Receipt Acknowledgement** – Acknowledges *receipt of your Purchase Order only* and does not indicate the start of the lead time commitment. Other information, i.e. final signed approved drawings, may be required to fully process your order.

**Sales Order Confirmation** – Is a contract of acceptance of your Purchase Order and includes a committed ship date. It is subject to the terms and conditions contained within this document and outlined in our current price book. The Sales Order Confirmation supersedes any prior representation of lead times, shipping commitments, or P.O. terms and conditions.

**Revisions** – Complex revisions to drawings may require re-approval and validation of requirements from the customer which could cause delays in the start of the lead times.

**Expedites** – We will make every effort to accommodate customer requests for deliveries outside our committed lead times on an exception basis whenever possible. This may result in an up charge.

## SPECIFICATION AIDS FOR RANDELL EQUIPMENT

---

- 1 **Specification Sheets or Detailed Drawings** are available for all standard Randell equipment and most special order variations. Specification sheets contain key unit dimensions, necessary wall clearances and utility connection requirements. Complete specification catalogs or individual specification sheets are available through the UB Literature Department. Specification sheets for most part number(s) are available on the Randell website at **Randell.com**.
- 2 The **Randell AutoCAD Library** is available, including all standard Randell equipment in plan, elevation and side views, layered to FEDA/FCSI recommended guidelines. Fourteen-day FREE trial CD libraries are available through Randell Marketing Services and are also included with the **Kochman Consultants Ltd. (KCL) CADalog**, which is issued on CD three times a year.
- 3 Randell products are included in **AutoQuotes**, a Windows®-based quotation program. This is a professional quotation system for dealers, distributors and manufacturer's reps. Contact AutoQuotes at 1-904/384-2279 for more information.
- 4 Randell products are included on **AutoMate's Symbol library** as part of their full-featured AutoCAD-based design program for foodservice consultants and food facilities designers for every phase of food facility design. For more information contact AutoMate at 904-241-3178 or [www.automate-online.com](http://www.automate-online.com).
- 5 Verbal quotations are provided for customer convenience only and are considered invalid in the absence of a written quotation. Written quotations from Randell are valid for 30 days from quote date unless otherwise specified. Randell assumes no liability for dealer quotations to end-users.

## QUOTE AND PO PROCESSING COMMITMENT

---

**Our commitment is to meet the published response times so that you will be able to manage the transaction accordingly. The response times are based on the actual handling of the request from receipt to response. The response times are independent of the fulfillment commitment and have no impact on the fulfillment lead-times. We believe by providing you with this information, which you can depend on, it allows everybody in the value chain to be more efficient.**

The response processing time for a quote request is named Quote Response Time (QRT). This time is measured from when a quote request with all requirements is received to the time a quote response is sent. The time includes any drawing requirements (if requested). Revision requests on an existing quote are treated as a new quote request.

The response processing time for a purchase order is named Preliminary Drawing Time (PDT). This time is measured from when a purchase order is received to the time a preliminary drawing is sent for approval. Preliminary

Drawing Time does not begin until all PO required information and/or PO revisions are received.

All products for each product line are divided into levels that correspond with a response time. As the product complexity increases due to options and customization requirements, the level designation changes. As level changes, so does the response time in order to reflect the additional design and engineering time needed to produce an accurate representation of the requirement. Please keep in mind the stated response time begins when we have all information needed for processing.

Through response time management, we can be more flexible and better accommodate those customers that require responses in an expedited situation on an exception basis.

If after reviewing the information you have questions, we encourage you to contact your Unified Brands Regional Sales Manager or your Customer Service Associate.

## QUOTE AND PO PROCESSING COMMITMENT

The information required to process a quote request or purchase order is dependent on type of product and complexity of the requirement. All of the information, if applicable, must be present at the time of request. Response times will not apply until all information is received. Required information is as follows:

- ☐ Dealer Name
- ☐ Job Name and Location (City, State, Country)
- ☐ Sales Rep/Manufacturer Rep
- ☐ Contact Name
- ☐ Product Number/Model Number (or similar Part Number/Model)
- ☐ Product Description
- ☐ Complete and detailed specifications
- ☐ Consultant Name and Contact information
- ☐ Requested turn around time
- ☐ Floor Plan and Elevation
- ☐ Does the line up (Chefs Counter) consist of standard catalog items or custom?
- ☐ Are the refrigerated units remote or self contained?
- ☐ Are the units electric (voltage)? Or gas (natural or LP)?
- ☐ Are all units pre wired? If so are the units pre wired to a junction box or breaker panel?

## RANDELL PROCESSING TIMES

| Level | Description   | QRT                     | Review               | PDT | Approval                |
|-------|---|-------------------------|----------------------|-----|-------------------------|
|       |   | Number of Business Days |                      |     |                         |
| 1     | SKU – Finished Goods Single Part Number, Stock (unless noted otherwise) and Non-Stock   | SAME DAY                |                      |     |                         |
| 2     | SKU + SKU Options – Built to order through a product configurator “M-” (unless part ships loose). Base model does not change.   |                         |                      |     |                         |
| 3     | Modified Base Models + Options – Same as above plus common tops, option not standard as configured. Engineering (locate, interpolate), modified BOM or routing, Non-Stock items | 3                       | CUSTOMER REVIEW TIME | 3   | FINAL CUSTOMER APPROVAL |
| 4     | Custom – Project specific, not in configurator  | 3*                      |                      | 3*  |                         |

\*Processing time is an estimated lead time. Complex jobs that require extensive engineering may take longer to complete. A commitment on completion date will be provided within the timeframe shown.

## FULFILLMENT COMMITMENT

Our number one goal is to deliver the best possible service to our customers. The most fundamental aspect of “best service” is shipping quality products within clearly communicated lead times. Randell product lines are structured into a “product architecture” which allows us to commit and deliver on lead times based on the complexity of the product.

**Our commitment is to meet the published lead times so that you will be able to manage the transaction accordingly. The lead times are based on the actual cycle time for a given product to get through the entire order management, engineering and production process. We believe by arming you with this information, which you can depend on, it allows everybody in the value chain to be more efficient.**

The Fulfillment Commitment defines products into four levels (Levels 1–4) with corresponding lead time dates that reflect the number of business days required to process, manufacture and ship an order. All products for each product line are divided into levels that correspond with a lead time. As the product complexity increases due to options and customization requirements, the level designation changes. As levels change, so does the lead time in

order to reflect the additional design, engineering and manufacturing time to produce the quality crafted product.

For more complex product orders, a Purchase Order Receipt Acknowledgement is provided. Please keep in mind the stated lead time begins when we have all information needed to process the order. An order is not available for processing and is not considered a finalized order until all required drawings and revisions have been completed. If we deem that major changes are required to drawings or quoted pricing the order could be subject to approval and validation requirements from the customer which could cause a delay in the start of the lead time. A Sales Order Confirmation that includes a committed ship date will be issued upon completion of the order entry process.

Through lead time management, we can be more flexible and better accommodate those customers that require products in an expedited situation on an exception basis.

If after reviewing the information you have questions, we encourage you to contact your Unified Brands Regional Sales Manager or your Customer Service Associate.



## RANDELL PRODUCT CATEGORIES & FAMILIES

For more than 30 years, the Randell name has stood for quality. Randell designs, engineers and manufactures quality crafted products for performance excellence to exceed customer expectations.

As part of Randell's new product architecture, products are classified into three categories — **STANDARD CATALOG ITEMS**, **CUSTOM BUILT PRODUCTS** and **SERVING LINES**; standard equipment from our price list, customer specific designed equipment and mobile serving lines for the institutional market often specified by the consultant community, respectively. The chart below provides further explanation of these categories while also listing the product families that correspond with each category.

The Fulfillment Commitment and the defined Levels for Randell tie directly to the product line architecture and extent of complexity. In some product lines, Product Categories and Families align with Levels. Product Categories define products by type, application and features. An example of a Product Category is Standard Catalog Items. Within a Product Category, products are grouped into Families which have common characteristics. An example of a Family is an 8000N Prep Table in the Standard Catalog Items Product Category.

| STANDARD CATALOG ITEMS  |  |
|---|--|
| Category  | Family   |
| Products are primarily standard designs along with an offering of common accessories or options available in our current price book. Standard catalog items are more robust than most available in the marketplace and provides the value of proven designs within a defined number of single-model sizes to meet the requirements of the most discriminating Operator. Units are manufactured on production lines and can usually be ordered directly through the DSR by referencing the product number in the Randell price book. | <div>8000N Prep Tables</div> <div>9000K/9200 Side Mounts</div> <div>9000 Package</div> <div>20000 Equipment Stands</div> <div>BC Series Blast Chillers</div> <div>3000 Hot Food Tables</div> <div>2000 Reach-Ins</div> <div>Drop-Ins (Cold &amp; Hot)</div> <div>Select Display Cases</div> <div>CR9000 Countertop Rails</div> |
| CUSTOM BUILT PRODUCTS   |  |
| Category  | Family   |
| Products are designed to meet project or customer specific needs. Many products function similarly to those found in the Standard Catalog category although they are constructed using heavier gauge tops and can be configured (designed) with options and sizes outside of standard offerings. Center-island chef tables and cafeteria counters are two examples of Custom products.  | <div>RanChef</div> <div>Utility Stands</div> <div>Equipment Stands</div> <div>Refrigerators (Prep Tables &amp; Work Top Units)</div> <div>Freezers</div> <div>Ice Cream Dipping Cabinets</div> <div>Overshelf Systems</div> <div>Utility Centers (Cabinets)</div> <div>Display Cases</div> <div>Uprights</div>                 |
| SERVING LINES   |  |
| Category  | Family   |
| Products are most often specified by the consultant community for the institutional market. Serving Lines offer steel and laminate finish lines as well as smooth and colorful fiberglass body style lines. Serving line items require factory drawings.  | <div>Steel, Laminate &amp; Fiberglass:</div> <div>Work Top Units</div> <div>Cold Pan Units</div> <div>Hot Food Units</div> <div>Buffet Shields</div> <div>Overshelf Systems</div> <div>Tray Slides</div>   |

## RANDELL LEAD TIMES (dependant upon demand)

| Level | Description   | CATALOG                 | CUSTOM            | SERVING LINES  |            | Exception Examples:<br>(lead-times assigned per order;<br>contact factory for verification, list may not be<br>totally inclusive)  |
|-------|---|-------------------------|-------------------|----------------|------------|--|
|       |   |                         |                   | Steel/Laminate | Fiberglass |  |
|       |   | Number of Business Days |                   |                |            |  |
| 1     | SKU – Finished Goods Single Part Number, Stock* (unless noted otherwise) and Non-Stock (excludes options) | 10 Days*                | 12 Days           | 12 Days        | 17 Days    | 1. Export Voltages<br>2. Display case door locks<br>3. Drawing Required Units/Projects<br>4. Chain Specific Items  |
| 2     | SKU + SKU Options – Built to order through a product configurator   | 12 Days                 | 12 Days           | 12 Days        | 17 Days    | 5. Roll-In, Roll-Thru and Pass-Thru Reach-ins<br>6. Reach-In Air Curtains (22 days)<br>7. Blast Chillers (22 days)<br>8. Multiple Quantity Orders<br>9. Special Finish Laminates |
| 3     | Configured Units with Engineering Modifications (that require detailed drawings)                          | N/A                     | 22 Days           | 22 Days        | 27 Days    | 1. Special Buyouts<br>2. Corian Projects<br>3. Special Finish Laminates<br>4. Special Finish Steel<br>5. Special Size Steel (wider than standard tops)                           |
| 4     | Custom Products – Customer or Job Specific Projects (not likely to repeat or have reusable options)       | N/A                     | Quoted by Project |                |            | N/A  |

SKU = Stock Keeping Unit

\*Stock items will ship next business day; contact factory for most current stock level or availability

# Standard Products



8000N. With the top operating independently from the base you don't have to worry about cross transfer or product spilling into the base. Our standard drain makes clean up quick and easy.

With a reliable refrigeration system that has been trusted by operators for years, the Randell 8000N features help ensure proper temperature control to minimize food waste.

Randell also offers a full line of air over units. The 9401-7 (shown right) Randell prep table uses a replaceable package system.



900K-7. Add options to suit any condition: drawers, choice of cutting boards, prep racks, single or double tier overshelf. We can fill any need.



# Custom Products

As the leading manufacturer of customer specific counters, Randell has combined years of proven experience with modular manufacturing to provide solutions for every customer application.

By using proven refrigeration technology and over 30 years of experience, Randell can help you select equipment to fit any size application big or small, from white table cloth to quick serve restaurants.

With a full staff of Design Specialists, let Randell help you design your next dream kitchen.



# Customer-Specific Products

Breeding station modified to meet a customer-specific application. With temperature, reliability and clean-up being this customers main goals, they came to Randell to solve their problem.



Customer-specific products are designed to fit exact needs. Modified rail angle, special work surface, catch pans, oversized drain? No problem.



**Preparation Tables. 7 of the top 10 pizza chains choose Randell prep tables to keep their products fresh. Leading chicken, mexican and sandwich chains rely on Randell too. We can do the same for you.**

### General Pan Sizes

(holds 6" deep pans)

Traditional 12" Front-to-Back Openings

|     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1/3 | 1/3 | 1/3 | 1/3 | 1/3 | 1/3 | 1/6 | 1/6 | 1/6 | 1/6 | 1/6 | 1/6 |
|     |     |     |     |     |     | 1/6 | 1/6 | 1/6 | 1/6 | 1/6 | 1/6 |

Mega-Top 20" Front-to-Back Openings

|     |     |     |  |          |          |     |     |     |     |     |     |     |
|-----|-----|-----|--|----------|----------|-----|-----|-----|-----|-----|-----|-----|
| 1/1 | 1/2 | 1/3 |  | 1/2 long | 1/2 long | 1/6 | 1/6 | 1/4 | 1/4 | 1/9 | 1/9 | 1/9 |
|     | 1/2 | 1/3 |  |          |          | 1/6 | 1/6 |     |     | 1/9 | 1/9 | 1/9 |
|     |     | 1/3 |  |          |          | 1/6 | 1/6 | 1/4 | 1/4 | 1/9 | 1/9 | 1/9 |

See each prep table page following for specific pan requirements, or call one of our design specialists to come up with a design and size that fits your specific need. Only Randell gives you so many choices and unparalleled flexibility.

| Top Pizza Chains Using Randell | Rank |
|--------------------------------|------|
| Pizza Hut                      | 1    |
| Domino's Pizza                 | 2    |
| Little Caesars                 | 4    |
| Papa Murphy's                  | 6    |
| Cici's Pizza                   | 7    |
| Round Table Pizza              | 9    |
| Godfather's Pizza              | 10   |
| Hungry Howie's Pizza           | 11   |
| Peter Piper Pizza              | 12   |
| Donatos                        | 13   |
| Gatti's Pizza                  | 16   |
| Pizza Inn                      | 17   |
| LaRosa's Pizzeria              | 19   |
| As ranked by NRA 2009          |      |

Randell customer-specific designed preparation tables. Designed for a chain restaurant to meet work flow and production requirements without losing consistent temperatures. Consistent temperatures mean longer product shelf life and eliminated waste.

Ask how Randell can help you maximize profitability with a customer-specific product.





# 8000N Series

## Randell Exclusive Hinged Louver is 100% Front Breathing.

With the 8000N series standard hinge louver, the Operator has easy access for regular cleaning of the condenser coil, the rail's on/off switch, oversized rail drain and the rail's thermostat for simple adjustment of pan temperatures. The fresh-air/exhaust-air louver design is combined with our exclusive fresh air duct that prevents recycling of the exhaust air through the condenser allowing the Randell units to be 100% front breathing. Randell units typically run 25°F cooler than traditionally designed condenser housings offered by other competitors.



## NSF Standard 7 Performance Requirements.

Recessed pans set into the cold area allow cold air to blanket the top surface of the product to combat hot ambient conditions and to ensure the product surface is in compliance while minimizing freezing.



**Exclusive Press-Fit Gaskets.** Refrigeration runs more efficiently with proper maintenance and the replacement of gaskets that remove easily without tools in a

matter of minutes for each door or drawer. Competitive units require screws that allow for the seals to break down for energy loss.

**Ease of Cleaning.** The integral pan ledge and smooth interior of the rail, along with the industry's only standard drain provides the Operator with the easiest prep rail to clean in the industry.



## Energy Efficient, Operator Friendly.

The split refrigeration design that operates the rail independently of the base allows the Operator to adjust rail temperatures as needed without compromising the storage base temperatures. Energy consumption is reduced by as much as 50%

by shutting the rail off at night after storing food pans in the base or in other storage refrigeration. Your HACCP program is improved at the same time.

## Industry's Strongest Drawers with the Most Comprehensive Warranty Available.

Randell's patented unitized design provides the most consistent and durable construction available and is backed by an all-exclusive 3-year parts and labor warranty on the entire assembly. Competitors offer warranties on parts of the assemblies. Randell's design allows for the easy removal of the entire assembly with no tools for full cleaning of base and access to evaporator coil.


| Value Added Example  |                | Randell 8268N   | Typical 67" Forced Air |
|--|----------------|-----------------|------------------------|
| Value Added to Randell   |                | \$1,007         | \$(1,007)              |
| Total Value Added  |                | \$1,910         | \$(1,910)              |
| <b>Value Added Unit Totals</b>   | <b>\$1,910</b> | <b>\$9,744</b>  | <b>\$10,751</b>        |
| Common cost variable of <b>mechanical rail</b> vs. air cooled                                      | \$900          | <b>Included</b> | \$900                  |
| Common cost of adding <b>drain</b>   | \$250          | <b>Included</b> | \$250                  |
| <b>Easy clean rail</b> = 15 Minutes/day x 365 days x \$8/hour (annual savings)                     | \$730          | <b>Included</b> | \$730                  |
| Annual savings in labor to change out <b>gaskets</b> (@ \$15 each x 15 minutes)                    | \$30           | <b>Included</b> | \$30                   |
| Base Model/Standard Unit   |                | \$9,744         | \$8,841                |
| <b>ADDITIONAL LIST OF \$903 GETS \$1,007 IN ADDED VALUE (1st year + \$760 annually thereafter)</b> |                |                 |                        |

# PREPARATION TABLES

For Mega-Top Salad &  
Rear-System Sandwich Units  
See Pages 15 & 20

PREPARATION  
TABLES

Choose Your  
Pan Capacity  
(holds 6" deep pans)



8148N

| Part No.                                 | List Price | Length | Depth | Height | Doors  | Storage (Cu. Ft.) | Pan Capacity | NEMA  | HP  | Approx. Weight |
|--|------------|--------|-------|--------|--------|-------------------|--------------|-------|-----|----------------|
| <b>48" Raised Rail Preparation Table</b> |            |        |       |        |        |                   |              |       |     |                |
| 8148N                                    | \$6,906    | 48"    | 33"   | 42.9"  | (1)27" | 9                 | (6)1/3       | 5-15P | 1/3 | 342            |
| 8148NPCB                                 | \$7,555    |        |       |        |        |                   |              |       |     |                |



8260N

| Part No.                                 | List Price | Length | Depth | Height | Doors  | Storage (Cu. Ft.) | Pan Capacity | NEMA  | HP  | Approx. Weight |
|--|------------|--------|-------|--------|--------|-------------------|--------------|-------|-----|----------------|
| <b>60" Raised Rail Preparation Table</b> |            |        |       |        |        |                   |              |       |     |                |
| 8260N(s)                                 | \$9,744    | 60"    | 33"   | 42.9"  | (2)24" | 14.8              | (8)1/3       | 5-15P | 1/3 | 400            |
| 8260NPCB                                 | \$10,555   |        |       |        |        |                   |              |       |     |                |



8268N

| Part No.                                 | List Price | Length | Depth | Height | Doors  | Storage (Cu. Ft.) | Pan Capacity | NEMA  | HP  | Approx. Weight |
|--|------------|--------|-------|--------|--------|-------------------|--------------|-------|-----|----------------|
| <b>68" Raised Rail Preparation Table</b> |            |        |       |        |        |                   |              |       |     |                |
| 8268N(s)                                 | \$9,744    | 68"    | 33"   | 42.9"  | (2)27" | 17.8              | (9)1/3       | 5-15P | 1/3 | 428            |
| 8268NPCB                                 | \$10,663   |        |       |        |        |                   |              |       |     |                |



8383N

| Part No.                                 | List Price | Length | Depth | Height | Doors           | Storage (Cu. Ft.) | Pan Capacity | NEMA  | HP  | Approx. Weight |
|--|------------|--------|-------|--------|-----------------|-------------------|--------------|-------|-----|----------------|
| <b>83" Raised Rail Preparation Table</b> |            |        |       |        |                 |                   |              |       |     |                |
| 8383N                                    | \$13,173   | 83"    | 33"   | 42.9"  | (2)24" & (1)21" | 23.5              | (10)1/3      | 5-15P | 1/2 | 550            |
| 8383NPCB                                 | \$14,294   |        |       |        |                 |                   |              |       |     |                |



8395N

| Part No.                                 | List Price | Length | Depth | Height | Doors  | Storage (Cu. Ft.) | Pan Capacity | NEMA  | HP  | Approx. Weight |
|--|------------|--------|-------|--------|--------|-------------------|--------------|-------|-----|----------------|
| <b>95" Raised Rail Preparation Table</b> |            |        |       |        |        |                   |              |       |     |                |
| 8395N(s)                                 | \$13,384   | 95"    | 33"   | 42.9"  | (3)27" | 28.2              | (12)1/3      | 5-15P | 1/2 | 600            |
| 8395NPCB                                 | \$14,669   |        |       |        |        |                   |              |       |     |                |



84111N

| Part No.                                  | List Price | Length | Depth | Height | Doors           | Storage (Cu. Ft.) | Pan Capacity | NEMA  | HP  | Approx. Weight |
|---|------------|--------|-------|--------|-----------------|-------------------|--------------|-------|-----|----------------|
| <b>111" Raised Rail Preparation Table</b> |            |        |       |        |                 |                   |              |       |     |                |
| 84111N(s)                                 | \$17,034   | 111"   | 33"   | 42.9"  | (3)24" & (1)21" | 32.8              | (14)1/3      | 5-20P | 5/8 | 638            |
| 84111NPCB                                 | \$18,534   |        |       |        |                 |                   |              |       |     |                |

84111N/84111NPCB MAY NOT HAVE LIFT-GATE DELIVERY AVAILABLE IN SOME AREAS – CONTACT FACTORY FOR ASSISTANCE

PCB = 16" wide poly cutting board standard, depth & height dimensions do not include cutting board overhang

(s) Stock item ready for next day shipment (large quantities should be confirmed by factory)

**STANDARD WARRANTY: 1 YEAR PARTS, 90 DAYS LABOR, 1 YEAR COMPRESSOR**  
(CW5) 5 Year Compressor Replacement Policy \$70 net, (LW1) 1 Year Labor Policy \$135 net, (LW2) 2 Year Labor Policy \$320 net  
See page 7 for factory turnaround time. Contact your customer service representative for FOB shipping points.

**888-994-7636**  
**unifiedbrands.net**

# PREPARATION TABLES

| Raised Rail Options  | 48"                   | 60"        | 68"        | 83"        | 95"        | 111"        |
|--|-----------------------|------------|------------|------------|------------|-------------|
|  | 8148N                 | 8260N      | 8268N      | 8383N      | 8395N      | 8411N       |
|  | Part No. & List Price |            |            |            |            |             |
| Poly Cutting Board, 1/16" Thick, 16" Wide  | PTBOR50P48            | PTBOR50P60 | PTBOR50P68 | PTBOR50P83 | PTBOR50P95 | PTBOR50P111 |
|  | \$649                 | \$811      | \$919      | \$1,121    | \$1,285    | \$1,500     |
| Richlite Cutting Board, 1/2" Thick, 16" Wide   | PTBOR50R48            | PTBOR50R60 | PTBOR50R68 | PTBOR50R83 | PTBOR50R95 | PTBOR50R111 |
|  | \$915                 | \$1,144    | \$1,297    | \$1,584    | \$1,812    | \$2,118     |
| Removable Tray Rack, (8) 18" x 26" Tray Capacity   | PTRCKWRx              |            |            |            |            |             |
|  | \$350                 |            |            |            |            |             |
| Electrical Deviation to 208-240V/50Hz  | VOL23050              |            |            |            |            |             |
|  | \$635                 |            |            |            |            |             |
| Electrical Deviation to 208-240V/60Hz  | VOL20860              |            |            |            |            |             |
|  | \$635                 |            |            |            |            |             |
| Additional Shelves, 21" Interior With Brackets<br>(Recommended Max of 3)                   | -                     | -          | -          | PTRFSxWR21 | -          | PTRFSxWR21  |
|  | -                     | -          | -          | \$151      | -          | \$151       |
| Additional Shelves, 24" Interior With Brackets<br>(Recommended Max of 3)                   | -                     | PTRFSxWR24 | -          | PTRFSxWR24 | -          | PTRFSxWR24  |
|  | -                     | \$151      | -          | \$151      | -          | \$151       |
| Additional Shelves, 27" Interior With Brackets<br>(Recommended Max of 3)                   | PTRFSxWR27            | -          | PTRFSxWR27 | -          | PTRFSxWR27 | -           |
|  | \$151                 | -          | \$151      | -          | \$151      | -           |
| Adjustable Legs in Lieu of Casters, 6"   | PTLEGS                |            |            |            |            |             |
|  | No Charge             |            |            |            |            |             |
| Pizza Preparation Racks With Pull-Out Catch Pans   | PTRCKPRP48            | PTRCKPRP60 | PTRCKPRP68 | PTRCKPRP83 | PTRCKPRP95 | PTRCKPRP111 |
|  | \$1,935               | \$2,420    | \$2,902    | \$3,628    | \$3,871    | \$4,595     |
| Wire Pizza Preparation Racks With Out Pull-Out<br>Catch Pan                                | PTCKPRW48             | PTCKPRW60  | PTCKPRW68  | PTCKPRW83  | PTCKPRW95  | PTCKPRW111  |
|  | \$484                 | \$643      | \$643      | \$805      | \$964      | \$1,127     |
| Hood Style Cover   | PTCVRHOD48            | PTCVRHOD60 | PTCVRHOD68 | PTCVRHOD83 | PTCVRHOD95 | PTCVRHOD111 |
|  | \$701                 | \$809      | \$1,052    | \$1,130    | \$1,285    | \$1,606     |
| Lift-Off Cover   | PTCVRLF048            | PTCVRLF060 | PTCVRLF068 | PTCVRLF083 | PTCVRLF095 | PTCVRLF0111 |
|  | \$269                 | \$269      | \$269      | \$404      | \$404      | \$404       |
| Slide-Back Cover   | PTCVRHSB48            | PTCVRHSB60 | PTCVRHSB68 | PTCVRHSB83 | PTCVRHSB95 | PTCVRHSB111 |
|  | \$660                 | \$689      | \$719      | \$954      | \$983      | \$1,087     |
| Stainless Steel Back Panels  | PTBCKSS48             | PTBCKSS60  | PTBCKSS68  | PTBCKSS83  | PTBCKSS95  | PTBCKSS111  |
|  | \$955                 | \$1,195    | \$1,431    | \$1,672    | \$1,910    | \$2,180     |
| Deck Mounted Single Tier Overshelves, 16" Wide,<br>Stainless Steel                         | PTDST48               | PTDST60    | PTDST68    | PTDST83    | PTDST95    | PTDST111    |
|  | \$830                 | \$1,032    | \$1,244    | \$1,451    | \$1,710    | \$2,073     |
| Deck Mounted Double Tier Overshelves, 16" Wide,<br>Stainless Steel                         | PTDDT48               | PTDDT60    | PTDDT68    | PTDDT83    | PTDDT95    | PTDDT111    |
|  | \$1,660               | \$2,064    | \$2,488    | \$2,902    | \$3,420    | \$4,146     |
| Cantilever Mounted Single Tier Overshelves, 16"<br>Wide, Stainless Steel                   | PTCST48               | PTCST60    | PTCST68    | PTCST83    | PTCST95    | PTCST111    |
|  | \$848                 | \$1,117    | \$1,282    | \$1,483    | \$1,712    | \$2,132     |
| Cantilever Mounted Double Tier Overshelves, 16"<br>Wide, Stainless Steel                   | PTCDT48               | PTCDT60    | PTCDT68    | PTCDT83    | PTCDT95    | PTCDT111    |
|  | \$1,696               | \$2,234    | \$2,564    | \$2,966    | \$3,424    | \$4,264     |
| Remote Refrigeration For Remote Condensers<br>(Consult Factory for Available Refrigerants) | REM404                |            |            |            |            |             |
|  | -\$345                |            |            |            |            |             |

NOTE: "x" denotes section length. Consult factory.


# PREPARATION TABLES

| Raised Rail Options  | 48"        | 60"        | 68"        | 83"        | 95"        | 111"       |
|--|------------|------------|------------|------------|------------|------------|
|  | 8148N      | 8260N      | 8268N      | 8383N      | 8395N      | 8411N      |
| Part No. & List Price  |            |            |            |            |            |            |
| Set of (4) 3" Casters in Lieu of Standard 6" Casters, for 32" Work Height  | PTCAS3IN   |            |            | -          | -          | -          |
|  | No Charge  |            |            | -          | -          | -          |
| Set of (6) 3" Casters in Lieu of Standard 6" Casters, for 32" Work Height  | -          | -          | -          | PTCAS3INA  |            |            |
|  | -          | -          | -          | No Charge  |            |            |
| Set of (4) 4" Casters in Lieu of Standard 6" Casters, for 33" Work Height  | PTCAS4IN   |            |            | -          | -          | -          |
|  | No Charge  |            |            | -          | -          | -          |
| Set of (6) 4" Casters in Lieu of Standard 6" Casters, for 33" Work Height  | -          | -          | -          | PTCAS4INA  |            |            |
|  | -          | -          | -          | No Charge  |            |            |
| (2) 21" Drawers to Replace (1) 21" Door, Each Holds (1) 12" x 20" x 6" Pan | -          | -          | -          | PTRDxDBL21 | -          | PTRDxDBL21 |
|  | -          | -          | -          | \$2,002    | -          | \$2,002    |
| (2) 24" Drawers to Replace (1) 24" Door, Each Holds (1) 12" x 20" x 6" Pan | -          | PTRDxDBL24 | -          | PTRDxDBL24 | -          | PTRDxDBL24 |
|  | -          | \$2,002    | -          | \$2,002    | -          | \$2,002    |
| (2) 27" Drawers to Replace (1) 27" Door, Each Holds (2) 12" x 20" x 6" Pan | PTRDxEXT27 | -          | PTRDxEXT27 | -          | PTRDxEXT27 | -          |
|  | \$2,687    | -          | \$2,687    | -          | \$2,687    | -          |
| (3) 27" Drawers to Replace (1) 27" Door, Each Holds (2) 12" x 20" x 4" Pan | PTRDxTPL27 | -          | PTRDxTPL27 | -          | PTRDxTPL27 | -          |
|  | \$3,271    | -          | \$3,271    | -          | \$3,271    | -          |


NOTE: "x" denotes section length. Consult factory.

## Choose Your Capacity by Size of Unit & Door Configuration


(21" & 24" hold 6" deep pans, triple tier 27" holds 4" deep pans)



21" DRAWERS



24" DRAWERS



27" DRAWERS



Hood style cover



Prices listed are for accessories shipped installed in units on original shipments. Loose accessories must be purchased through the Randell Parts Department and will be sold at Parts Department prices.

888-994-7636  
unifiedbrands.net





# 9000K Series

## Exclusive Press-Fit Gaskets.

Refrigeration runs more efficiently with proper maintenance and the replacement of gaskets that remove easily without tools in a matter of minutes for each door or drawer. Competitive units require screws that allow for the seals to break down for energy loss.



**Full Depth Interiors.** Randell offers an exclusive combination of side-mount refrigeration systems with a mullion coil design that allows for full-depth interiors. That's a 26" depth! This extra large interior, available only in Randell units, accommodates sheet pans in most models and high capacity drawers that can hold as many as two 12" x 20" pans per drawer.



**Organized Pan Layout.** The interlocking pan adaptor bar grid assures products stay in place, even when loading and unloading pans in the center of the unit. Pans are prevented from falling into the unit and contaminating the products stored below.



**Industry's Strongest Drawers with the Most Comprehensive Warranty Available.** Randell's patented unitized design provides the most consistent and durable construction available and is backed by an all-exclusive 3-year parts and labor warranty on the entire assembly. Competitors offer warranties on parts of the assemblies.

Randell's design allows for the easy removal of the entire assembly with no tools for full cleaning of base and access to evaporator coil.



**Mullion Coil Design Offers Superior Cooling and Maximum Storage.** Randell 9000K series tables incorporate an exclusive designed and balanced evaporator coil that is safely mounted behind the door mullions. The evaporator coil provides superior air distribution throughout the cabinet, full depth and full height of the interior behind the doors, while protecting the coil against damage from overloading.



**Recessed Pan Cooling.** By designing the pans to set into the cold area and combining with our exclusive air-duct that directs the air over the pans, the 9000K

prep tables have cold air blanketing the top surface of the products to combat hot ambient conditions. This assures the product surface is in NSF standard 7 compliance while minimizing freezing.

**Exclusive Lift-Off Louver is 100% Front Breathing.** With the standard easy lift-off louver, the operator has easy access to the condenser

coil for regular cleaning. Regular cleaning can minimize costly maintenance and the potential for food spoilage. The fresh-air/exhaust-air louver design is combined with our exclusive fresh air duct that prevents recycling of the exhaust air through the condenser allowing the Randell units to be 100% front breathing. Randell units typically run 25°F cooler than traditionally designed condenser housings offered by other competitors.

**More Standard Sizes.** Randell provides the most standard sizes from 48" up to 84" to suit operator needs. Randell designs and builds nearly unlimited sizes and pan capacities as part of the RanChef product offering.

**Randell's 9000K prep tables are high-capacity salad top units. Randell is the only manufacturer offering a full range of side-mount cooled units with the industry's best design features.**




# PREPARATION TABLES

For Matching Work-Top Units  
& Hot Food Tables  
See Pages 64-67 & 56-58

PREPARATION  
TABLES

Choose Your  
Pan Capacity  
(holds 6" deep pans)



9030K-7

| Part No.                                 | List Price | Length | Depth | Work Height | Doors  | Storage (Cu. Ft.) | Pan Capacity <sup>(1)</sup> | HP  | Approx. Weight |
|--|------------|--------|-------|-------------|--------|-------------------|-----------------------------|-----|----------------|
| <b>48" High Volume Preparation Table</b> |            |        |       |             |        |                   |                             |     |                |
| 9030K-7(s)                               | \$6,295    | 48"    | 33"   | 34.9"       | (2)18" | 10.1              | (9)1/3                      | 1/3 | 335            |



9040K-7

| Part No.                                 | List Price | Length | Depth | Work Height | Doors  | Storage (Cu. Ft.) | Pan Capacity <sup>(1)</sup> | HP  | Approx. Weight |
|--|------------|--------|-------|-------------|--------|-------------------|-----------------------------|-----|----------------|
| <b>60" High Volume Preparation Table</b> |            |        |       |             |        |                   |                             |     |                |
| 9040K-7(s)                               | \$6,986    | 60"    | 33"   | 34.9"       | (2)24" | 14.7              | (12)1/3                     | 1/3 | 460            |



9045K-7 w/optional drawers

| Part No.                                 | List Price | Length | Depth | Work Height | Doors  | Storage (Cu. Ft.) | Pan Capacity <sup>(1)</sup> | HP  | Approx. Weight |
|--|------------|--------|-------|-------------|--------|-------------------|-----------------------------|-----|----------------|
| <b>72" High Volume Preparation Table</b> |            |        |       |             |        |                   |                             |     |                |
| 9045K-7(s)                               | \$8,063    | 72"    | 33"   | 34.9"       | (2)27" | 19.3              | (15)1/3                     | 3/8 | 475            |



9050K-7

| Part No.                                 | List Price | Length | Depth | Work Height | Doors           | Storage (Cu. Ft.) | Pan Capacity <sup>(1)</sup> | HP  | Approx. Weight |
|--|------------|--------|-------|-------------|-----------------|-------------------|-----------------------------|-----|----------------|
| <b>84" High Volume Preparation Table</b> |            |        |       |             |                 |                   |                             |     |                |
| 9050K-7                                  | \$10,788   | 84"    | 33"   | 34.9"       | (2)24" & (1)18" | 23.9              | (15)1/3                     | 3/8 | 520            |

NOTE: 10" wide cutting board standard, depth & height dimensions for all Part No.s do not include cutting board overhang  
(s) Stock item ready for next day shipment (large quantities should be confirmed by factory)  
(1) Pans not included  
(2) Roll-top cover standard



**STANDARD WARRANTY: 1 YEAR PARTS, 90 DAYS LABOR, 1 YEAR COMPRESSOR**  
(CW5) 5 Year Compressor Replacement Policy \$70 net, (LW1) 1 Year Labor Policy \$135 net, (LW2) 2 Year Labor Policy \$320 net  
See page 7 for factory turnaround time. Contact your customer service representative for FOB shipping points.

**888-994-7636**  
**unifiedbrands.net**


# PREPARATION TABLES

| High Volume Options   | 48"                   | 60"         | 72"         | 84"         |
|---|-----------------------|-------------|-------------|-------------|
|   | 9030K-7               | 9040K-7     | 9045K-7     | 9050K-7     |
|   | Part No. & List Price |             |             |             |
| Richlite Cutting Board In Lieu of Standard Poly Cutting Board, 1/2" Thick, 10" Wide | SMBOR50R48            | SMBOR50R60  | SMBOR50R72  | SMBOR50R84  |
|   | \$195                 | \$244       | \$294       | \$341       |
| (2) 18" Drawers to Replace (1) 18" Door, Each Holds (1) 12" x 20" x 6" Pan          | SMRDxDBL18            | -           | -           | SMRDxDBL18  |
|   | \$2,002               | -           | -           | \$2,002     |
| (2) 24" Drawers to Replace (1) 24" Door, Each Holds (1) 12" x 20" x 6" Pan          | -                     | SMRDxDBL24  | -           | SMRDxDBL24  |
|   | -                     | \$2,002     | -           | \$2,002     |
| (2) 27" Drawers to Replace (1) 27" Door, Each Holds (2) 12" x 20" x 6" Pan          | -                     | -           | SMRDxEXT27  | -           |
|   | -                     | -           | \$2,687     | -           |
| Removable Tray Rack With (8) 18" x 26" Tray Capacity (For 24" and 27" Doors Only)   | -                     | SMRCKWRx    | SMRCKWRx    | SMRCKWRx    |
|   | -                     | \$350       | \$350       | \$350       |
| 208-240V/50Hz Electrical Deviation From Standard                                    | VOL23050              |             |             |             |
|   | \$635                 |             |             |             |
| 208-240V/60Hz Electrical Deviation From Standard                                    | VOL20860              |             |             |             |
|   | \$635                 |             |             |             |
| Additional Shelves, 18" Interior With Brackets (Recommended Max of 3)               | SMRFSxWR18            | -           | -           | SMRFSxWR18  |
|   | \$111                 | -           | -           | \$111       |
| Additional Shelves, 24" Interior With Brackets (Recommended Max of 3)               | -                     | SMRFSxWR24  | -           | SMRFSxWR24  |
|   | -                     | \$111       | -           | \$111       |
| Additional Shelves, 27" Interior With Brackets (Recommended Max of 3)               | -                     | -           | SMRFSxWR27  | -           |
|   | -                     | -           | \$111       | -           |
| Backsplash, Removal (DEL) or Addition (ADD)   | SMBKSDELxx/SMBKSADDxx |             |             |             |
|   | \$352                 |             |             |             |
| Adjustable Legs in Lieu of Casters, 6"  | SMLEGS                |             |             |             |
|   | No Charge             |             |             |             |
| Stainless Steel Back Panels   | SMBCKSSWS48           | SMBCKSSWS60 | SMBCKSSWS72 | SMBCKSSWS84 |
|   | \$962                 | \$1,207     | \$1,451     | \$1,683     |
| Deck Mounted Single Tier Overshelves, 16" Wide, Stainless Steel                     | SMDST48               | SMDST60     | SMDST72     | SMDST84     |
|   | \$805                 | \$1,004     | \$1,208     | \$1,409     |
| Deck Mounted Double Tier Overshelves, 16" Wide, Stainless Steel                     | SMDDT48               | SMDDT60     | SMDDT72     | SMDDT84     |
|   | \$1,610               | \$2,008     | \$2,416     | \$2,818     |

NOTE: "x" denotes section. Consult factory.

## Choose Your Capacity by Size of Unit & Door Configuration


(18" & 24" hold 6" deep pans, triple tier 27" holds 4" deep pans)



Tray rack

# PREPARATION TABLES

Choose Your  
Pan Capacity  
(holds 6" deep pans)



## CR9000 COUNTERTOP RAIL Features

- Self-contained, open rail
- All stainless steel body
- Recessed wrapped cold wall design
- 8' cord & NEMA 5-15P plug, 115 Volts, 60 Hz
- Foamed in place, CFC-free, high density polyurethane insulation
- Meets 1998 NSF standard 7
- Option: CRCVRHOD Optional Hood Cover, Contact Factory



| Part No.                      | List Price | Length | Depth | Height | Pan Capacity | HP  | Approx. Weight |
|-------------------------------|------------|--------|-------|--------|--------------|-----|----------------|
| Countertop Rail, Refrigerated |            |        |       |        |              |     |                |
| CR9039                        | \$5,437    | 39"    | 18"   | 23.5"  | (3)1/3       | 1/4 | 133            |
| CR9046                        | \$5,814    | 46"    | 18"   | 23.5"  | (4)1/3       | 1/4 | 162            |
| CR9053                        | \$6,135    | 53"    | 18"   | 23.5"  | (5)1/3       | 1/4 | 191            |
| CR9060                        | \$6,243    | 60"    | 18"   | 23.5"  | (6)1/3       | 1/4 | 220            |
| CR9067                        | \$6,354    | 67"    | 18"   | 23.5"  | (7)1/3       | 1/4 | 249            |
| CR9074                        | \$6,548    | 74"    | 18"   | 23.5"  | (8)1/3       | 1/4 | 278            |
| CR9080                        | \$6,724    | 80"    | 18"   | 23.5"  | (9)1/3       | 1/4 | 307            |
| CR9087                        | \$6,945    | 87"    | 18"   | 23.5"  | (10)1/3      | 1/4 | 336            |
| CR9099                        | \$8,113    | 99"    | 18"   | 23.5"  | (11)1/3      | 1/4 | 365            |


NOTE: Height listed is to top of open lid assembly

## PREPARATION TABLES

### 9000 SIDE MOUNT Feature

- Side-mounted compressor with mullion "Turbo" coil
- Full depth usable interior space
- Front to back air-over design
- Expansion valve refrigeration system
- Self-contained R-134a refrigeration system
- Interlocking adaptor bar grids and recessed pan ledge provide increased flexibility (adaptor bars are included; pans are not included)
- Easy servicing with removable refrigeration system
- High impact ABS door liners minimize sweating and maintenance
- Pre-Installed NSF approved poly cutting board on salad tops only
- Heavy duty fully extendible robust cartridge system (27" door/drawer combinations available) for 27" units
- All stainless steel top & front, anodized aluminum interior
- Foamed in place high density (CFC free) polyurethane insulation
- Hot gas condensate evaporator
- Self-closing doors with exclusive press-fit magnetic gaskets
- 6" high casters (front locking) (9200 units with legs)
- 8' cord & NEMA 5-15P plug, 115 Volt, 60 Hz
- No lift-off covers available for this series (contact factory for further details)

Choose Your  
Pan Capacity  
(holds 6" deep pans)



9210-32-7

| Part No.                                | List Price | Length | Depth | Work Height | Doors            | Storage (Cu. Ft.) | Pan Capacity <sup>(1)</sup> | HP  | Approx. Weight |
|---|------------|--------|-------|-------------|------------------|-------------------|-----------------------------|-----|----------------|
| Salad Top with Roll Cover, Refrigerated |            |        |       |             |                  |                   |                             |     |                |
| 9210-32-7                               | \$7,675    | 48"    | 33"   | 36"         | (2)18"           | 12.2              | (4)1/3                      | 1/3 | 325            |
| 9200-32-7                               | \$8,243    | 60"    | 33"   | 36"         | (2)24"           | 16.5              | (5)1/3                      | 1/3 | 420            |
| 9230-32-7                               | \$9,766    | 72"    | 33"   | 36"         | (2)27"           | 19.8              | (8)1/3                      | 3/8 | 450            |
| 9220-32-7                               | \$10,523   | 84"    | 33"   | 36"         | (2)24"<br>(1)18" | 20.6              | (8)1/3                      | 3/8 | 500            |

NOTE: 12" wide cutting board standard, depth & height dimensions for all Part No.s do not include cutting board overhang  
6" high adjustable legs standard

<sup>(1)</sup> Pans not included

# PREPARATION TABLES

| Side Mount Options   | 48"                    | 60"          | 72"          | 84"          |
|--|------------------------|--------------|--------------|--------------|
|  | 9210-32-7              | 9200-32-7    | 9230-32-7    | 9220-32-7    |
|  | Part No. & List Price  |              |              |              |
| Richlite Cutting Board In Lieu of Standard Poly Cutting Board, 1/2" Thick, 12" Wide                                    | SM92BOR50R48           | SM92BOR50R60 | SM92BOR50R72 | SM92BOR50R84 |
|  | \$195                  | \$244        | \$294        | \$341        |
| Drawers, (2) 18" Drawers, Each Holds (1) 12" x 20" x 6" Deep Pan   | SMRDxDBL18             | -            | -            | SMRDxDBL18   |
|  | \$2,002                | -            | -            | \$2,002      |
| Drawers, (2) 24" Drawers, Each Holds (1) 12" x 20" x 6" Deep Pan   | -                      | SMRDxDBL24   | -            | SMRDxDBL24   |
|  | -                      | \$2,002      | -            | \$2,002      |
| Drawers, (2) 27" Drawers, Each Holds (2) 12" x 20" x 6" Deep Pans  | -                      | -            | SMRDxEXT27   | -            |
|  | -                      | -            | \$2,687      | -            |
| Removable Tray Rack with (8) 18" x 26" Tray Capacity   | -                      | SMRCKWRx     |              |              |
|  | -                      | \$350        |              |              |
| Electrical Deviation From Standard (Lead Times Vary, Consult Factory), 208-240V/50Hz                                   | VOL23050               |              |              |              |
|  | \$635                  |              |              |              |
| Electrical Deviation From Standard (Lead Times Vary, Consult Factory), 208-240V/60Hz                                   | VOL20860               |              |              |              |
|  | \$635                  |              |              |              |
| Additional Shelves, 18" Interior Shelf (Recommended Max of 3)  | SMRFSxWR18             | -            | -            | SMRFSxWR18   |
|  | \$111                  | -            | -            | \$111        |
| Additional Shelves, 24" Interior Shelf (Recommended Max of 3)  | -                      | SMRFSxWR24   | -            | SMRFSxWR24   |
|  | -                      | \$111        | -            | \$111        |
| Additional Shelves, 27" Interior Shelf (Recommended Max of 3)  | -                      | -            | SMRFSxWR27   | -            |
|  | -                      | -            | \$111        | -            |
| Backsplash, Removal (DEL) or Addition (ADD)  | SMBKSDELxx/ SMBKSADDxx |              |              |              |
|  | \$352                  |              |              |              |
| Adjustable Legs in Lieu of Casters   | SMLEGS                 |              |              |              |
|  | No Charge              |              |              |              |
| Stainless Steel Back Panels  | SMBCKSS48              | SMBCKSS60    | SMBCKSS72    | SMBCKSS84    |
|  | \$962                  | \$1,207      | \$1,451      | \$1,683      |
| Deck Mounted Single Tier Overshelves, 16" Wide (Consult Factory For Overshelf Specifications)                          | SMDST48                | SMDST60      | SMDST72      | SMDST84      |
|  | \$805                  | \$1,004      | \$1,208      | \$1,409      |
| Deck Mounted Double Tier Overshelves, 16" Wide (Consult Factory For Overshelf Specifications)                          | SMDDT48                | SMDDT60      | SMDDT72      | SMDDT84      |
|  | \$1,610                | \$2,008      | \$2,416      | \$2,818      |
| Casters in Lieu of Legs, 3" Casters for 32" Work Height, Set of (4) For Units Up To 72", Set of (6) For Units Over 72" | SMCAS3IN               |              |              | SMCAS3INA    |
|  | \$216                  |              |              | \$325        |
| Casters in Lieu of Legs, 4" Casters for 33" Work Height, Set of (4) For Units Up To 72", Set of (6) For Units Over 72" | SMCAS4IN               |              |              | SMCAS4INA    |
|  | \$216                  |              |              | \$325        |
| Casters in Lieu of Legs, 6" Casters for 35" Work Height, Set of (4) For Units Up To 72", Set of (6) For Units Over 72" | SMCAS6IN               |              |              | SMCAS6INA    |
|  | \$216                  |              |              | \$325        |



NOTE: "x" denotes section. Consult factory.

## PREPARATION TABLES

### 9000 REAR MOUNT Features

- Self-contained, CFC free, R-134a refrigeration system
- "Front Breathing" refrigeration system, no side clearance required, front bottom must be open
- Exterior stainless steel top, sides, and front
- Stainless steel self-closing door with press-fit magnetic gasket
- Polyurethane insulation
- Hot gas condensate evaporator
- (2) powder coated finished shelves, fully adjustable, on door units
- 6" high adjustable legs (9412-32-7 & 9412-32D-7 standard with 3" casters)
- 27" unit standard hinge field reversible
- 8' cord & NEMA 5-15P plug, 115 Volt, 60 Hz

Choose Your  
Pan Capacity  
(holds 6" deep pans)



9401-7

| Part No.                        | List Price | Length | Depth | Height | Doors       | Storage (Cu. Ft.) | Pan Capacity <sup>(1)</sup> | HP  | Approx. Weight |
|---------------------------------|------------|--------|-------|--------|-------------|-------------------|-----------------------------|-----|----------------|
| Salad Top Package, Refrigerated |            |        |       |        |             |                   |                             |     |                |
| 9401-7 <sup>(s)</sup>           | \$3,576    | 27"    | 30"   | 36"    | (1)27"      | 5.7               | (3)1/3                      | 1/4 | 185            |
| 9412-32-7 <sup>(s,2)</sup>      | \$5,702    | 32"    | 32.8" | 36"    | (1)32"      | 8.6               | (6)1/3                      | 1/4 | 252            |
| 9412-32D-7 <sup>(s,2)</sup>     | \$7,117    | 32"    | 32.8" | 36"    | (2) DRAWERS | -                 | (6)1/1                      | 1/4 | 300            |
| 9801-7                          | \$5,285    | 36"    | 30"   | 36"    | (2)18"      | 7.8               | (4)1/3                      | 1/4 | 245            |
| 9303-7                          | \$5,507    | 48"    | 30"   | 36"    | (2)24"      | 10.8              | (4)1/3                      | 1/4 | 280            |
| 9304-7                          | \$5,507    | 48"    | 30"   | 36"    | (2)24"      | 10.8              | (5)1/3                      | 1/4 | 280            |
| 9305-7 <sup>(s)</sup>           | \$5,507    | 48"    | 30"   | 36"    | (2)24"      | 10.8              | (6)1/3                      | 1/4 | 280            |
| 9601-7                          | \$6,919    | 60"    | 30"   | 36"    | (2)27"      | 13.8              | (7)1/3                      | 1/4 | 300            |

NOTE: 12" wide poly cutting board standard (9412-32-7 & 9412-32D-7 supplied with 8" wide poly cutting board), depth & height dimensions for all Part No.s do not include cutting board overhang.

<sup>(s)</sup> Stock item ready for next day shipment (large quantities should be confirmed by factory)

<sup>(2)</sup> Units ship on 3" casters.



# PREPARATION TABLES

| Rear Mount Options   | 27"                    | 32"        |            | 36"          | 48"          |        |        | 60"          |
|--|------------------------|------------|------------|--------------|--------------|--------|--------|--------------|
|  | 9401-7                 | 9412-32-7  | 9412-32D-7 | 9801-7       | 9303-7       | 9304-7 | 9305-7 | 9601-7       |
|  | Part No. & List Price  |            |            |              |              |        |        |              |
| Drawers, (2) 18" Drawers,<br>Each Holds (1) 12" x 10" x 6" Deep Pan  | -                      | -          |            | RMRDxDBL18   | -            | -      | -      | -            |
|  | -                      | -          |            | \$1,753      | -            | -      | -      | -            |
| Drawers, (2) 24" Drawers,<br>Each Holds (1) 18" x 13" x 6" Deep Pan  | -                      | -          |            | -            | RMRDxDBL24   | -      | -      | -            |
|  | -                      | -          |            | -            | \$1,753      | -      | -      | -            |
| Drawers, (2) 27" Drawers, Top Holds (1) 12" x 20" x 6" Deep<br>Pan, Bottom Holds (1) 12" x 20" x 6" Deep Pan | RMRDxDBL27             | -          |            | -            | -            | -      | -      | RMRDxDBL27   |
|  | \$1,753                | -          |            | -            | -            | -      | -      | \$1,753      |
| Electrical Deviation From Standard, 208-240V/50Hz  | VOL23050               | -          |            | -            | -            | -      | -      | -            |
|  | \$635                  | -          |            | -            | -            | -      | -      | -            |
| Electrical Deviation From Standard, 208-240V/60Hz  | VOL20860               | -          |            | -            | -            | -      | -      | -            |
|  | \$635                  | -          |            | -            | -            | -      | -      | -            |
| Additional Shelves, 18" Interior Shelf<br>(Recommended Max of 3)   | -                      | -          |            | RMRFSxWR18   | -            | -      | -      | -            |
|  | -                      | -          |            | \$111        | -            | -      | -      | -            |
| Additional Shelves, 24" Interior Shelf<br>(Recommended Max of 3)   | -                      | -          |            | -            | RMRFSxWR24   | -      | -      | -            |
|  | -                      | -          |            | -            | \$111        | -      | -      | -            |
| Additional Shelves, 27" Interior Shelf<br>(Recommended Max of 3)   | RMRFSxWR27             | -          |            | -            | -            | -      | -      | RMRFSxWR27   |
|  | \$111                  | -          |            | -            | -            | -      | -      | \$111        |
| Additional Shelves, 32" Interior Shelf<br>(Recommended Max of 3)   | -                      | RMRFSxWR32 |            | -            | -            | -      | -      | -            |
|  | -                      | \$111      |            | -            | -            | -      | -      | -            |
| Backsplash, Removal (DEL) or Addition (ADD)  | RMBKSDELxx/ RMBKSADDxx |            |            |              |              |        |        |              |
|  | \$352                  |            |            |              |              |        |        |              |
| Casters in Lieu of Legs,<br>Set of (4) 3" Casters for 32" Work Height  | RMCAS3IN               |            |            |              |              |        |        |              |
|  | \$216                  |            |            |              |              |        |        |              |
| Casters in Lieu of Legs,<br>Set of (4) 4" Casters for 33" Work Height  | RMCAS4IN               |            |            |              |              |        |        |              |
|  | \$216                  |            |            |              |              |        |        |              |
| Casters in Lieu of Legs,<br>Set of (4) 6" Casters for 35" Work Height  | RMCAS6IN               |            |            |              |              |        |        |              |
|  | \$216                  |            |            |              |              |        |        |              |
| Casters in Lieu of Legs,<br>Set of (4) 6" Adjustable Casters for 35" Work Height                             | RMCAS6INADJ            |            |            |              |              |        |        |              |
|  | \$361                  |            |            |              |              |        |        |              |
| Set of (4) Flanged Feet  | RMFLANFT               |            |            |              |              |        |        |              |
|  | \$215                  |            |            |              |              |        |        |              |
| Stainless Steel Back Panels  | RMBCKSS27              | RMBCKSS32  |            | RMBCKSS36    | RMBCKSS48    |        |        | RMBCKSS60    |
|  | \$588                  | \$699      |            | \$724        | \$938        |        |        | \$1,144      |
| Stainless Steel Back Panels for Units with Backsplash  | RMBCKSS27SPL           | -          |            | RMBCKSS36SPL | RMBCKSS48SPL |        |        | RMBCKSS60SPL |
|  | \$588                  | -          |            | \$724        | \$938        |        |        | \$1,144      |
| Deck Mounted Single Tier Overshelves, 16" Wide<br>(Consult Factory For Overshelf Specifications)             | RMST2716               | RMST3216   |            | RMST3616     | RMST4816     |        |        | RMST6016     |
|  | \$535                  | \$635      |            | \$648        | \$845        |        |        | \$1,054      |
| Deck Mounted Double Tier Overshelves, 16" Wide<br>(Consult Factory For Overshelf Specifications)             | RMDT2716               | RMDT3216   |            | RMDT3616     | RMDT4816     |        |        | RMDT6016     |
|  | \$1,070                | \$1,270    |            | \$1,296      | \$1,690      |        |        | \$2,108      |
| Door Locks   | RMDRLOCK               |            |            |              |              |        |        |              |
|  | \$295/door             |            |            |              |              |        |        |              |


NOTE: "x" denotes section. Consult factory.

Prices listed are for accessories shipped installed in units on original shipments. Loose accessories must be purchased through the Randell Parts Department and will be sold at Parts Department prices.

888-994-7636  
unifiedbrands.net

**FX Series. Ordinary refrigeration varies as much as 20° during normal operation. Food can rapidly deteriorate and become unusable. Some assume spoilage is a cost of doing business. Not anymore.**

FX uses an entirely new technology to keep the cold in no matter what. The result: consistent temperatures, consistent quality.



## See how FX savings really add up.

### \*FX Savings: Beef

What is your price per pound?

**Your price / ounce:**

Number of steaks lost per week to spoilage and returns because they are held at an inconsistent temperature?   
average 10 oz. steak

**Ounces of steak lost / week:**

**Pounds of steak lost / week:**

**Your total loss / week:**

**Your total loss / month:**

**Your total loss / year:**

### \*FX Savings: Fish

If storing your fish on ice, how many pounds of ice do you purchase on a weekly basis?

lbs.

**Your ice cost / week:**

**Your ice cost / month:**

**Your ice cost / year:**   
ice: .05¢/lb.

What is your average price of fish per pound?

\$

**Your fish cost / oz.:**

**Your fish cost / 4 oz. portion:**

How many 4 oz. portions do you lose per week to mishandling and temperature loss?

each

**Your loss cost / week:**

**Your loss cost / month:**

**Your loss cost / year:**

Found Savings (net profit) =  
Cost of Ice + Fish Loss

**Your savings / week:**

**Your savings / month:**

**Your savings / year:**

\* Calculations are based on: July 8, 2009 weekly market prices and a 5 day work week. Monthly figures are based on a 4.33 week average.

# Flexible Applications.



The FX Series with FlexiCold Technology is the perfect refrigeration system for a wide variety of applications. Precise temperature control allows FX Series units to be used as refrigerators or freezers, rapid chillers or for thawing, depending on the product's need. Insulated inserts and an exclusive, innovative design keeps valuable cold air where it belongs – with the food!

**Increase the shelf life  
of your products with  
FX Precision Temperatures!**

| Product  | Fresh Temperature | Frozen Temperature |
|--|-------------------|--------------------|
| In-Shell Shellfish   | 38°               | 0°                 |
| Out-of-Shell Shellfish   | 32°               | 0°                 |
| Fish   | 32°               | -4°                |
| Beef & Lamb  | 30°               | 0°                 |
| Pork   | 32°               | 0°                 |
| Game   | 31°               | 0°                 |
| Chicken  | 35°               | 0°                 |
| Turkey   | 38°               | 0°                 |
| Game/Fowl  | 34°               | 0°                 |
| All Citrus, Apples, Pears, Peaches, Plums, Cucumbers, Radishes, Carrots, Cabbage, Peppers, Zucchini, Eggplant  | 40°               | -                  |
| Melons, Grapes, Cherries, Broccoli, Celery, Parsley, Asparagus, Beets, Green Onions                            | 36°               | -                  |
| Pre-Cut Salads, Wet Salads, Prepared Salads, Berries, Salad Greens, Spinach, Mushrooms, Sprouts, Head Lettuces | 34°               | -                  |

And have we mentioned its extraordinary storage capacity? One FX drawer can hold what two drawers of a traditional unit can. Pan configuration options are endless. Or do away with pans all together.



One FX drawer holds (14) 5lb bags of fries. That's 3 cubic feet of storage!

A traditional drawer only holds (5) 5lb bags. Only 1.4 cubic feet of storage.



Try putting all of this product into a traditional undercounter unit, still having access to your product, and also holding a consistent temperature. **Only with FX.**



**VS.**



**FX Series. A fundamentally new level of control and versatility.**





# FX Series

**Refrigerator Mode.** Hold temperature precisely between +20°F to +40°F so red meat stays fresher longer (at 26°F) and chicken is easier to fillet (at 33°F).

**Freezer Mode.** Set the temperature you want anywhere from -5°F to +20°F so ice cream stays hard but still scoops, appetizers stay a consistent temperature so breading doesn't fall off or refreeze stuck together, and pasta stays frozen but not too brittle or soft. Or use the FX as the first effective ice-less fish storage unit. Hold fish for longer than ever thought possible with precise temperature control. Eliminate the labor and cost of managing the ice along with the mess and contamination issues.

**Rapid Chiller Mode.** Used for on demand quick chilling of small batches of pre-cooked products, cooling stock throughout the day, rapidly setting-up Jell-O, along with a variety of other point-of-use functions.

**Safety Thaw Mode.** Thaw fish fillets safely in a matter of hours for the dinner menu or thaw out the next day's chicken safely saving in water costs and valuable space in your walk-in cooler. The FX Safety Thaw mode will thaw products without ever going above 40°F.

*"FX allows me to have everything I need at the right temperature right on the line. It simply adds amazing efficiency to our operation."*

— Ming Tsai, chef/owner, Blue Ginger, and host of SIMPLY MING

*"The FX is amazing when it comes to holding temperature of my products...I have my 3-stack set up right next to my 5-foot charbroiler without a partition or heat shield and it holds perfect temperature for my steaks, burgers, etc.! You cannot do this with any other type of refrigeration...I have never used or seen anything like it in the industry!"*

— Executive Chef Phillip Bonanno –

The Orleans Hotel & Casino, Las Vegas

*"The best feature for us is the rapid chiller. We make a ton of sausage...putting a deep quick chill on the meat and the grinding mechanism ensures a great final product."*

— Paul Kahan, The Publican - Chicago



**Never has a piece of refrigeration been so universal in a kitchen. It will become the kitchen's best asset.**

**And now, Randell has added three more choices to the FX Series. An undercounter, rear-engine and single-engine unit!**





# PRECISE REFRIGERATION: FX SERIES REFRIGERATED SOLUTIONS



FX-1UC

| Part No.   | List Price | Length | Depth | Height | Storage (Cu. Ft.) | # of Inserts | Volt | NEMA  | Approx. Weight |
|--|------------|--------|-------|--------|-------------------|--------------|------|-------|----------------|
| <b>Undercounter, 2N1 Refrigerator &amp; Freezer System</b> |            |        |       |        |                   |              |      |       |                |
| FX-1UC   | \$5,449    | 26.75" | 29.5" | 33"    | 2.7               | 1            | 115  | 5-15P | 422            |



FX1

| Part No.  | List Price | Length | Depth | Height | Storage (Cu. Ft.) | # of Inserts | Volt | NEMA  | Approx. Weight |
|---|------------|--------|-------|--------|-------------------|--------------|------|-------|----------------|
| <b>Zero Clearance Built In, 2N1 Refrigerator &amp; Freezer System</b>                         |            |        |       |        |                   |              |      |       |                |
| FX-1  | \$8,703    | 46"    | 28.6" | 16.4"  | 3                 | 1            | 115  | 5-15P | 245            |
| FX-1A   | \$8,703    | 46"    | 28.6" | 14.75" | 2.7               | 1            | 115  | 5-15P | 230            |
| <b>Zero Clearance Built In, 4N1 Refrigerator, Freezer, Rapid Chill &amp; Safe Thaw System</b> |            |        |       |        |                   |              |      |       |                |
| FX1-4N1   | \$11,024   | 46"    | 28.6" | 16.4"  | 3                 | 1            | 115  | 5-15P | 245            |
| FX1-4N1A  | \$11,024   | 46"    | 28.6" | 14.75" | 2.7               | 1            | 115  | 5-15P | 230            |



FX-1CS

| Part No.   | List Price | Length | Depth | Height | Storage (Cu. Ft.) | # of Inserts | Volt | NEMA  | Approx. Weight |
|--|------------|--------|-------|--------|-------------------|--------------|------|-------|----------------|
| <b>Cook Top, 2N1 Refrigerator &amp; Freezer System</b> |            |        |       |        |                   |              |      |       |                |
| FX-1CS   | \$10,814   | 48"    | 33"   | 25"    | 3                 | 1            | 115  | 5-15P | 385            |
| FX-2CS   | \$19,665   | 96"    | 33"   | 25"    | 6                 | 2            | 115  | 5-15P | 770            |



FX-1RECS

| Part No.  | List Price | Length | Depth  | Height | Storage (Cu. Ft.) | # of Inserts | Volt | NEMA  | Approx. Weight |
|---|------------|--------|--------|--------|-------------------|--------------|------|-------|----------------|
| <b>Cook Top, 4N1 Refrigerator, Freezer, Rapid Chill &amp; Safe Thaw System</b>  |            |        |        |        |                   |              |      |       |                |
| FX1-4N1CS   | \$13,134   | 48"    | 33"    | 25"    | 3                 | 1            | 115  | 5-15P | 395            |
| FX2-4N1CS   | \$24,306   | 96"    | 33"    | 25"    | 6                 | 2            | 115  | 5-15P | 780            |
| <b>Cook Top, Combo 2N1/4N1 Refrigerator, Freezer, Rapid Chill &amp; Safe Thaw System, L=4N1 on Left, R=4N1 on Right</b> |            |        |        |        |                   |              |      |       |                |
| FX2-4N1CSL  | \$21,986   | 96"    | 33"    | 24"    | 6                 | 2            | 115  | 5-15P | 790            |
| FX2-4N1CSR  | \$21,986   | 96"    | 33"    | 24"    | 6                 | 2            | 115  | 5-15P | 790            |
| <b>Cook Top, 2N1 Refrigerator &amp; Freezer System, Rear Engine</b>   |            |        |        |        |                   |              |      |       |                |
| FX-1RECS  | \$10,814   | 38.65" | 35.58" | 24.12" | 3                 | 1            | 115  | 5-15P | 385            |



FX-2WS

| Part No.   | List Price | Length | Depth | Height | Storage (Cu. Ft.) | # of Inserts | Volt | NEMA  | Approx. Weight |
|--|------------|--------|-------|--------|-------------------|--------------|------|-------|----------------|
| <b>Work Top, 2N1 Refrigerator &amp; Freezer System</b> |            |        |       |        |                   |              |      |       |                |
| FX-2WS   | \$18,017   | 46"    | 29.6" | 37.3"  | 6                 | 2            | 115  | 5-15P | 635            |
| FX-2WSA  | \$18,017   | 46"    | 29.6" | 34"    | 5.4               | 2            | 115  | 5-15P | 630            |



FX-2



FX-2WSRE

| Part No.   | List Price | Length | Depth | Height | Storage (Cu. Ft.) | # of Inserts | Volt | NEMA           | Approx. Weight |
|--|------------|--------|-------|--------|-------------------|--------------|------|----------------|----------------|
| <b>Work Top, Combo 2N1/4N1 Refrigerator, Freezer, Rapid Chill &amp; Safe Thaw System, B=4N1 on Btm, T=4N1 on Top</b> |            |        |       |        |                   |              |      |                |                |
| FX2-4N1WSB   | \$20,337   | 46"    | 29.6" | 37.3"  | 6                 | 2            | 115  | (2) 5-15P/unit | 645            |
| FX2-4N1WST   | \$20,337   | 46"    | 29.6" | 37.3"  | 6                 | 2            | 115  | (2) 5-15P/unit | 645            |
| <b>Work Top, 2N1 Refrigerator &amp; Freezer System, Single Engine</b>  |            |        |       |        |                   |              |      |                |                |
| FX-2   | \$12,612   | 46"    | 29.5" | 36.5"  | 6                 | 2            | 115  | 5-15P          | 635            |
| <b>Work Top, 2N1 Refrigerator &amp; Freezer System, Rear Engine</b>  |            |        |       |        |                   |              |      |                |                |
| FX-2WSRE   | \$18,017   | 36.75" | 34.5" | 37.3"  | 6                 | 2            | 115  | 5-15P          | 635            |



FX-3SS

| Part No.  | List Price | Length | Depth | Height | Storage (Cu. Ft.) | # of Inserts | Volt | NEMA  | Approx. Weight |
|---|------------|--------|-------|--------|-------------------|--------------|------|-------|----------------|
| <b>High Capacity Storage, 2N1 Refrigerator &amp; Freezer System</b> |            |        |       |        |                   |              |      |       |                |
| FX-3SS  | \$26,532   | 46"    | 29.5" | 53.7"  | 9                 | 3            | 115  | 5-15P | 891            |

**STANDARD WARRANTY: 1 YEAR PARTS, 90 DAYS LABOR, 1 YEAR COMPRESSOR**  
(CW5) 5 Year Compressor Replacement Policy \$70 net, (LW1) 1 Year Labor Policy \$135 net, (LW2) 2 Year Labor Policy \$320 net  
See page 7 for factory turnaround time. Contact your customer service representative for FOB shipping points.

**888-994-7636**  
**unifiedbrands.net**

# PRECISE REFRIGERATION: FX SERIES REFRIGERATED SOLUTIONS

FX SERIES

| FX Options  | FX-1UC                | FX-1 | FX-1A | FX1-4N1 | FX1-4N1A | FX-1CS | FX-2CS | FX1-4N1CS | FX2-4N1CS | FX2-4N1CSL | FX2-4N1CSR | FX-1CSRE | FX-2WS | FX-2WSA | FX2-4N1WSB | FX2-4N1WST | FX-2 | FX-2WSRE | FX-3SS |
|---|-----------------------|------|-------|---------|----------|--------|--------|-----------|-----------|------------|------------|----------|--------|---------|------------|------------|------|----------|--------|
|   | Part No. & List Price |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| Flange Kit for Built-In FX-1 Only (FX1-4N1)                                   | FX-FLANGE             |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | \$261                 |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| One S/S Rack for 12x20 Pan with (2) 12" Adaptor Bars                          | FX-SSRACK-1           |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | \$797                 |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| Two S/S Racks for 12x20 Pan with (4) 12" Adaptor Bars for Each Rack           | FX-SSRACK-2           |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | \$1,319               |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| One Powder-Coated Rack for 12x20 Pan with (2) 12" Adaptor Bars                | FX-PCRACK-1           |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | \$457                 |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| Two Powder-Coated Racks for 12x20 Pan with (4) 12" Adaptor Bars for Each Rack | FX-PCRACK-2           |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | \$641                 |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| Two-Tier S/S Thawing Racks for 4-N-1 Only                                     | FX-SSTHAW-2           |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | \$839                 |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| Divider, 3/4" Poly Board with Handle, Standard Height                         | FX-PCBDIVIDER         |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | \$218                 |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| Divider, 3/4" Poly Board with Handle, Low Height                              | FX-PCBDIVIDERA        |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | \$218                 |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| 3" Casters for CS Series Chef Stands for Overall Height of 22"                | FX-CASTERS3           |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | No Charge             |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| 4.25" Casters for CS Series Chef Stands for Overall Height of 23.25"          | FX-CASTERS4           |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | No Charge             |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
| Additional White ABS Insert for FX Units                                      | FX-INSERT             |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |
|   | \$1,038               |      |       |         |          |        |        |           |           |            |            |          |        |         |            |            |      |          |        |



Pan racks



Powder coated pan racks



Thawing racks



Thawing racks in use



Pan capacities: shown with (4) 1/2 size 8" deep pans



Pan capacities: shown with (1) 1/1 full size and (2) 1/2 size 8" deep pans



Pan capacities: shown with (3) 1/3 size and (6) 1/6 size 8" deep pans



Poly board divider

# PRECISE REFRIGERATION: BLAST CHILLERS

## BLAST CHILLER Features

- Quickly chills product through the danger temperature zone to below 40° F and holds that product temperature
- Increase food product shelf life
- Superior air-circulation allows cooling with the pan covers on! No spills, no drying out, no cross contamination
- Automatic cooling system with food probe(s)
- Great for batch cooking applications resulting in cost savings
- Solid state control with digital read-outs
- On-board printing for documentation for health inspections (excluding BC-3)
- Available in upright, work top and undercounter configuration
- Stainless steel front, sides, top, louver, door & interior
- Fully coved interior meeting NSF Standard 7
- Superior Polyurethane insulation
- Automatic condensate evaporator
- Press-fit magnetic door gaskets - easy to clean and replace
- Removable stainless steel pan slides
- 115 Volt standard, optional 208 Volt available



BC-3

| Part No. | List Price | Length | Depth | Height | Pan Capacity<br>(12" x 20" x 2.5") | NEMA | HP | Approx.<br>Weight |
|----------|------------|--------|-------|--------|------------------------------------|------|----|-------------------|
|----------|------------|--------|-------|--------|------------------------------------|------|----|-------------------|

### Undercounter Blast Chiller

|                     |          |     |     |     |         |       |     |     |
|---------------------|----------|-----|-----|-----|---------|-------|-----|-----|
| BC-3 <sup>(1)</sup> | \$13,827 | 27" | 30" | 35" | (3) 1/1 | 5-20P | 1/2 | 320 |
|---------------------|----------|-----|-----|-----|---------|-------|-----|-----|

Standard on 3" concealed casters



BC-5

| Part No. | List Price | Length | Depth | Height | Pan Capacity<br>(12" x 20" x 2.5") | NEMA | HP | Approx.<br>Weight |
|----------|------------|--------|-------|--------|------------------------------------|------|----|-------------------|
|----------|------------|--------|-------|--------|------------------------------------|------|----|-------------------|

### Upright Blast Chiller

|                      |          |     |     |     |          |               |           |     |
|----------------------|----------|-----|-----|-----|----------|---------------|-----------|-----|
| BC-5 <sup>(1)</sup>  | \$21,408 | 36" | 34" | 50" | (5) 1/1  | 5-20P         | 3/4       | 450 |
| BC-10 <sup>(2)</sup> | \$38,972 | 36" | 34" | 75" | (10) 1/1 | 14-20P        | 1 1/2     | 620 |
| BC-20 <sup>(2)</sup> | \$50,676 | 44" | 34" | 75" | (20) 1/1 | 5 Wire Direct | (2) 1 1/2 | 810 |



BC-5E

| Part No. | List Price | Length | Depth | Height | Pan Capacity<br>(12" x 20" x 2.5") | NEMA | HP | Approx.<br>Weight |
|----------|------------|--------|-------|--------|------------------------------------|------|----|-------------------|
|----------|------------|--------|-------|--------|------------------------------------|------|----|-------------------|

### Work Top Blast Chiller

|                       |          |     |     |     |          |        |       |     |
|-----------------------|----------|-----|-----|-----|----------|--------|-------|-----|
| BC-5E <sup>(1)</sup>  | \$22,037 | 56" | 34" | 36" | (5) 1/1  | 5-20P  | 3/4   | 450 |
| BC-10E <sup>(2)</sup> | \$40,117 | 70" | 34" | 36" | (10) 1/1 | 14-20P | 1 1/2 | 550 |

<sup>(1)</sup> (1) food probe provided. Built in printer not available with model BC-3.

<sup>(2)</sup> (2) food probes provided

| Blast Chiller Options                               | BC-3                  | BC-5      | BC-10      | BC-20      | BC-5E     | BC-10E     |
|---|-----------------------|-----------|------------|------------|-----------|------------|
|   | Part No. & List Price |           |            |            |           |            |
| Remote Refrigerant to Replace Self-Contained, R404a | QCREM4043             | QCREM4045 | QCREM40410 | QCREM40420 | QCREM4045 | QCREM40410 |
|   | -\$499                | -\$669    | -\$749     | -\$1,498   | -\$669    | -\$749     |
| Stainless Steel Finish Back Panels                  | QCBCKSS3              | QCBCKSS5  | QCBCKSS10  | QCBCKSS20  | QCBCKSS5  | QCBCKSS10  |
|   | \$583                 | \$870     | \$1,151    | \$1,559    | \$870     | \$1,151    |
| Extra Food Probe                                    | QCPROBE               |           |            |            |           |            |
|   | \$603                 |           |            |            |           |            |
| 4.5" Casters in Lieu of Bullet Legs, 2 Locking      | -                     | QCCST     |            |            |           |            |
|   | -                     | \$735     |            |            |           |            |
| Door Locks (1 Each)                                 | 2DRLOCK-1             |           |            |            |           |            |
|   | \$289                 |           |            |            |           |            |

**STANDARD WARRANTY: 1 YEAR PARTS, 90 DAYS LABOR, 1 YEAR COMPRESSOR**  
(CW5) 5 Year Compressor Replacement Policy \$70 net, (LW1) 1 Year Labor Policy \$135 net, (LW2) 2 Year Labor Policy \$320 net  
See page 7 for factory turnaround time. Contact your customer service representative for FOB shipping points.

**888-994-7636**  
**unifiedbrands.net**



**Patented Drawer Cartridge.** The Randell unitized drawer system assures quality is built into the design by creating a solid framework that is free-standing and slides into the base after it is completely assembled. This provides a consistent construction process that outlasts any design that is assembled inside the unit, typical of most drawer systems. The entire cartridge is removable, without tools, to allow full access to the base for cleaning or working on the evaporator coil.

### 3-Year Parts and Labor Warranty.

The most comprehensive warranty on drawers in the industry covers 100% of the patented removable cartridge, not just parts of the slides.

### Exclusive Press-Fit Gaskets.

Keep your refrigeration running more efficiently with the easy to remove, without tools, design of our gaskets. Allows the maintenance and replacement of gaskets to be done in a matter of minutes for each drawer.



### Reinforced Top to Handle the Heaviest

**Loads.** Our tops are designed with 11-gauge sub-tops below the stainless steel finished top, and are structurally supported through the front to support up to 225 pounds per linear foot. More than enough for the heaviest pieces of cooking equipment.



# Chef Stands

**100% Front Breathing.** All Randell equipment stands are 100% front breathing, allowing the customer to seal the units on the back and sides, or curb mount the unit for a cleaner installation. In high-heat areas it is critical that fresh air circulates through the condenser coil. Our fresh-



air/exhaust-air louver design, combined with our exclusive fresh air duct, prevents recycling of the exhausted air through the condenser, allows the Randell units to be 100% front breathing and typically runs 25°F cooler than traditionally designed condenser housings.

**Temperature Performance.** The Randell designed, manufactured and fully balanced evaporator coils are located in between the drawer sections in order to provide unparalleled air-circulation throughout the base cabinet. This is especially important in drawer units as the essence of the drawer slides can block air-flow.

**Drawer Configurations.** Randell's standard space saving 27" wide drawer sets hold two 12" x 20" (full-size) pans back-to-back in each drawer. Tremendous value and added capacity in space-conscious lengths.

For designs requiring more space or greater length to accommodate longer cooking equipment configurations, 32" wide drawers are an alternative. The pans can be rotated 90° for a side-by-side set-up, which is especially useful when using fractional pans in the drawers.

Standard configurations accommodate 4" deep pans in both the bottom and top drawers. When more capacity is required and flexibility in equipment work height is available, Randell offers 6" deep pan capacities in both the top and bottom pans. Another Randell exclusive.


**Choose from self-contained or remote, refrigerator or freezer drawers. Precise FX or traditional stands. Casters or legs. With Randell, the possibilities are endless.**



# CHEF STANDS

For Hot Food Tables  
& Reach-ins  
See Pages 55-57 & 59-63

## Choose Your Drawer Size



FX-1CS



FX-1RECS



20048SC



20072SC



20105SC

| Part No.  | List Price | Length | Depth  | Height | Storage (Cu. Ft.) | # of Inserts | Volt | NEMA           | Approx. Weight |
|---|------------|--------|--------|--------|-------------------|--------------|------|----------------|----------------|
| <b>Precise FX, Cook Top, 2N1 Refrigerator &amp; Freezer System</b>  |            |        |        |        |                   |              |      |                |                |
| FX-1CS  | \$10,814   | 48"    | 33"    | 25"    | 3                 | 1            | 115  | 5-15P          | 385            |
| FX-2CS  | \$19,665   | 96"    | 33"    | 25"    | 6                 | 2            | 115  | 5-15P          | 770            |
| <b>Precise FX, Cook Top, 4N1 Refrigerator, Freezer, Rapid Chill &amp; Safe Thaw System</b>  |            |        |        |        |                   |              |      |                |                |
| FX1-4N1CS   | \$13,134   | 48"    | 33"    | 25"    | 3                 | 1            | 115  | 5-15P          | 395            |
| FX2-4N1CS   | \$24,306   | 96"    | 33"    | 25"    | 6                 | 2            | 115  | 5-15P          | 780            |
| <b>Precise FX, Cook Top, Combo 2N1/4N1 Refrigerator, Freezer, Rapid Chill &amp; Safe Thaw System, L=4N1 on Left, R=4N1 on Right</b> |            |        |        |        |                   |              |      |                |                |
| FX2-4N1CSL  | \$21,986   | 96"    | 33"    | 24"    | 6                 | 2            | 115  | (2) 5-15P/unit | 790            |
| FX2-4N1CSR  | \$21,986   | 96"    | 33"    | 24"    | 6                 | 2            | 115  | (2) 5-15P/unit | 790            |
| <b>Precise FX, Cook Top, 2N1 Refrigerator &amp; Freezer System, Rear Engine</b>   |            |        |        |        |                   |              |      |                |                |
| FX-1RECS  | \$10,814   | 38.65" | 35.58" | 24.12" | 3                 | 1            | 115  | 5-15P          | 385            |

See options on page 28.

| Part No.  | List Price | Length | Depth | Height | Legs/ Casters | Drawers | Pan Capacity | HP  | Approx. Weight |
|---|------------|--------|-------|--------|---------------|---------|--------------|-----|----------------|
| <b>Self-Contained Refrigerator With 27" Wide Drawers, Pans Front-to-Back (4" Deep Pans)</b> |            |        |       |        |               |         |              |     |                |
| 20048SC   | \$11,781   | 48"    | 32.5" | 26"    | (4) Legs      | (2) 27" | (4) 1/1      | 1/4 | 400            |
| 20048SC-C4 <sup>(1)</sup>   | \$12,292   | 48"    | 32.5" | 24"    | (4) Casters   | (2) 27" | (4) 1/1      | 1/4 | 400            |
| 20072SC   | \$13,974   | 72"    | 32.5" | 26"    | (6) Legs      | (4) 27" | (8) 1/1      | 1/3 | 530            |
| 20072SC-C4 <sup>(1)</sup>   | \$14,947   | 72"    | 32.5" | 24"    | (6) Casters   | (4) 27" | (8) 1/1      | 1/3 | 530            |
| 20078SC   | \$14,125   | 78"    | 32.5" | 26"    | (6) Legs      | (4) 27" | (8) 1/1      | 1/3 | 574            |
| 20078SC-C4 <sup>(1)</sup>   | \$14,854   | 78"    | 32.5" | 24"    | (6) Casters   | (4) 27" | (8) 1/1      | 1/3 | 574            |
| 20105SC   | \$17,031   | 105"   | 32.5" | 26"    | (8) Legs      | (6) 27" | (12) 1/1     | 3/8 | 675            |
| 20105SC-C4 <sup>(1)</sup>   | \$18,004   | 105"   | 32.5" | 24"    | (8) Casters   | (6) 27" | (12) 1/1     | 3/8 | 675            |
| <b>Self-Contained Refrigerator With 32" Wide Drawers, Pans Side-by-Side — 4" Deep Pans</b>  |            |        |       |        |               |         |              |     |                |
| 20048SC-32  | \$12,248   | 53"    | 32.5" | 26"    | (4) Legs      | (2) 32" | (4) 1/1      | 1/4 | 444            |
| 20048SC-32-C4 <sup>(1)</sup>  | \$12,759   | 53"    | 32.5" | 24"    | (4) Casters   | (2) 32" | (4) 1/1      | 1/4 | 444            |
| 20072SC-32  | \$15,060   | 82"    | 32.5" | 26"    | (6) Legs      | (4) 32" | (8) 1/1      | 1/3 | 600            |
| 20072SC-32-C4 <sup>(1)</sup>  | \$16,033   | 82"    | 32.5" | 24"    | (6) Casters   | (4) 32" | (8) 1/1      | 1/3 | 600            |
| 20105SC-32  | \$18,433   | 120"   | 32.5" | 26"    | (8) Legs      | (6) 32" | (12) 1/1     | 3/8 | 770            |
| 20105SC-32-C4 <sup>(1)</sup>  | \$19,162   | 120"   | 32.5" | 24"    | (8) Casters   | (6) 32" | (12) 1/1     | 3/8 | 770            |
| <b>Self-Contained Refrigerator With 32" Wide Drawers, Pans Side-by-Side — 6" Deep Pans</b>  |            |        |       |        |               |         |              |     |                |
| 20048SC-32-6  | \$14,556   | 53"    | 32.5" | 30"    | (4) Legs      | (2) 32" | (4) 1/1      | 1/4 | 488            |
| 20048SC-32-6-C4 <sup>(1)</sup>  | \$15,067   | 53"    | 32.5" | 28"    | (4) Casters   | (2) 32" | (4) 1/1      | 1/4 | 488            |
| 20072SC-32-6  | \$19,676   | 82"    | 32.5" | 30"    | (6) Legs      | (4) 32" | (8) 1/1      | 1/3 | 660            |
| 20072SC-32-6-C4 <sup>(1)</sup>  | \$20,649   | 82"    | 32.5" | 28"    | (6) Casters   | (4) 32" | (8) 1/1      | 1/3 | 660            |
| 20105SC-32-6  | \$25,359   | 120"   | 32.5" | 30"    | (8) Legs      | (6) 32" | (12) 1/1     | 3/8 | 845            |
| 20105SC-32-6-C4 <sup>(1)</sup>  | \$26,088   | 120"   | 32.5" | 28"    | (8) Casters   | (6) 32" | (12) 1/1     | 3/8 | 845            |

<sup>(1)</sup> Unit ships on 4" heavy duty casters

**STANDARD WARRANTY: 1 YEAR PARTS, 90 DAYS LABOR, 1 YEAR COMPRESSOR**  
(CW5) 5 Year Compressor Replacement Policy \$70 net, (LW1) 1 Year Labor Policy \$135 net, (LW2) 2 Year Labor Policy \$320 net  
See page 7 for factory turnaround time. Contact your customer service representative for FOB shipping points.

**888-994-7636**  
**unifiedbrands.net**

# CHEF STANDS



20048SC



20072SC



20105SC

| Part No.   | List Price | Length | Depth | Height | Legs/ Casters | Drawers | Pan Capacity | HP  | Approx. Weight |
|--|------------|--------|-------|--------|---------------|---------|--------------|-----|----------------|
| <b>Self-Contained Freezer With 27" Wide Drawers, Pans Front-to-Back — 4" Deep Pans</b> |            |        |       |        |               |         |              |     |                |
| 20048SCF   | \$15,244   | 48"    | 32.5" | 26"    | (4) Legs      | (2) 27" | (4) 1/1      | 1/3 | 400            |
| 20048SCF-C4(1)   | \$15,755   | 48"    | 32.5" | 24"    | (4) Casters   | (2) 27" | (4) 1/1      | 1/3 | 400            |
| 20072SCF   | \$17,437   | 72"    | 32.5" | 26"    | (6) Legs      | (4) 27" | (8) 1/1      | 1/3 | 530            |
| 20072SCF-C4(1)   | \$18,166   | 72"    | 32.5" | 24"    | (6) Casters   | (4) 27" | (8) 1/1      | 1/3 | 530            |
| 20078SCF   | \$17,588   | 78"    | 32.5" | 26"    | (6) Legs      | (4) 27" | (8) 1/1      | 1/3 | 574            |
| 20078SCF-C4(1)   | \$18,317   | 78"    | 32.5" | 24"    | (6) Casters   | (4) 27" | (8) 1/1      | 1/3 | 574            |
| 20105SCF   | \$20,494   | 105"   | 32.5" | 26"    | (8) Legs      | (6) 27" | (12) 1/1     | 1/2 | 675            |
| 20105SCF-C4(1)   | \$21,467   | 105"   | 32.5" | 24"    | (8) Casters   | (6) 27" | (12) 1/1     | 1/2 | 675            |
| <b>Self-Contained Freezer With 32" Wide Drawers, Pans Side-by-Side — 4" Deep Pans</b>  |            |        |       |        |               |         |              |     |                |
| 20048SCF-32  | \$15,724   | 53"    | 32.5" | 26"    | (4) Legs      | (2) 32" | (4) 1/1      | 1/3 | 444            |
| 20048SCF-32-C4(1)  | \$16,235   | 53"    | 32.5" | 24"    | (4) Casters   | (2) 32" | (4) 1/1      | 1/3 | 444            |
| 20072SCF-32  | \$18,522   | 82"    | 32.5" | 26"    | (6) Legs      | (4) 32" | (8) 1/1      | 1/3 | 600            |
| 20072SCF-32-C4(1)  | \$19,251   | 82"    | 32.5" | 24"    | (6) Casters   | (4) 32" | (8) 1/1      | 1/3 | 600            |
| 20105SCF-32  | \$21,896   | 120"   | 32.5" | 26"    | (8) Legs      | (6) 32" | (12) 1/1     | 1/2 | 770            |
| 20105SCF-32-C4(1)  | \$22,869   | 120"   | 32.5" | 24"    | (8) Casters   | (6) 32" | (12) 1/1     | 1/2 | 770            |
| <b>Self-Contained Freezer With 32" Wide Drawers, Pans Side-by-Side — 6" Deep Pans</b>  |            |        |       |        |               |         |              |     |                |
| 20048SCF-32-6  | \$18,019   | 53"    | 32.5" | 30"    | (4) Legs      | (2) 32" | (4) 1/1      | 1/3 | 488            |
| 20048SCF-32-6-C4(1)  | \$18,530   | 53"    | 32.5" | 28"    | (4) Casters   | (2) 32" | (4) 1/1      | 1/3 | 488            |
| 20072SCF-32-6  | \$23,139   | 82"    | 32.5" | 30"    | (6) Legs      | (4) 32" | (8) 1/1      | 1/3 | 660            |
| 20072SCF-32-6-C4(1)  | \$23,868   | 82"    | 32.5" | 28"    | (6) Casters   | (4) 32" | (8) 1/1      | 1/3 | 660            |
| 20105SCF-32-6  | \$28,822   | 120"   | 32.5" | 30"    | (8) Legs      | (6) 32" | (12) 1/1     | 1/2 | 845            |
| 20105SCF-32-6-C4(1)  | \$29,795   | 120"   | 32.5" | 28"    | (8) Casters   | (6) 32" | (12) 1/1     | 1/2 | 845            |



20042R



20065R



20092R

| Part No.  | List Price | Length | Depth | Height | No. of Legs | Drawers | Pan Capacity | BTU Load | Approx. Weight |
|---|------------|--------|-------|--------|-------------|---------|--------------|----------|----------------|
| <b>Remote Refrigerator With 27" Wide Drawers, Pans Front-to-Back — 4" Deep Pans</b> |            |        |       |        |             |         |              |          |                |
| 20042R  | \$10,714   | 42"    | 32.5" | 26"    | (4) Legs    | (2) 27" | (4) 1/1      | 466      | 340            |
| 20065R  | \$13,114   | 65"    | 32.5" | 26"    | (6) Legs    | (4) 27" | (8) 1/1      | 823      | 450            |
| 20092R  | \$16,255   | 92"    | 32.5" | 26"    | (8) Legs    | (6) 27" | (12) 1/1     | 1300     | 575            |
| <b>Remote Refrigerator With 32" Wide Drawers, Pans Front-to-Back — 4" Deep Pans</b> |            |        |       |        |             |         |              |          |                |
| 20042R-32   | \$11,181   | 47"    | 32.5" | 26"    | (4) Legs    | (2) 32" | (4) 1/1      | 520      | 390            |
| 20065R-32   | \$14,050   | 75"    | 32.5" | 26"    | (6) Legs    | (4) 32" | (8) 1/1      | 945      | 590            |
| 20092R-32   | \$17,656   | 107"   | 32.5" | 26"    | (8) Legs    | (6) 32" | (12) 1/1     | 1508     | 750            |
| <b>Remote Freezer With 27" Wide Drawers, Pans Front-to-Back — 4" Deep Pans</b>      |            |        |       |        |             |         |              |          |                |
| 20042RF   | \$14,177   | 42"    | 32.5" | 26"    | (4) Legs    | (2) 27" | (4) 1/1      | 619      | 340            |
| 20065RF   | \$16,577   | 65"    | 32.5" | 26"    | (6) Legs    | (4) 27" | (8) 1/1      | 1093     | 450            |
| 20092RF   | \$19,718   | 92"    | 32.5" | 26"    | (8) Legs    | (6) 27" | (12) 1/1     | 1726     | 575            |
| <b>Remote Freezer With 32" Wide Drawers, Pans Front-to-Back — 4" Deep Pans</b>      |            |        |       |        |             |         |              |          |                |
| 20042RF-32  | \$14,644   | 47"    | 32.5" | 26"    | (4) Legs    | (2) 32" | (4) 1/1      | 693      | 390            |
| 20065RF-32  | \$17,513   | 75"    | 32.5" | 26"    | (6) Legs    | (4) 32" | (8) 1/1      | 1255     | 590            |
| 20092RF-32  | \$21,119   | 107"   | 32.5" | 26"    | (8) Legs    | (6) 32" | (12) 1/1     | 2002     | 750            |



# CHEF STANDS

| Chef Stands Options  | 20048/72/78/105SC<br>20048/72/78/105SC-C4 | 20048/72/105SC-32<br>20048/72/105SC-32-C4 | 20048/72/105SC-32-6<br>20048/72/105SC-32-6-C4 | 20048/72/78/105SCF<br>20048/72/78/105SCF-C4 | 20048/72/105SCF-32<br>20048/72/105SCF-32-C4 | 20048/72/105SCF-32-6<br>20048/72/105SCF-32-6-C4 | 20042/65/92R | 20042/65/92R-32 | 20042/65/92RF | 20042/65/92RF-32 |
|--|---|---|---|---|---|---|--------------|-----------------|---------------|------------------|
|  | Part No. & List Price                     |   |   |   |   |   |              |                 |               |                  |
| Drawer Cartridge System With 3 Year Warranty, Converts Standard 27" Drawer Set to 19" - (1) 12x20" Pan Per Drawer (Shortens Unit by 8" Per Section)    | LPRDxDBL19                                |   |   |   |   |   |              |                 |               |                  |
|  | \$388/Section                             |   |   |   |   |   |              |                 |               |                  |
| Drawer Cartridge System With 3 Year Warranty, Converts Standard 27" Drawer Set to 32" (Rotates Pans to be Side-by-Side, Adds 5" in Length Per Section) | LPRDxDBL32                                |   |   |   |   |   |              |                 |               |                  |
|  | \$477/Section                             |   |   |   |   |   |              |                 |               |                  |
| Drawer Cartridge System With 3 Year Warranty, Converts Standard 27" Drawer Set from 4" to 6" Deep Pans (Raises Unit Height by 4")                      | LPRDxDBL27-6                              |   |   |   |   |   |              |                 |               |                  |
|  | \$2,477/Section                           |   |   |   |   |   |              |                 |               |                  |
| Drawer Cartridge System With 3 Year Warranty, Converts Standard 27" Drawer Set to 32" and 4" to 6" (Adds 4" in Height and 5" in Length Per Section)    | LPRDxDBL32-6                              |   |   |   |   |   |              |                 |               |                  |
|  | \$2,477/Section                           |   |   |   |   |   |              |                 |               |                  |
| Drawer Cartridge System With 3 Year Warranty, Door in Place of Drawer (27" Sections Only)  | LPRDxDOOR                                 |   |   |   |   |   |              |                 |               |                  |
|  | \$294                                     |   |   |   |   |   |              |                 |               |                  |
| Extend Length of Unit by 12" or Less (130" Maximum Length)   | LPLENMOD                                  |   |   |   |   |   |              |                 |               |                  |
|  | \$765/12" or Less                         |   |   |   |   |   |              |                 |               |                  |
| <sup>(2)</sup> Casters in Lieu of Legs or Standard Size, Set of (4) 4.25" or (4) 6" Tall Casters (Up to 55" in Length)                                 | LPCAS4IN                                  |   |   |   |   |   |              |                 |               |                  |
|  | \$511                                     |   |   |   |   |   |              |                 |               |                  |
| <sup>(2)</sup> Casters in Lieu of Legs or Standard Size, Set of (4) 4.25" or (4) 6" Tall Heavy Duty Casters (Up to 55" in Length)                      | LPCAS4IN-HD                               |   |   |   |   |   |              |                 |               |                  |
|  | \$718                                     |   |   |   |   |   |              |                 |               |                  |
| <sup>(2)</sup> Casters in Lieu of Legs or Standard Size, Set of (6) 4.25" or (6) 6" Tall Casters (Up to 85" in Length)                                 | LPCAS4INA                                 |   |   |   |   |   |              |                 |               |                  |
|  | \$729                                     |   |   |   |   |   |              |                 |               |                  |
| <sup>(2)</sup> Casters in Lieu of Legs or Standard Size, Set of (6) 4.25" or (6) 6" Tall Heavy Duty Casters (Up to 85" in Length)                      | LPCAS4INA-HD                              |   |   |   |   |   |              |                 |               |                  |
|  | \$960                                     |   |   |   |   |   |              |                 |               |                  |
| <sup>(2)</sup> Casters in Lieu of Legs or Standard Size, Set of (8) 4.25" or (8) 6" Tall Casters (Up to 130" in Length)                                | LPCAS4INB                                 |   |   |   |   |   |              |                 |               |                  |
|  | \$973                                     |   |   |   |   |   |              |                 |               |                  |
| <sup>(2)</sup> Casters in Lieu of Legs or Standard Size, Set of (8) 4.25" or (8) 6" Tall Heavy Duty Casters (Up to 130" in Length)                     | LPCAS4INB-HD                              |   |   |   |   |   |              |                 |               |                  |
|  | \$1,315                                   |   |   |   |   |   |              |                 |               |                  |
| Drawer or Door Lock (Two Required Per Set of Drawers)  | LPDRLOCKx                                 |   |   |   |   |   |              |                 |               |                  |
|  | \$298/Lock                                |   |   |   |   |   |              |                 |               |                  |
| Convert Unit to a Freezer Base<br>(Unit Designed to Operate at 15° - 20°)  | Add "F" to Part No.                       |   |   |   |   |   |              |                 |               |                  |
|  | \$3,538                                   |   |   |   |   |   |              |                 |               |                  |

NOTE: "x" denotes section. Consult factory.

<sup>(2)</sup> Only the casters listed above are offered for equipment stands. 4" deep pan units - overall height of surface is 24", 6" deep pan units - overall height of surface is 28."

# Chef tables. Modular, pre-designed units come together to fill your exact need.


## How does it work?

**Step 1.** Start with the basic modules.

Decide what you need and how you'll line them up.

**Step 2.** Customize them with accessories and options.

**Step 3.** Stand back and marvel at the beauty and functionality of your custom table.



## Refrigeration Systems



Lower compressor operating temperatures prolong the life and efficiency of the refrigeration. Randell systems

run 25°F cooler than traditional condensing area designs.

- Fresh-air shroud enclosure assures the freshest and coolest air is directed across the condenser coil
- Controlled flow of fresh air and exhausted air improves cooling capacity and prevents recycling of super-heated air through the condenser coil
- High impact ABS door openings (jams) minimize thermal transfer and reduce sweating
- Hinged louver allows access to drains for pan rails/openings, cleaning of the condenser coil, rail temperature control and on/off switch
- Factory designed and assembled mullion coils — increases space,

improves air flow and cooling capacity, and keeps controls and fans safe

## Patented Drawer Systems

- All stainless steel welded construction
- Unitized cartridge is easily removable without tools
- Quick-release and fully extendable drawer slides allow easy removal of drawer tracks
- Variety of sizes for maximum space
- 3-year parts and labor on the entire assembly



## Conductive Cooling of Pans



Cold-wall conductive cooling with exclusive cold-transfer plates/

frost line to maximize efficiency and consistency of cooling pan.

## Exclusive Gaskets

Unique press-fit gasket design allows end-users to easily remove, clean and replace gaskets — no tools required.



## Heavy-Duty Shelving

- Factory assembled and welded leg design with set-on installation
- Fully-enclosed UL listed raceways conceal all electrical runs and accommodate various accessories

## Factory Wired Circuits & Breaker Panels


Single point main power connection to factory wired and factory tested UL listed breaker panels.

## Easy To Clean

Randell's exclusive standard rail/pan opening drain and oversized drain line are easy to clean. Easy access through hinged louver or mechanical housing door.




## Waitress side example.



# RanChef tables. Form and functionality marry for the ultimate budget conscious solution. Start with the shell and fill in the spaces.

“Wing-walls” are the key. These shells support the overselves and allow standard catalog units to slide in and out for cleaning, servicing or rearranging.




Flat-Top with Wing-Wall

Step-Down with Double-Enclosure Wing-Wall

Savings on a typical center-island chef’s table can be anywhere from 10-30%!

| Competitive Advantages   | RanChef  | Standard Buyouts & Local Fabricator | Delfied E-Chef™ |
|--|----------|-------------------------------------|-----------------|
| Factory drawings to ensure design and functionality  | Standard | NO                                  | NO              |
| Various levels of options and modifications  | YES      | NO                                  | NO              |
| Factory pre-assembled to ensure fit and finish   | YES      | NO                                  | NO              |
| Over 10 years of RanChef experience  | YES      | NO                                  | NO              |
| Leverage the advantage of pre-wired breaker panels for easy installations  | YES      | MAYBE                               | NO              |
| Industry leading prep tables such as our 8000N and 9000K units with exclusive features. All side-mounted compressors for a custom feel and easy maintenance. | YES      | NO                                  | NO              |
| RanChef styles allow easy pull-out of equipment for preventative maintenance and change-out  | YES      | NO                                  | NO              |

Custom overshelves  
& custom built items



8000N Prep Tables in  
5 standard lengths



9000K Prep Tables in  
4 standard lengths



11000RC Utility Stands in  
multiple fixed sizes



3000 Hot Food Tables in  
open or sealed wells



FX Refrigerated Storage in  
various types and sizes






**RanServe Serving lines. Modular, interlocking units that are customized just for you. Again, as easy as 1-2-3, with infinite options to choose from.**

**Step 1.** Start with the basic modules. Decide what you need, how you'll line them up, what shape they'll go in [straight line, U-shape or L-shape] and if you want stainless steel, laminate or fiberglass.

**Step 2.** Customize them with accessories and options. Decide if you want to add graphics or colors, signs or slogans. Be unique. Or choose something versatile.

**Step 3.** Take a breath, relax, we take it from here.

**Stainless steel/laminate example [stainless with laminate panels].**





## Just a few features and examples from Randell.



Optional single/dual-sided display cases



Optional exclusive kickplate



Optional kickplate on steel/laminate line



Easily accessible control panel located on the chef side



Electrical distribution system for banking units together



Rose Hill Schools



Concealed spring-activated locking mechanism



Bemis Schools



Tallahatchie Schools



Easy access to temp controls, condenser coil and valves



Evansville Schools



Canopies in several styles

## Fiberglass example.

Glass powder-coated overshelves

Heated well

Lighting

Brass designer sneezeguard

Refrigerated cold pan



Cashier stand

Creative graphics

Corner unit

Available with or without kickplates

Corian top & trayslies

Tray & silverware stand

SERVING LINES

# RANSERVE MOBILE SYSTEMS/SERVING LINES

Steel/Laminate



RAN CA

Fiberglass



RANFG CA  
Register Not Available

| Part No.                       | List Price | Part No. | List Price | Length      | Depth | Height | Approx. Weight |
|--------------------------------|------------|----------|------------|-------------|-------|--------|----------------|
| Cashier Stand, Stainless Steel |            |          |            |             |       |        |                |
| 16 Gauge                       |            | 14 Gauge |            | Common Data |       |        |                |
| RAN CA                         | \$3,872    | 14G CA   | \$4,039    | 30"         | 30"   | 35"    | 135            |
| Cashier Stand, Fiberglass      |            |          |            |             |       |        |                |
| 16 Gauge                       |            | 14 Gauge |            | Common Data |       |        |                |
| RANFG CA                       | \$4,022    | 14GFG CA | \$4,231    | 30"         | 30"   | 35"    | 135            |

Steel/Laminate



RAN SW-8

Fiberglass



RANFG SW-8PS

| Part No.                                 | List Price | Part No.     | List Price | Length      | Depth | Height | No. of Bins      | Approx. Weight |
|--|------------|--------------|------------|-------------|-------|--------|------------------|----------------|
| Tray & Silverware Stand, Stainless Steel |            |              |            |             |       |        |                  |                |
| 16 Gauge                                 |            | 14 Gauge     |            | Common Data |       |        |                  |                |
| RAN SW-8                                 | \$3,077    | 14G SW-8     | \$3,286    | 30"         | 30"   | 35"    | 8 Round          | 110            |
| RAN SW-12                                | \$3,240    | 14G SW-12    | \$3,449    | 36"         | 30"   | 35"    | 12 Round         | 120            |
| Tray & Silverware Stand, Fiberglass      |            |              |            |             |       |        |                  |                |
| 16 Gauge                                 |            | 14 Gauge     |            | Common Data |       |        |                  |                |
| RANFG SW-8                               | \$3,177    | 14GFG SW-8   | \$3,399    | 30"         | 30"   | 35"    | 8 Round          | 135            |
| RANFG SW-12                              | \$3,233    | 14GFG SW-12  | \$3,482    | 36"         | 30"   | 35"    | 12 Round         | 135            |
| RANFG SW-8PS                             | \$3,293    | 14GFG SW-8PS | \$3,544    | 36"         | 30"   | 35"    | (4) 1/3, (4) 1/6 | 135            |

Steel/Laminate



RAN FRA-2

Fiberglass



RANFG FRA-1

| Part No.                               | List Price | Part No.    | List Price | Length      | Depth | Height | HP  | Approx. Weight |
|--|------------|-------------|------------|-------------|-------|--------|-----|----------------|
| Freezer/Plate Chiller, Stainless Steel |            |             |            |             |       |        |     |                |
| 16 Gauge                               |            | 14 Gauge    |            | Common Data |       |        |     |                |
| RAN FRA-1                              | \$7,324    | 14G FRA-1   | \$7,490    | 24"         | 30"   | 35"    | 1/4 | 200            |
| RAN FRA-2                              | \$8,623    | 14G FRA-2   | \$8,832    | 36"         | 30"   | 35"    | 1/3 | 230            |
| Freezer/Plate Chiller, Fiberglass      |            |             |            |             |       |        |     |                |
| 16 Gauge                               |            | 14 Gauge    |            | Common Data |       |        |     |                |
| RANFG FRA-1                            | \$8,412    | 14GFG FRA-1 | \$8,621    | 26"         | 30"   | 35"    | 1/4 | 200            |
| RANFG FRA-2                            | \$9,873    | 14GFG FRA-2 | \$10,122   | 36"         | 30"   | 35"    | 1/3 | 230            |

# RANSERVE MOBILE SYSTEMS/SERVING LINES

Steel/Laminate



RAN ST-4

Fiberglass



RANFG ST-4  
with Optional Ribbed Trayslide

Steel/Laminate



RAN ST-4S

Fiberglass



RANFG ST-4S  
with Optional Tubular Trayslide

| Part No. | List Price | Part No. | List Price | Length | Depth | Height | Approx. Weight |
|----------|------------|----------|------------|--------|-------|--------|----------------|
|----------|------------|----------|------------|--------|-------|--------|----------------|

## Enclosed Base Work Top, Stainless Steel

| 16 Gauge |         | 14 Gauge |         | Common Data |     |     |     |
|----------|---------|----------|---------|-------------|-----|-----|-----|
| RAN ST-2 | \$3,211 | 14G ST-2 | \$3,377 | 24"         | 30" | 35" | 100 |
| RAN ST-3 | \$3,428 | 14G ST-3 | \$3,679 | 36"         | 30" | 35" | 125 |
| RAN ST-4 | \$4,154 | 14G ST-4 | \$4,487 | 48"         | 30" | 35" | 150 |
| RAN ST-5 | \$4,613 | 14G ST-5 | \$5,028 | 60"         | 30" | 35" | 175 |
| RAN ST-6 | \$5,194 | 14G ST-6 | \$5,694 | 72"         | 30" | 35" | 200 |
| RAN ST-7 | \$6,274 | 14G ST-7 | \$6,857 | 86"         | 30" | 35" | 225 |

## Enclosed Base Work Top, Fiberglass

| 16 Gauge   |         | 14 Gauge   |         | Common Data |     |     |     |
|------------|---------|------------|---------|-------------|-----|-----|-----|
| RANFG ST-2 | \$3,352 | 14GFG ST-2 | \$3,518 | 26"         | 30" | 35" | 125 |
| RANFG ST-3 | \$3,556 | 14GFG ST-3 | \$3,806 | 36"         | 30" | 35" | 150 |
| RANFG ST-4 | \$4,204 | 14GFG ST-4 | \$4,537 | 48"         | 30" | 35" | 175 |
| RANFG ST-5 | \$4,774 | 14GFG ST-5 | \$5,190 | 60"         | 30" | 35" | 200 |
| RANFG ST-6 | \$5,446 | 14GFG ST-6 | \$5,946 | 72"         | 30" | 35" | 225 |
| RANFG ST-7 | \$6,553 | 14GFG ST-7 | \$7,136 | 86"         | 30" | 35" | 250 |

| Part No. | List Price | Part No. | List Price | Length | Depth | Height | Approx. Weight |
|----------|------------|----------|------------|--------|-------|--------|----------------|
|----------|------------|----------|------------|--------|-------|--------|----------------|

## Open Base Work Top, Stainless Steel

| 16 Gauge  |         | 14 Gauge  |         | Common Data |     |     |     |
|-----------|---------|-----------|---------|-------------|-----|-----|-----|
| RAN ST-2S | \$4,929 | 14G ST-2S | \$5,095 | 24"         | 30" | 35" | 100 |
| RAN ST-3S | \$5,662 | 14G ST-3S | \$5,911 | 36"         | 30" | 35" | 125 |
| RAN ST-4S | \$6,280 | 14G ST-4S | \$6,614 | 48"         | 30" | 35" | 150 |
| RAN ST-5S | \$7,126 | 14G ST-5S | \$7,543 | 60"         | 30" | 35" | 175 |
| RAN ST-6S | \$7,713 | 14G ST-6S | \$8,214 | 72"         | 30" | 35" | 200 |
| RAN ST-7S | \$9,020 | 14G ST-7S | \$9,603 | 86"         | 30" | 35" | 225 |


## Open Base Work Top, Fiberglass

| 16 Gauge    |         | 14 Gauge    |         | Common Data |     |     |     |
|-------------|---------|-------------|---------|-------------|-----|-----|-----|
| RANFG ST-2S | \$4,955 | 14GFG ST-2S | \$5,123 | 26"         | 30" | 35" | 150 |
| RANFG ST-3S | \$5,730 | 14GFG ST-3S | \$5,979 | 36"         | 30" | 35" | 175 |
| RANFG ST-4S | \$6,366 | 14GFG ST-4S | \$6,699 | 48"         | 30" | 35" | 200 |
| RANFG ST-5S | \$7,177 | 14GFG ST-5S | \$7,594 | 60"         | 30" | 35" | 225 |
| RANFG ST-6S | \$7,845 | 14GFG ST-6S | \$8,345 | 72"         | 30" | 35" | 250 |
| RANFG ST-7S | \$9,213 | 14GFG ST-7S | \$9,796 | 86"         | 30" | 35" | 275 |

SERVING LINES

# RANSERVE MOBILE SYSTEMS/SERVING LINES

Fiberglass



RANFG MC72A

| Part No.   | List Price | Length | Depth | Height | HP  | Approx. Weight |
|--|------------|--------|-------|--------|-----|----------------|
| <b>Milk Cooler, Stainless Steel, 16 Gauge Only</b> |            |        |       |        |     |                |
| RAN MC54A  | \$12,571   | 54"    | 30"   | 35"    | 1/3 | 400            |
| RAN MC66A  | \$14,699   | 66"    | 30"   | 35"    | 1/3 | 425            |
| <b>Milk Cooler, Fiberglass, 16 Gauge Only</b>      |            |        |       |        |     |                |
| RANFG MC60A  | \$15,009   | 60"    | 30"   | 35"    | 1/3 | 425            |
| RANFG MC72A  | \$17,514   | 72"    | 30"   | 35"    | 1/3 | 450            |

Steel/Laminate



RAN SCA-4

| Part No.   | List Price | Part No.        | List Price | Length             | Depth | Height | Pan Capacity | HP  | Approx. Weight |
|--|------------|-----------------|------------|--------------------|-------|--------|--------------|-----|----------------|
| <b>Enclosed Base Cold Pan, Stainless Steel, 120 Volt</b> |            |                 |            |                    |       |        |              |     |                |
| <b>16 Gauge</b>  |            | <b>14 Gauge</b> |            | <b>Common Data</b> |       |        |              |     |                |
| RAN SCA-2  | \$9,796    | 14G SCA-2       | \$10,045   | 36"                | 30"   | 35"    | (2) 1/1      | 1/4 | 250            |
| RAN SCA-3  | \$10,192   | 14G SCA-3       | \$10,525   | 48"                | 30"   | 35"    | (3) 1/1      | 1/4 | 300            |
| RAN SCA-4  | \$10,522   | 14G SCA-4       | \$10,939   | 60"                | 30"   | 35"    | (4) 1/1      | 1/4 | 350            |
| RAN SCA-5  | \$12,421   | 14G SCA-5       | \$12,922   | 72"                | 30"   | 35"    | (5) 1/1      | 1/4 | 400            |
| RAN SCA-6  | \$13,248   | 14G SCA-6       | \$13,831   | 86"                | 30"   | 35"    | (6) 1/1      | 1/4 | 450            |

Fiberglass



RANFG SCA-4  
with Optional Tubular Trayslide  
and Sloped Vertical Guard

|   |          |                 |          |                    |     |     |         |     |     |
|---|----------|-----------------|----------|--------------------|-----|-----|---------|-----|-----|
| <b>Enclosed Base Cold Pan, Fiberglass</b> |          |                 |          |                    |     |     |         |     |     |
| <b>16 Gauge</b>                           |          | <b>14 Gauge</b> |          | <b>Common Data</b> |     |     |         |     |     |
| RANFG SCA-2                               | \$9,686  | 14GFG SCA-2     | \$9,935  | 36"                | 30" | 35" | (2) 1/1 | 1/4 | 250 |
| RANFG SCA-3                               | \$10,040 | 14GFG SCA-3     | \$10,373 | 48"                | 30" | 35" | (3) 1/1 | 1/4 | 300 |
| RANFG SCA-4                               | \$10,544 | 14GFG SCA-4     | \$10,961 | 60"                | 30" | 35" | (4) 1/1 | 1/4 | 350 |
| RANFG SCA-5                               | \$13,107 | 14GFG SCA-5     | \$13,607 | 72"                | 30" | 35" | (5) 1/1 | 1/4 | 400 |
| RANFG SCA-6                               | \$14,159 | 14GFG SCA-6     | \$14,742 | 86"                | 30" | 35" | (6) 1/1 | 1/4 | 450 |

Steel/Laminate



RAN SCA-4S

| Part No.   | List Price | Part No.        | List Price | Length             | Depth | Height | Pan Capacity | HP  | Approx. Weight |
|--|------------|-----------------|------------|--------------------|-------|--------|--------------|-----|----------------|
| <b>Open Base Cold Pan, Stainless Steel, 120 Volt</b> |            |                 |            |                    |       |        |              |     |                |
| <b>16 Gauge</b>                                      |            | <b>14 Gauge</b> |            | <b>Common Data</b> |       |        |              |     |                |
| RAN SCA-2S   | \$11,098   | 14G SCA-2S      | \$11,348   | 36"                | 30"   | 35"    | (2) 1/1      | 1/4 | 275            |
| RAN SCA-3S   | \$11,619   | 14G SCA-3S      | \$11,952   | 48"                | 30"   | 35"    | (3) 1/1      | 1/4 | 325            |
| RAN SCA-4S   | \$12,073   | 14G SCA-4S      | \$12,489   | 60"                | 30"   | 35"    | (4) 1/1      | 1/4 | 375            |
| RAN SCA-5S   | \$14,313   | 14G SCA-5S      | \$14,812   | 72"                | 30"   | 35"    | (5) 1/1      | 1/4 | 425            |
| RAN SCA-6S   | \$15,212   | 14G SCA-6S      | \$15,795   | 86"                | 30"   | 35"    | (6) 1/1      | 1/4 | 475            |

Fiberglass



RANFG SCA-4S  
with Optional Tubular Trayslide  
and Sloped Vertical Guard

|                                       |          |                 |          |                    |     |     |         |     |     |
|---------------------------------------|----------|-----------------|----------|--------------------|-----|-----|---------|-----|-----|
| <b>Open Base Cold Pan, Fiberglass</b> |          |                 |          |                    |     |     |         |     |     |
| <b>16 Gauge</b>                       |          | <b>14 Gauge</b> |          | <b>Common Data</b> |     |     |         |     |     |
| RANFG SCA-4S                          | \$11,997 | 14GFG SCA-4S    | \$12,414 | 60"                | 30" | 35" | (4) 1/1 | 1/4 | 375 |
| RANFG SCA-5S                          | \$14,765 | 14GFG SCA-5S    | \$15,264 | 72"                | 30" | 35" | (5) 1/1 | 1/4 | 425 |
| RANFG SCA-6S                          | \$15,995 | 14GFG SCA-6S    | \$16,578 | 86"                | 30" | 35" | (6) 1/1 | 1/4 | 475 |

# RANSERVE MOBILE SYSTEMS/SERVING LINES

Steel/Laminate



RAN IC-4

Fiberglass



RANFG IC-4

| Part No.  | List Price | Part No.   | List Price | Length      | Depth | Height | Pan Capacity | Approx. Weight |
|---|------------|------------|------------|-------------|-------|--------|--------------|----------------|
| Enclosed Base Cold Pan, Ice Cooled, Stainless Steel |            |            |            |             |       |        |              |                |
| 16 Gauge  |            | 14 Gauge   |            | Common Data |       |        |              |                |
| RAN IC-2  | \$5,337    | 14G IC-2   | \$5,588    | 36"         | 30"   | 35"    | (2) 1/1      | 140            |
| RAN IC-3  | \$5,898    | 14G IC-3   | \$6,231    | 48"         | 30"   | 35"    | (3) 1/1      | 175            |
| RAN IC-4  | \$6,849    | 14G IC-4   | \$7,266    | 60"         | 30"   | 35"    | (4) 1/1      | 215            |
| RAN IC-5  | \$7,764    | 14G IC-5   | \$8,263    | 72"         | 30"   | 35"    | (5) 1/1      | 260            |
| RAN IC-6  | \$9,092    | 14G IC-6   | \$9,676    | 86"         | 30"   | 35"    | (6) 1/1      | 310            |
| Enclosed Base Cold Pan, Ice Cooled, Fiberglass      |            |            |            |             |       |        |              |                |
| 16 Gauge  |            | 14 Gauge   |            | Common Data |       |        |              |                |
| RANFG IC-2  | \$5,315    | 14GFG IC-2 | \$5,566    | 36"         | 30"   | 35"    | (2) 1/1      | 250            |
| RANFG IC-3  | \$5,854    | 14GFG IC-3 | \$6,187    | 48"         | 30"   | 35"    | (3) 1/1      | 300            |
| RANFG IC-4  | \$7,030    | 14GFG IC-4 | \$7,446    | 60"         | 30"   | 35"    | (4) 1/1      | 350            |
| RANFG IC-5  | \$7,766    | 14GFG IC-5 | \$8,265    | 72"         | 30"   | 35"    | (5) 1/1      | 400            |
| RANFG IC-6  | \$8,017    | 14GFG IC-6 | \$8,600    | 86"         | 30"   | 35"    | (6) 1/1      | 450            |

Steel/Laminate



RAN IC-4S

Fiberglass



RANFG IC-4S

| Part No.  | List Price | Part No.    | List Price | Length      | Depth | Height | Pan Capacity | Approx. Weight |
|---|------------|-------------|------------|-------------|-------|--------|--------------|----------------|
| Open Base Cold Pan, Ice Cooled, Stainless Steel |            |             |            |             |       |        |              |                |
| 16 Gauge  |            | 14 Gauge    |            | Common Data |       |        |              |                |
| RAN IC-2S                                       | \$7,768    | 14G IC-2S   | \$8,018    | 36"         | 30"   | 35"    | (2) 1/1      | 140            |
| RAN IC-3S                                       | \$8,253    | 14G IC-3S   | \$8,586    | 48"         | 30"   | 35"    | (3) 1/1      | 175            |
| RAN IC-4S                                       | \$9,206    | 14G IC-4S   | \$9,621    | 60"         | 30"   | 35"    | (4) 1/1      | 215            |
| RAN IC-5S                                       | \$10,135   | 14G IC-5S   | \$10,635   | 72"         | 30"   | 35"    | (5) 1/1      | 260            |
| RAN IC-6S                                       | \$11,723   | 14G IC-6S   | \$12,306   | 86"         | 30"   | 35"    | (6) 1/1      | 310            |
| Open Base Cold Pan, Ice Cooled, Fiberglass      |            |             |            |             |       |        |              |                |
| 16 Gauge  |            | 14 Gauge    |            | Common Data |       |        |              |                |
| RANFG IC-3S                                     | \$7,512    | 14GFG IC-3S | \$7,846    | 48"         | 30"   | 35"    | (3) 1/1      | 275            |
| RANFG IC-4S                                     | \$8,830    | 14GFG IC-4S | \$9,246    | 60"         | 30"   | 35"    | (4) 1/1      | 325            |
| RANFG IC-5S                                     | \$9,862    | 14GFG IC-5S | \$10,362   | 72"         | 30"   | 35"    | (5) 1/1      | 375            |
| RANFG IC-6S                                     | \$10,479   | 14GFG IC-6S | \$11,061   | 86"         | 30"   | 35"    | (6) 1/1      | 425            |

SERVING LINES



# RANSERVE MOBILE SYSTEMS/SERVING LINES

Steel/Laminate



RAN FTA-4

Fiberglass



RANFG FTA-4

Steel/Laminate



RAN FTA-4S

Fiberglass



RANFG FTA-4S

| Part No.   | List Price | Part No.  | List Price | Length      | Depth | Height | Surface Size | HP  | Approx. Weight |
|--|------------|-----------|------------|-------------|-------|--------|--------------|-----|----------------|
| Enclosed Base Frost Top, Stainless Steel, 120 Volt |            |           |            |             |       |        |              |     |                |
| 16 Gauge   |            | 14 Gauge  |            | Common Data |       |        |              |     |                |
| RAN FTA-2  | \$9,659    | 14G FTA-2 | \$9,909    | 36"         | 30"   | 35"    | 23" x 18"    | 1/4 | 190            |
| RAN FTA-3  | \$10,824   | 14G FTA-3 | \$11,157   | 48"         | 30"   | 35"    | 35" x 18"    | 1/4 | 225            |
| RAN FTA-4  | \$12,081   | 14G FTA-4 | \$12,498   | 60"         | 30"   | 35"    | 47" x 18"    | 1/4 | 265            |
| RAN FTA-5  | \$12,934   | 14G FTA-5 | \$13,434   | 72"         | 30"   | 35"    | 59" x 18"    | 1/4 | 310            |
| RAN FTA-6  | \$14,787   | 14G FTA-6 | \$15,370   | 86"         | 30"   | 35"    | 71" x 18"    | 1/4 | 355            |

|   |          |             |          |             |     |     |           |     |     |
|---|----------|-------------|----------|-------------|-----|-----|-----------|-----|-----|
| Enclosed Base Frost Top, Fiberglass, 120 Volt |          |             |          |             |     |     |           |     |     |
| 16 Gauge                                      |          | 14 Gauge    |          | Common Data |     |     |           |     |     |
| RANFG FTA-2                                   | \$9,584  | 14GFG FTA-2 | \$9,834  | 36"         | 30" | 35" | 23" x 18" | 1/4 | 250 |
| RANFG FTA-3                                   | \$10,749 | 14GFG FTA-3 | \$11,083 | 48"         | 30" | 35" | 35" x 18" | 1/4 | 300 |
| RANFG FTA-4                                   | \$11,992 | 14GFG FTA-4 | \$12,409 | 60"         | 30" | 35" | 47" x 18" | 1/4 | 350 |
| RANFG FTA-5                                   | \$12,837 | 14GFG FTA-5 | \$13,337 | 72"         | 30" | 35" | 59" x 18" | 1/4 | 400 |
| RANFG FTA-6                                   | \$14,760 | 14GFG FTA-6 | \$15,342 | 86"         | 30" | 35" | 71" x 18" | 1/4 | 450 |

| Part No.                                       | List Price | Part No.   | List Price | Length      | Depth | Height | Surface Size | HP  | Approx. Weight |
|--|------------|------------|------------|-------------|-------|--------|--------------|-----|----------------|
| Open Base Frost Top, Stainless Steel, 120 Volt |            |            |            |             |       |        |              |     |                |
| 16 Gauge                                       |            | 14 Gauge   |            | Common Data |       |        |              |     |                |
| RAN FTA-2S                                     | \$10,903   | 14G FTA-2S | \$11,152   | 36"         | 30"   | 35"    | 23" x 18"    | 1/4 | 190            |
| RAN FTA-3S                                     | \$12,186   | 14G FTA-3S | \$12,519   | 48"         | 30"   | 35"    | 35" x 18"    | 1/4 | 225            |
| RAN FTA-4S                                     | \$13,659   | 14G FTA-4S | \$14,075   | 60"         | 30"   | 35"    | 47" x 18"    | 1/4 | 265            |
| RAN FTA-5S                                     | \$14,723   | 14G FTA-5S | \$15,222   | 72"         | 30"   | 35"    | 59" x 18"    | 1/4 | 310            |
| RAN FTA-6S                                     | \$16,870   | 14G FTA-6S | \$17,453   | 86"         | 30"   | 35"    | 71" x 18"    | 1/4 | 355            |

|   |          |              |          |             |     |     |           |     |     |
|---|----------|--------------|----------|-------------|-----|-----|-----------|-----|-----|
| Open Base Frost Top, Fiberglass, 120 Volt |          |              |          |             |     |     |           |     |     |
| 16 Gauge                                  |          | 14 Gauge     |          | Common Data |     |     |           |     |     |
| RANFG FTA-4S                              | \$13,707 | 14GFG FTA-4S | \$14,124 | 60"         | 30" | 35" | 47" x 18" | 1/4 | 375 |
| RANFG FTA-5S                              | \$14,680 | 14GFG FTA-5S | \$15,180 | 72"         | 30" | 35" | 59" x 18" | 1/4 | 425 |
| RANFG FTA-6S                              | \$16,661 | 14GFG FTA-6S | \$17,245 | 86"         | 30" | 35" | 71" x 18" | 1/4 | 475 |

# RANSERVE MOBILE SYSTEMS/SERVING LINES

Steel/Laminate



RAN HTD-3

Fiberglass



RANFG HTD-4

| Part No.                                | List Price | Part No.           | List Price | Length      | Depth | Height | No. of Wells | NEMA  | Approx. Weight |
|---|------------|--------------------|------------|-------------|-------|--------|--------------|-------|----------------|
| Enclosed Base Hot Well, Stainless Steel |            |                    |            |             |       |        |              |       |                |
| 16 Gauge, 120 Volt                      |            | 14 Gauge, 120 Volt |            | Common Data |       |        |              |       |                |
| RAN HTD-2                               | \$5,813    | 14G HTD-2          | \$6,021    | 30"         | 30"   | 35"    | 2            | 5-30P | 175            |
| RAN HTD-3                               | \$6,692    | 14G HTD-3          | \$7,025    | 48"         | 30"   | 35"    | 3            | 5-50P | 215            |
| RAN HTD-4                               | \$7,507    | 14G HTD-4          | \$7,924    | 60"         | 30"   | 35"    | 4            | 5-50P | 260            |
| 16 Gauge, 208 Volt                      |            | 14 Gauge, 208 Volt |            | Common Data |       |        |              |       |                |
| RAN HTD-2                               | \$5,813    | 14G HTD-2          | \$6,021    | 30"         | 30"   | 35"    | 2            | 6-15P | 175            |
| RAN HTD-3                               | \$6,692    | 14G HTD-3          | \$7,025    | 48"         | 30"   | 35"    | 3            | 6-20P | 215            |
| RAN HTD-4                               | \$7,507    | 14G HTD-4          | \$7,924    | 60"         | 30"   | 35"    | 4            | 6-30P | 260            |
| RAN HTD-5                               | \$8,593    | 14G HTD-5          | \$9,092    | 72"         | 30"   | 35"    | 5            | 6-50P | 325            |
| RAN HTD-6                               | \$9,841    | 14G HTD-6          | \$10,424   | 86"         | 30"   | 35"    | 6            | 6-50P | 390            |
| 16 Gauge, 240 Volt                      |            | 14 Gauge, 240 Volt |            | Common Data |       |        |              |       |                |
| RAN HTD-2                               | \$5,813    | 14G HTD-2          | \$6,021    | 30"         | 30"   | 35"    | 2            | 6-15P | 175            |
| RAN HTD-3                               | \$6,692    | 14G HTD-3          | \$7,025    | 48"         | 30"   | 35"    | 3            | 6-20P | 215            |
| RAN HTD-4                               | \$7,507    | 14G HTD-4          | \$7,924    | 60"         | 30"   | 35"    | 4            | 6-30P | 260            |
| RAN HTD-5                               | \$8,593    | 14G HTD-5          | \$9,092    | 72"         | 30"   | 35"    | 5            | 6-30P | 325            |
| RAN HTD-6                               | \$9,841    | 14G HTD-6          | \$10,424   | 86"         | 30"   | 35"    | 6            | 6-50P | 390            |
| Enclosed Base Hot Well, Fiberglass      |            |                    |            |             |       |        |              |       |                |
| 16 Gauge, 120 Volt                      |            | 14 Gauge, 120 Volt |            | Common Data |       |        |              |       |                |
| RANFG HTD-2                             | \$6,505    | 14GFG HTD-2        | \$6,713    | 30"         | 30"   | 35"    | 2            | 5-30P | 175            |
| RANFG HTD-3                             | \$7,313    | 14GFG HTD-3        | \$7,646    | 48"         | 30"   | 35"    | 3            | 5-50P | 225            |
| RANFG HTD-4                             | \$8,245    | 14GFG HTD-4        | \$8,662    | 60"         | 30"   | 35"    | 4            | 5-50P | 275            |
| 16 Gauge, 208 Volt                      |            | 14 Gauge, 208 Volt |            | Common Data |       |        |              |       |                |
| RANFG HTD-2                             | \$6,505    | 14GFG HTD-2        | \$6,713    | 30"         | 30"   | 35"    | 2            | 6-15P | 175            |
| RANFG HTD-3                             | \$7,313    | 14GFG HTD-3        | \$7,646    | 48"         | 30"   | 35"    | 3            | 6-20P | 225            |
| RANFG HTD-4                             | \$8,245    | 14GFG HTD-4        | \$8,662    | 60"         | 30"   | 35"    | 4            | 6-30P | 275            |
| RANFG HTD-5                             | \$9,350    | 14GFG HTD-5        | \$9,851    | 72"         | 30"   | 35"    | 5            | 6-50P | 325            |
| RANFG HTD-6                             | \$11,106   | 14GFG HTD-6        | \$11,689   | 86"         | 30"   | 35"    | 6            | 6-50P | 375            |
| 16 Gauge, 240 Volt                      |            | 14 Gauge, 240 Volt |            | Common Data |       |        |              |       |                |
| RANFG HTD-2                             | \$6,505    | 14GFG HTD-2        | \$6,713    | 30"         | 30"   | 35"    | 2            | 6-15P | 175            |
| RANFG HTD-3                             | \$7,313    | 14GFG HTD-3        | \$7,646    | 48"         | 30"   | 35"    | 3            | 6-20P | 225            |
| RANFG HTD-4                             | \$8,245    | 14GFG HTD-4        | \$8,662    | 60"         | 30"   | 35"    | 4            | 6-30P | 275            |
| RANFG HTD-5                             | \$9,350    | 14GFG HTD-5        | \$9,851    | 72"         | 30"   | 35"    | 5            | 6-30P | 325            |
| RANFG HTD-6                             | \$11,106   | 14GFG HTD-6        | \$11,689   | 86"         | 30"   | 35"    | 6            | 6-50P | 375            |

SERVING LINES

# RANSERVE MOBILE SYSTEMS/SERVING LINES

Steel/Laminate



RAN HTD-3S

Fiberglass



RANFG HTD-4S  
with Optional Tubular Trayslide  
and Counter Protector

| Part No.  | List Price | Part No.           | List Price | Length      | Depth | Height | No. of Wells | NEMA  | Approx. Weight |
|---|------------|--------------------|------------|-------------|-------|--------|--------------|-------|----------------|
| Ambient Enclosed Base Hot Well, Stainless Steel |            |                    |            |             |       |        |              |       |                |
| 16 Gauge, 120 Volt                              |            | 14 Gauge, 120 Volt |            | Common Data |       |        |              |       |                |
| RAN HTD-2S                                      | \$7,175    | 14G HTD-2S         | \$7,385    | 30"         | 30"   | 35"    | 2            | 5-30P | 175            |
| RAN HTD-3S                                      | \$8,129    | 14G HTD-3S         | \$8,462    | 48"         | 30"   | 35"    | 3            | 5-50P | 215            |
| RAN HTD-4S                                      | \$9,326    | 14G HTD-4S         | \$9,743    | 60"         | 30"   | 35"    | 4            | 5-50P | 260            |
| 16 Gauge, 208 Volt                              |            | 14 Gauge, 208 Volt |            | Common Data |       |        |              |       |                |
| RAN HTD-2S                                      | \$7,175    | 14G HTD-2S         | \$7,385    | 30"         | 30"   | 35"    | 2            | 6-15P | 175            |
| RAN HTD-3S                                      | \$8,129    | 14G HTD-3S         | \$8,462    | 48"         | 30"   | 35"    | 3            | 6-20P | 215            |
| RAN HTD-4S                                      | \$9,326    | 14G HTD-4S         | \$9,743    | 60"         | 30"   | 35"    | 4            | 6-30P | 260            |
| RAN HTD-5S                                      | \$10,551   | 14G HTD-5S         | \$11,051   | 72"         | 30"   | 35"    | 5            | 6-50P | 325            |
| RAN HTD-6S                                      | \$12,089   | 14G HTD-6S         | \$12,673   | 86"         | 30"   | 35"    | 6            | 6-50P | 390            |
| 16 Gauge, 240 Volt                              |            | 14 Gauge, 240 Volt |            | Common Data |       |        |              |       |                |
| RAN HTD-2S                                      | \$7,175    | 14G HTD-2S         | \$7,385    | 30"         | 30"   | 35"    | 2            | 6-15P | 175            |
| RAN HTD-3S                                      | \$8,129    | 14G HTD-3S         | \$8,462    | 48"         | 30"   | 35"    | 3            | 6-20P | 215            |
| RAN HTD-4S                                      | \$9,326    | 14G HTD-4S         | \$9,743    | 60"         | 30"   | 35"    | 4            | 6-30P | 260            |
| RAN HTD-5S                                      | \$10,551   | 14G HTD-5S         | \$11,051   | 72"         | 30"   | 35"    | 5            | 6-30P | 325            |
| RAN HTD-6S                                      | \$12,089   | 14G HTD-6S         | \$12,673   | 86"         | 30"   | 35"    | 6            | 6-50P | 390            |
| Ambient Enclosed Base Hot Well, Fiberglass      |            |                    |            |             |       |        |              |       |                |
| 16 Gauge, 120 Volt                              |            | 14 Gauge, 120 Volt |            | Common Data |       |        |              |       |                |
| RANFG HTD-3S                                    | \$8,853    | 14GFG HTD-3S       | \$9,187    | 48"         | 30"   | 35"    | 3            | 5-50P | 250            |
| RANFG HTD-4S                                    | \$9,972    | 14GFG HTD-4S       | \$10,389   | 60"         | 30"   | 35"    | 4            | 5-50P | 300            |
| 16 Gauge, 208 Volt                              |            | 14 Gauge, 208 Volt |            | Common Data |       |        |              |       |                |
| RANFG HTD-3S                                    | \$8,853    | 14GFG HTD-3S       | \$9,187    | 48"         | 30"   | 35"    | 3            | 6-20P | 250            |
| RANFG HTD-4S                                    | \$9,972    | 14GFG HTD-4S       | \$10,389   | 60"         | 30"   | 35"    | 4            | 6-30P | 300            |
| RANFG HTD-5S                                    | \$11,274   | 14GFG HTD-5S       | \$11,773   | 72"         | 30"   | 35"    | 5            | 6-50P | 350            |
| RANFG HTD-6S                                    | \$13,443   | 14GFG HTD-6S       | \$14,027   | 86"         | 30"   | 35"    | 6            | 6-50P | 400            |
| 16 Gauge, 240 Volt                              |            | 14 Gauge, 240 Volt |            | Common Data |       |        |              |       |                |
| RANFG HTD-3S                                    | \$8,853    | 14GFG HTD-3S       | \$9,187    | 48"         | 30"   | 35"    | 3            | 6-20P | 250            |
| RANFG HTD-4S                                    | \$9,972    | 14GFG HTD-4S       | \$10,389   | 60"         | 30"   | 35"    | 4            | 6-30P | 300            |
| RANFG HTD-5S                                    | \$11,274   | 14GFG HTD-5S       | \$11,773   | 72"         | 30"   | 35"    | 5            | 6-30P | 350            |
| RANFG HTD-6S                                    | \$13,443   | 14GFG HTD-6S       | \$14,027   | 86"         | 30"   | 35"    | 6            | 6-50P | 400            |

# RANSERVE MOBILE SYSTEMS/SERVING LINES

Steel/Laminate



RAN HTD-3B

Fiberglass




RANFG HTD-4B  
with Optional Tubular Trayslide  
and Counter Protector

| Part No.                                       | List Price | Length | Depth | Height | No. of Wells | NEMA  | Approx. Weight |
|--|------------|--------|-------|--------|--------------|-------|----------------|
| Heated Enclosed Base Hot Well, Stainless Steel |            |        |       |        |              |       |                |
| 16 Gauge, 120 Volt                             |            |        |       |        |              |       |                |
| RAN HTD-3B                                     | \$10,260   | 48"    | 30"   | 35"    | 3            | 5-50P | 215            |
| 16 Gauge, 208 Volt                             |            |        |       |        |              |       |                |
| RAN HTD-3B                                     | \$10,260   | 48"    | 30"   | 35"    | 3            | 6-20P | 215            |
| RAN HTD-4B                                     | \$11,216   | 60"    | 30"   | 35"    | 4            | 6-30P | 260            |
| RAN HTD-5B                                     | \$12,213   | 72"    | 30"   | 35"    | 5            | 6-50P | 325            |
| RAN HTD-6B                                     | \$13,470   | 86"    | 30"   | 35"    | 6            | 6-50P | 390            |
| 16 Gauge, 240 Volt                             |            |        |       |        |              |       |                |
| RAN HTD-3B                                     | \$10,260   | 48"    | 30"   | 35"    | 3            | 6-20P | 215            |
| RAN HTD-4B                                     | \$11,216   | 60"    | 30"   | 35"    | 4            | 6-30P | 260            |
| RAN HTD-5B                                     | \$12,213   | 72"    | 30"   | 35"    | 5            | 6-30P | 325            |
| RAN HTD-6B                                     | \$13,470   | 86"    | 30"   | 35"    | 6            | 6-50P | 390            |
| Heated Enclosed Base Hot Well, Fiberglass      |            |        |       |        |              |       |                |
| 16 Gauge, 208 Volt                             |            |        |       |        |              |       |                |
| RANFG HTD-3B                                   | \$11,057   | 48"    | 30"   | 35"    | 3            | 6-30P | 400            |
| RANFG HTD-4B                                   | \$12,409   | 60"    | 30"   | 35"    | 4            | 6-50P | 433            |
| RANFG HTD-5B                                   | \$13,292   | 72"    | 30"   | 35"    | 5            | 6-50P | 466            |
| RANFG HTD-6B                                   | \$15,129   | 86"    | 30"   | 35"    | 6            | 6-50P | 500            |
| 16 Gauge, 240 Volt                             |            |        |       |        |              |       |                |
| RANFG HTD-3B                                   | \$11,057   | 48"    | 30"   | 35"    | 3            | 6-30P | 400            |
| RANFG HTD-4B                                   | \$12,409   | 60"    | 30"   | 35"    | 4            | 6-30P | 433            |
| RANFG HTD-5B                                   | \$13,292   | 72"    | 30"   | 35"    | 5            | 6-30P | 466            |
| RANFG HTD-6B                                   | \$15,129   | 86"    | 30"   | 35"    | 6            | 6-50P | 500            |

# RANSERVE MOBILE SYSTEMS/SERVING LINES

| Serving Line Options  | 24" UNIT              | 30" UNIT | 36" UNIT | 48" UNIT | 60" UNIT | 72" UNIT | 84" UNIT | 86" UNIT | 96" UNIT |
|---|-----------------------|----------|----------|----------|----------|----------|----------|----------|----------|
|   | Part No. & List Price |          |          |          |          |          |          |          |          |
| Single Tier Glass Overshelves, 26" x 13.5", Stainless Steel Framework, Glass Inserts, 6" Adjustable SneezeGuards            | RAN SGSxx             |          |          |          |          |          |          |          |          |
|   | \$2,245               | \$2,245  | \$2,245  | \$2,436  | \$2,899  | \$3,647  | \$3,751  | \$3,854  | \$3,958  |
| Double Tier Glass Overshelves, 26" x 13.5" Stainless Steel Framework, Glass Inserts, 6" Adjustable SneezeGuards             | RAN DGSxx             |          |          |          |          |          |          |          |          |
|   | \$2,994               | \$2,994  | \$2,994  | \$3,249  | \$3,865  | \$4,863  | \$5,001  | \$5,139  | \$5,277  |
| Barrel Shaped Vinyl Awning (To Set on RAN SGS/DGS), 24" x 12" Barrel Shaped, Single Color Vinyl Awning                      | BAR CAN-x             |          |          |          |          |          |          |          |          |
|   | Consult Factory       |          |          |          |          |          |          |          |          |
| Single Sided Buffet Shield, 17" x 17.5" Stainless Steel Top, Tubular Uprights, Hinged Plexi SneezeGuards                    | RAN SBSxx             |          |          |          |          |          |          |          |          |
|   | \$1,777               | \$1,777  | \$1,777  | \$1,840  | \$1,910  | \$2,228  | \$2,546  | \$2,546  | \$2,604  |
| Double Sided Buffet Shield, 17" x 27" Stainless Steel Top, Tubular Uprights, Hinged Plexi SneezeGuards                      | RAN DBSxx             |          |          |          |          |          |          |          |          |
|   | \$2,005               | \$2,005  | \$2,005  | \$2,108  | \$2,504  | \$3,005  | \$3,506  | \$3,506  | \$4,009  |
| Adjustable Double Sided Buffet Shield, 17" x 19" Stainless Steel Top, Enclosed Ends, Glass Inserts                          | RAN DBSAxx            |          |          |          |          |          |          |          |          |
|   | \$2,657               | \$2,657  | \$2,657  | \$3,189  | \$3,717  | \$4,154  | \$4,591  | \$4,591  | \$5,026  |
| Single Sided Counter Protector, Stainless Steel Top, 18" x 15" Stainless Steel Framework, Glass Front & Ends                | RAN CPxx-SS           |          |          |          |          |          |          |          |          |
|   | \$1,578               | \$1,578  | \$1,578  | \$1,816  | \$2,167  | \$2,608  | \$2,798  | \$2,798  | \$2,985  |
| Single Sided Counter Protector, Glass Top, 18" x 15" Stainless Steel Framework, Glass Front & Ends                          | RAN CPxx-GL           |          |          |          |          |          |          |          |          |
|   | \$1,578               | \$1,578  | \$1,578  | \$1,816  | \$2,167  | \$2,608  | \$2,798  | \$2,798  | \$2,985  |
| 24" Full Height Powder Coated Sloped Vertical Guard   | FMC1S-x               |          |          |          |          |          |          |          |          |
|   | Consult Factory       |          |          |          |          |          |          |          |          |
| 24" Half Height Powder Coated Sloped Vertical Guard   | FMC1SH-x              |          |          |          |          |          |          |          |          |
|   | Consult Factory       |          |          |          |          |          |          |          |          |
| Powder Coated Glass Shelf With SneezeGuard, 24" x 18.6"   | FMC1R-x               |          |          |          |          |          |          |          |          |
|   | Consult Factory       |          |          |          |          |          |          |          |          |
| Powder Coated Counter Protector, 16" x 16"  | FMC2S-x               |          |          |          |          |          |          |          |          |
|   | Consult Factory       |          |          |          |          |          |          |          |          |
| Inverted Round Trayslides With Fold Down Brackets, Solid, Inverted Round, Stainless Steel Trayslide With (2) Ribs, 10" Deep | RAN INVxx             |          |          |          |          |          |          |          |          |
|   | \$955                 | \$955    | \$955    | \$1,145  | \$1,375  | \$1,694  | \$1,842  | \$1,842  | \$1,937  |
| Tubular Trayslides With Fold Down Brackets, Stainless Steel Tubular Trayslide With (3) Bars, 12" Deep                       | RAN TUBxx             |          |          |          |          |          |          |          |          |
|   | \$661                 | \$661    | \$661    | \$927    | \$1,106  | \$1,324  | \$1,716  | \$1,716  | \$1,742  |
| Flat Trayslides With Fold Down Brackets, Solid, Flat Stainless Steel Trayslide, 10" Deep                                    | RAN FLTxx             |          |          |          |          |          |          |          |          |
|   | \$841                 | \$841    | \$841    | \$1,129  | \$1,354  | \$1,780  | \$1,991  | \$1,991  | \$2,146  |
| Flat Workboard, Flat Stainless Steel Workboard, Server Side, 8" Deep  | RSBORSWB-xx           |          |          |          |          |          |          |          |          |
|   | \$476                 | \$597    | \$716    | \$911    | \$1,138  | \$1,236  | \$1,286  | \$1,336  | \$1,504  |



RAN SGS/DGS



BAR CAN



RAN SBS



RAN DBS



RAN CP-GL



FMC1SH



FMC1R



FMC2S



# RANSERVE MOBILE SYSTEMS/SERVING LINES

| Serving Line Options   | 24" UNIT              | 30" UNIT | 36" UNIT | 48" UNIT | 60" UNIT | 72" UNIT | 84" UNIT | 86" UNIT | 96" UNIT |
|--|-----------------------|----------|----------|----------|----------|----------|----------|----------|----------|
|  | Part No. & List Price |          |          |          |          |          |          |          |          |
| Fluorescent Lights (Installed)   | -                     | 4LGTf24  | 4LGTf36  | 4LGTf48  | 4LGTf60  | 4LGTf72  | 4LGTf84  | 4LGTf86  | 4LGTf96  |
|  | -                     | \$888    | \$940    | \$1,128  | \$1,228  | \$1,356  | \$1,356  | \$1,356  | \$1,356  |
| Heat Lamps With Built-In Toggle (Installed)  | -                     | HL24     | HL36     | HL48     | HL60     | HL72     | HL84     | HL86     | HL96     |
|  | -                     | \$1,224  | \$1,364  | \$1,567  | \$1,821  | \$2,222  | \$2,222  | \$2,222  | \$2,465  |
| 90 Degree Corner Filler, Enclosed Body (No Storage), For Stainless Steel/Laminate Units (30"Lx30"Dx35"H, 125lb)                | RAN COR90             |          |          |          |          |          |          |          |          |
|  | \$3,616               |          |          |          |          |          |          |          |          |
| 90 Degree Corner Filler, Enclosed Body (No Storage), For Fiberglass Units (30"Lx30"Dx35"H, 125lb)                              | RANFG COR90           |          |          |          |          |          |          |          |          |
|  | \$3,803               |          |          |          |          |          |          |          |          |
| 90 Degree Corner Filler With Mitered Corner, Enclosed Body (No Storage), For Stainless Steel/Laminate Units (30"Dx35"H, 145lb) | RAN COR90M            |          |          |          |          |          |          |          |          |
|  | \$4,614               |          |          |          |          |          |          |          |          |
| 90 Degree Corner Filler With Mitered Corner, Open Storage, For Stainless Steel/Laminate Units (30"Dx35"H, 165lb)               | RAN COROPEN90M        |          |          |          |          |          |          |          |          |
|  | \$4,988               |          |          |          |          |          |          |          |          |
| 45 Degree Corner Filler, Enclosed Body (No Storage), For Stainless Steel/Laminate Units (30"Dx35"H, 105lb)                     | RAN COR45             |          |          |          |          |          |          |          |          |
|  | \$4,115               |          |          |          |          |          |          |          |          |
| 45 Degree Corner Filler, Open Storage, For Stainless Steel/Laminate Units (30"Dx35"H, 135lb)                                   | RAN COROPEN45         |          |          |          |          |          |          |          |          |
|  | \$4,488               |          |          |          |          |          |          |          |          |
| Designer Sneezeguards and Canopies   | Consult Factory       |          |          |          |          |          |          |          |          |
| Graphics (Full Color and One Color Decals)   | Consult Factory       |          |          |          |          |          |          |          |          |
| Elementary School Height Counters Per Unit (30" vs. Standard 35")  | RSHGTMOD              |          |          |          |          |          |          |          |          |
|  | \$508/Unit            |          |          |          |          |          |          |          |          |
| Corian Finish Trayslides   | RSCORTRYx             |          |          |          |          |          |          |          |          |
|  | Consult Factory       |          |          |          |          |          |          |          |          |
| Corian Top Surface   | RSCORTOPx             |          |          |          |          |          |          |          |          |
|  | Consult Factory       |          |          |          |          |          |          |          |          |
| Kick Plates For Stainless Steel and Laminated Units Only   | RSKCKPLTx             |          |          |          |          |          |          |          |          |
|  | Consult Factory       |          |          |          |          |          |          |          |          |

NOTE: "x" denotes section. Consult factory.




RAN INV




RAN TUB




RAN FLT



Corner Filler COR90



Corner Filler COR90M



Corner Filler COR45

Prices listed are for accessories shipped installed in units on original shipments. Loose accessories must be purchased through the Randell Parts Department and will be sold at Parts Department prices.

888-994-7636  
unifiedbrands.net

# DROP-IN COMPONENTS

## COLD PAN Features

- Polyurethane insulation
- All stainless steel top and coved corner interior
- 8' cord & NEMA 5-15P plug, 115 Volt, 60 Hz

### FREEZER:

- Self-contained, CFC free, R-404a wrapped refrigeration system with thermostatic control
- Sanitary raised rim openings and insulated hinged cover on top
- Optional clear plexi cover available on request
- (2) stainless steel louvers supplied loose

### ICE COOLED:

- Stainless steel perforated bottom strainer plates provided
- 6" overall depth (5" clear with perforated false bottom)
- Drain and gate valve provided

### MECHANICALLY COOLED:

- Self-contained, CFC free, R-404a wrapped refrigeration system with thermostatic control
- Meets 1998 NSF Std. 7, holds 41°F product temperatures
- Drain and gate valve provided
- (1) stainless steel louver supplied loose
- Adaptor bars included



9550A

| Part No.                       | List Price | Depth | Opening             | Cut Out Size | Flange Size | Gallon Capacity | HP  | Approx. Weight |
|--------------------------------|------------|-------|---------------------|--------------|-------------|-----------------|-----|----------------|
| <b>Ice Cream/Plate Chiller</b> |            |       |                     |              |             |                 |     |                |
| 9550A <sup>(s)</sup>           | \$4,206    | 17.2" | 20.8" x 10.5" x 11" | 26" x 15.8"  | 28.4"/17.2" | 6               | 1/3 | 125            |
| 9550APC <sup>(s,1)</sup>       | \$4,848    | 17.2" | 20.8" x 10.5" x 11" | 26" x 15.8"  | 28.4"/17.2" | 6               | 1/3 | 125            |
| 9552A                          | \$5,608    | 28.4" | 21.3" x 21.3" x 11" | 26" x 26"    | 28.4"/28.4" | 11.2            | 1/3 | 165            |

<sup>(s)</sup> Stock item ready for next day shipment (large quantities should be confirmed by factory)


<sup>(1)</sup> Unit comes standard with poly sliding covers



9743IC

| Part No.                   | List Price | Length | Depth | Height | Pan Capacity <sup>(1)</sup> | Cut Out Size  | Approx. Weight |
|----------------------------|------------|--------|-------|--------|-----------------------------|---------------|----------------|
| <b>Ice Cooled Cold Pan</b> |            |        |       |        |                             |               |                |
| 9718IC                     | \$1,577    | 18.2"  | 26"   | 7.8"   | (1) 1/1                     | 15.4" x 22.6" | 30             |
| 9728IC                     | \$1,744    | 31.2"  | 26"   | 7.8"   | (2) 1/1                     | 28.3" x 22.6" | 85             |
| 9743IC                     | \$2,004    | 43.8"  | 26"   | 7.8"   | (3) 1/1                     | 41" x 22.6"   | 110            |
| 9757IC                     | \$2,340    | 56.3"  | 26"   | 7.8"   | (4) 1/1                     | 55" x 22.6"   | 125            |
| 9772IC                     | \$2,616    | 71.3"  | 26"   | 7.8"   | (5) 1/1                     | 70" x 22.6"   | 145            |
| 9786IC                     | \$3,086    | 85.3"  | 26"   | 7.8"   | (6) 1/1                     | 84" x 22.6"   | 165            |

<sup>(1)</sup> 1/1 pan capacity equals (1) 12" x 20" pan



9986SCA


| Part No.   | List Price | Length | Depth | Height | Pan Capacity | Cut Out Size  | HP  | Approx. Weight |
|--|------------|--------|-------|--------|--------------|---------------|-----|----------------|
| <b>Mechanically Cooled Cold Pan, Standard Line</b> |            |        |       |        |              |               |     |                |
| 9918SCA <sup>(s)</sup>                             | \$4,344    | 17.5"  | 26"   | 27.8"  | (1) 1/1      | 16" x 24.8"   | 1/4 | 110            |
| 9928SCA <sup>(s)</sup>                             | \$4,649    | 30.3"  | 26"   | 27.8"  | (2) 1/1      | 29" x 24.8"   | 1/4 | 140            |
| 9943SCA <sup>(s)</sup>                             | \$5,052    | 43.4"  | 26"   | 27.8"  | (3) 1/1      | 42" x 24.8"   | 1/4 | 175            |
| 9957SCA <sup>(s)</sup>                             | \$5,429    | 56.3"  | 26"   | 27.8"  | (4) 1/1      | 54.8" x 24.8" | 1/4 | 210            |
| 9972SCA <sup>(s)</sup>                             | \$5,904    | 69.3"  | 26"   | 27.8"  | (5) 1/1      | 67.8" x 24.8" | 1/4 | 245            |
| 9986SCA <sup>(s)</sup>                             | \$6,368    | 82.2"  | 26"   | 27.8"  | (6) 1/1      | 80.5" x 24.8" | 1/4 | 280            |
| <b>Mechanically Cooled Cold Pan, Slim Line</b>     |            |        |       |        |              |               |     |                |
| 9946SCN  | \$4,649    | 46"    | 18.3" | 27.8"  | (2) 1/1      | 44.8" x 17"   | 1/4 | 140            |
| 9966SCN  | \$5,052    | 66.8"  | 18.3" | 27.8"  | (3) 1/1      | 65.5" x 17"   | 1/4 | 175            |
| 9987SCN  | \$5,805    | 87.5"  | 18.3" | 27.8"  | (4) 1/1      | 86.2" x 17"   | 1/4 | 210            |

<sup>(s)</sup> Stock item ready for next day shipment (large quantities should be confirmed by factory)

NOTE: No perforated bottoms available.

## MECHANICALLY COOLED FROST TOP Features

- Self-contained CFC free, R-404a wrapped refrigeration system with thermostatic control
- Surface temp 15-20°F (75°F ambient)
- Expansion valve
- Polyurethane insulation
- All stainless steel top — one piece
- Stainless steel perforated insert is optional (contact factory)
- Stainless steel louver supplied loose
- Perimeter troughs with drain
- 8' cord & NEMA 5-15P plug, 115 Volt, 60 Hz




9843SCA

| Part No.                             | List Price | Length | Depth | Surface Size | Cut Out Size  | HP  | Approx. Weight |
|--------------------------------------|------------|--------|-------|--------------|---------------|-----|----------------|
| <b>Mechanically Cooled Frost Top</b> |            |        |       |              |               |     |                |
| 9828SCA                              | \$4,957    | 30"    | 26"   | 24" x 20"    | 22.5" x 26.3" | 1/4 | 140            |
| 9843SCA                              | \$5,147    | 43"    | 26"   | 37" x 20"    | 22.5" x 39.3" | 1/4 | 175            |
| 9857SCA                              | \$5,587    | 56.8"  | 26"   | 50.8" x 20"  | 22.5" x 53"   | 1/4 | 210            |
| 9872SCA                              | \$5,970    | 71.8"  | 26"   | 65.8" x 20"  | 22.5" x 68"   | 1/4 | 245            |
| 9886SCA                              | \$6,576    | 85.8"  | 26"   | 20" x 20"    | 22.5" x 82"   | 1/4 | 280            |

NOTE: For display of non-hazardous foods only. This unit is not designed to hold products at 41°F.

## MECHANICALLY COOLED FORCED AIR, COMING SOON! Contact factory for details.



9986FA

| Part No.                            |   |
|-------------------------------------|---|
| <b>Mechanically Cooled Cold Pan</b> |   |
| 9918FA                              | <b>Contact factory for availability and specifications.</b> |
| 9928FA                              |   |
| 9943FA                              |   |
| 9957FA                              |   |
| 9972FA                              |   |
| 9986FA                              |   |

| Cold Pan & Frost Top Options   | 9550A                            | 9550APC | 9552A         | 9700IC   | 9900SCA | 9900NCN | 9800SCA |
|--|----------------------------------|---------|---------------|----------|---------|---------|---------|
|  | <b>Part No. &amp; List Price</b> |         |               |          |         |         |         |
| Long Adaptor Bar, (1) 12"  | -                                | -       | -             | DIADBR12 |         |         | -       |
|  | -                                | -       | -             | \$76     |         |         | -       |
| Long Adaptor Bar, (1) 20"  | -                                | -       | -             | DIADBR20 |         |         | -       |
|  | -                                | -       | -             | \$80     |         |         | -       |
| Remote On/Off Switch For 115V Cold Pans, With 8' Cord, Plug & Receptacle | -                                | -       | -             | DISWTRCK |         |         | -       |
|  | -                                | -       | -             | \$430    |         |         | -       |
| Poly Sliding Cover   | -                                | -       | DICVRPOL9552A | -        | -       | -       | -       |
|  | -                                | -       | \$688         | -        | -       | -       | -       |
| Temperature Modification to -10° F                                       | DIFREEZE                         | -       | DIFREEZE      | -        | -       | -       | -       |
|  | \$443                            | -       | \$443         | -        | -       | -       | -       |

**STANDARD WARRANTY: 1 YEAR PARTS, 90 DAYS LABOR, 1 YEAR COMPRESSOR**  
(CW5) 5 Year Compressor Replacement Policy \$70 net, (LW1) 1 Year Labor Policy \$135 net, (LW2) 2 Year Labor Policy \$320 net  
See page 7 for factory turnaround time. Contact your customer service representative for FOB shipping points.

**888-994-7636**  
**unifiedbrands.net**

# DROP-IN COMPONENTS

## STATION Features

### WATER & ICE STATION:

- Stainless steel top & coved corner interior
- Removable stainless cover
- 1" ice bin drain
- Corrosion resistant outer body
- Polyurethane insulation
- NSF approved (excludes 9500 & 9510)

### GLASS FILLER:

- One piece die-stamped stainless steel top
- Glass filler
- Plated wire grate in drain trough
- 5/8" drain connection
- Pitcher filler in place of glass filler option



9505

| Part No.                       | List Price | Ice Capacity | Overall Size  | Cut Out Size  | Approx. Weight |
|--------------------------------|------------|--------------|---------------|---------------|----------------|
| <b>Water &amp; Ice Station</b> |            |              |               |               |                |
| 9500 <sup>(1)</sup>            | \$1,887    | 60 lbs       | 23" x 18"     | 21.5" x 16.4" | 38             |
| 9510 <sup>(1)</sup>            | \$1,851    | 43 lbs       | 21" x 14.8"   | 19.8" x 13.1" | 35             |
| 9505*                          | \$1,773    | 44 lbs       | 23.8" x 20"   | 18.9" x 22.4" | 38             |
| 9515*                          | \$1,768    | 43 lbs       | 21.9" x 15.2" | 20.5" x 14"   | 35             |
| <b>Ice Station</b>             |            |              |               |               |                |
| 9500IC <sup>(s)</sup>          | \$1,213    | 60 lbs       | 23" x 18"     | 21.5" x 16.4" | 38             |
| 9510IC <sup>(s)</sup>          | \$1,190    | 40 lbs       | 21" x 14.5"   | 19.8" x 13.1" | 30             |

\*Contact factory for availability as units are being discontinued.

<sup>(s)</sup> Stock item ready for next day shipment (large quantities should be confirmed by factory)

<sup>(1)</sup> Refer to specification sheet for various cut out dimensions



9530

| Part No.            | List Price | Overall Size     | Cut Out Information <sup>(1)</sup> | Approx. Weight |
|---------------------|------------|------------------|------------------------------------|----------------|
| <b>Glass Filler</b> |            |                  |                                    |                |
| 9530 <sup>(s)</sup> | \$601      | 10" x 10" x 9.5" | Drain, Water Supply, Corner Studs  | 20             |

<sup>(s)</sup> Stock item ready for next day shipment (large quantities should be confirmed by factory)

<sup>(1)</sup> Refer to specification sheet for various cut out dimensions

| Station/Filler Options                 | Part No. & List Price |
|--|-----------------------|
| Pitcher Filler in Lieu of Glass Filler | DIFILPTI              |
|  | \$350                 |
| Pitcher Filler (Shipped Loose)         | DIFILPTL              |
|  | \$466                 |

## HOT WELL Features

- Individual die-stamped 12" x 20" openings with raised rims in stainless steel top
- Adaptor bars optional on all models
- Control panel is pre-wired to junction box
- Approved for installation in either stainless or laminate counter work
- True thermostatic control for precise food temperatures
- Meets NSF standard 4
- UL approved
- Available for 120V, 208V, or 240V operation - all units require hard wiring to junction box

## COMMON WATERBATH & COMBINATION:

- Open water tank below top for wet operation
- Drain and gate valve standard

## COMBINATION:

- Allows switch over of same unit for hot or cold operation
- Stainless steel, one piece top and coved corner interior

## INDIVIDUALLY CONTROLLED:

- Individually controlled wells for maximum operator control
- Fully insulated exterior body



95702-208Z

| Part No.                                    | List Price | Length | Depth | Pan Capacity | Body Size     | Control Panel Size | Approx. Weight |
|---|------------|--------|-------|--------------|---------------|--------------------|----------------|
| <b>Hot Well, Common Waterbath, 208 Volt</b> |            |        |       |              |               |                    |                |
| 95702-208Z                                  | \$2,473    | 31.1"  | 26"   | (2) 1/1      | 27.8" x 22.5" | 14" x 5.8" x 6"    | 110            |
| 95703-208Z                                  | \$2,923    | 43.6"  | 26"   | (3) 1/1      | 40.3" x 22.5" | 14" x 5.8" x 6"    | 135            |
| 95704-208Z                                  | \$3,373    | 56.5"  | 26"   | (4) 1/1      | 53" x 22.5"   | 14" x 5.8" x 6"    | 160            |
| 95705-208Z                                  | \$3,936    | 69.3"  | 26"   | (5) 1/1      | 65.8" x 22.5" | 14" x 5.8" x 6"    | 185            |
| 95706-208Z                                  | \$4,498    | 82"    | 26"   | (6) 1/1      | 78.5" x 22.5" | 14" x 5.8" x 6"    | 210            |
| <b>Hot Well, Common Waterbath, 240 Volt</b> |            |        |       |              |               |                    |                |
| 95702-240Z                                  | \$2,497    | 31.1"  | 26"   | (2) 1/1      | 27.8" x 22.5" | 14" x 5.8" x 6"    | 110            |
| 95703-240Z                                  | \$2,951    | 43.6"  | 26"   | (3) 1/1      | 40.3" x 22.5" | 14" x 5.8" x 6"    | 135            |
| 95704-240Z                                  | \$3,405    | 56.5"  | 26"   | (4) 1/1      | 53" x 22.5"   | 14" x 5.8" x 6"    | 160            |
| 95705-240Z                                  | \$3,974    | 69.3"  | 26"   | (5) 1/1      | 65.8" x 22.5" | 14" x 5.8" x 6"    | 185            |
| 95706-240Z                                  | \$4,541    | 82"    | 26"   | (6) 1/1      | 78.5" x 22.5" | 14" x 5.8" x 6"    | 210            |



95802-208Z

| Part No.   | List Price | Length | Depth | Pan Capacity | Body Size      | Control Panel Size | Approx. Weight |
|--|------------|--------|-------|--------------|----------------|--------------------|----------------|
| <b>Hot/Cold Combination Well, 120 Volt (Cold)/208 Volt (Hot)</b> |            |        |       |              |                |                    |                |
| 95802-208Z   | \$9,078    | 31.1"  | 26"   | (2) 1/1      | 27.8" x 22.5"  | 14" x 5.8" x 6"    | 110            |
| 95803-208Z   | \$9,547    | 43.6"  | 26"   | (3) 1/1      | 40.3" x 22.5"  | 14" x 5.8" x 6"    | 135            |
| 95804-208Z   | \$10,147   | 56.5"  | 26"   | (4) 1/1      | 53" x 22.5"    | 14" x 5.8" x 6"    | 160            |
| 95805-208Z   | \$10,944   | 69.3"  | 26"   | (5) 1/1      | 65.8" x 22.5"  | 14" x 5.8" x 6"    | 185            |
| 95806-208Z   | \$11,741   | 82"    | 26"   | (6) 1/1      | 78.25" x 22.5" | 14" x 5.8" x 6"    | 210            |

NOTE: Perforated bottom standard.



# DROP-IN COMPONENTS



95604-120Z

| Part No.  | List Price | Length | Depth | Pan Capacity | Body Size     | Control Panel Size | Approx. Weight |
|---|------------|--------|-------|--------------|---------------|--------------------|----------------|
| <b>Individually Controlled Hot Well, 120 Volt</b>                                   |            |        |       |              |               |                    |                |
| 95601-120Z  | \$1,711    | 18.5"  | 26"   | (1) 1/1      | 16.2" x 22.5" | 14.3" x 5.8" x 6"  | 60             |
| 95602-120Z  | \$2,383    | 31.9"  | 26"   | (2) 1/1      | 29.5" x 22.5" | 14.3" x 5.8" x 6"  | 85             |
| 95603-120Z  | \$3,405    | 45.6"  | 26"   | (3) 1/1      | 43.1" x 22.5" | 20" x 5.8" x 6"    | 103            |
| 95604-120Z  | \$4,200    | 59.3"  | 26"   | (4) 1/1      | 56.7" x 22.5" | 26" x 5.8" x 6"    | 170            |
| 95605-120Z  | \$4,882    | 73.1"  | 26"   | (5) 1/1      | 70.3" x 22.5" | 32" x 5.8" x 6"    | 230            |
| 95606-120Z  | \$5,676    | 86.7"  | 26"   | (6) 1/1      | 84" x 22.5"   | 38" x 5.8" x 6"    | 290            |
| <b>Individually Controlled Hot Well, 208 Volt</b>                                   |            |        |       |              |               |                    |                |
| 95601-208Z  | \$1,711    | 18.5"  | 26"   | (1) 1/1      | 16.2" x 22.5" | 14.3" x 5.8" x 6"  | 60             |
| 95602-208Z  | \$2,383    | 31.9"  | 26"   | (2) 1/1      | 29.5" x 22.5" | 14.3" x 5.8" x 6"  | 85             |
| 95603-208Z  | \$3,405    | 45.6"  | 26"   | (3) 1/1      | 43.1" x 22.5" | 20" x 5.8" x 6"    | 103            |
| 95604-208Z  | \$4,200    | 59.3"  | 26"   | (4) 1/1      | 56.7" x 22.5" | 26" x 5.8" x 6"    | 170            |
| 95605-208Z  | \$4,882    | 73.1"  | 26"   | (5) 1/1      | 70.3" x 22.5" | 32" x 5.8" x 6"    | 230            |
| 95606-208Z  | \$5,676    | 86.7"  | 26"   | (6) 1/1      | 84" x 22.5"   | 38" x 5.8" x 6"    | 290            |
| <b>Individually Controlled Hot Well, 240 Volt</b>                                   |            |        |       |              |               |                    |                |
| 95601-240Z  | \$1,711    | 18.5"  | 26"   | (1) 1/1      | 16.2" x 22.5" | 14.3" x 5.8" x 6"  | 60             |
| 95602-240Z  | \$2,383    | 31.9"  | 26"   | (2) 1/1      | 29.5" x 22.5" | 14.3" x 5.8" x 6"  | 85             |
| 95603-240Z  | \$3,405    | 45.6"  | 26"   | (3) 1/1      | 43.1" x 22.5" | 20" x 5.8" x 6"    | 103            |
| 95604-240Z  | \$4,200    | 59.3"  | 26"   | (4) 1/1      | 56.7" x 22.5" | 26" x 5.8" x 6"    | 170            |
| 95605-240Z  | \$4,882    | 73.1"  | 26"   | (5) 1/1      | 70.3" x 22.5" | 32" x 5.8" x 6"    | 230            |
| 95606-240Z  | \$5,676    | 86.7"  | 26"   | (6) 1/1      | 84" x 22.5"   | 38" x 5.8" x 6"    | 290            |
| <b>Individually Controlled Hot Well, 208 Volt, Drains and/or Manifolds Included</b> |            |        |       |              |               |                    |                |
| 95601-208DZ   | \$1,806    | 18.5"  | 26"   | (1) 1/1      | 16.2" x 22.5" | 14.3" x 5.8" x 6"  | 60             |
| 95602-208DMZ  | \$2,861    | 31.9"  | 26"   | (2) 1/1      | 29.5" x 22.5" | 14.3" x 5.8" x 6"  | 85             |
| 95603-208DMZ <sup>(s)</sup>   | \$4,122    | 45.6"  | 26"   | (3) 1/1      | 43.1" x 22.5" | 20" x 5.8" x 6"    | 103            |
| 95604-208DMZ <sup>(s)</sup>   | \$5,156    | 59.3"  | 26"   | (4) 1/1      | 56.7" x 22.5" | 26" x 5.8" x 6"    | 170            |
| 95605-208DMZ  | \$6,077    | 73.1"  | 26"   | (5) 1/1      | 70.3" x 22.5" | 32" x 5.8" x 6"    | 230            |
| 95606-208DMZ  | \$7,110    | 86.7"  | 26"   | (6) 1/1      | 84" x 22.5"   | 38" x 5.8" x 6"    | 290            |
| <b>Individually Controlled Hot Well, Slim Line, 120 Volt</b>                        |            |        |       |              |               |                    |                |
| 95602N-120Z   | \$2,611    | 47.6"  | 18.5" | (2) 1/1      | 45.3" x 16.1" | 14.3" x 5.8" x 6"  | 108            |
| 95603N-120Z   | \$3,633    | 69.2"  | 18.5" | (3) 1/1      | 66.3" x 16.1" | 14.3" x 5.8" x 6"  | 175            |
| <b>Individually Controlled Hot Well, Slim Line, 208 Volt</b>                        |            |        |       |              |               |                    |                |
| 95602N-208Z   | \$2,611    | 47.6"  | 18.5" | (2) 1/1      | 45.3" x 16.1" | 14.3" x 5.8" x 6"  | 108            |
| 95603N-208Z   | \$3,633    | 69.2"  | 18.5" | (3) 1/1      | 66.3" x 16.1" | 14.3" x 5.8" x 6"  | 175            |
| <b>Individually Controlled Hot Well, Slim Line, 240 Volt</b>                        |            |        |       |              |               |                    |                |
| 95602N-240Z   | \$2,611    | 47.6"  | 18.5" | (2) 1/1      | 45.3" x 16.1" | 14.3" x 5.8" x 6"  | 108            |
| 95603N-240Z   | \$3,633    | 69.2"  | 18.5" | (3) 1/1      | 66.3" x 16.1" | 14.3" x 5.8" x 6"  | 175            |


<sup>(s)</sup> Stock item ready for next day shipment (large quantities should be confirmed by factory)

# DROP-IN COMPONENTS

| Hot Well Options  | 9570                  | 9580     | 9560          |
|---|-----------------------|----------|---------------|
|   | Part No. & List Price |          |               |
| Long Adaptor Bar, (1) 12"   | DIADBR12              |          |               |
|   | \$76                  |          |               |
| Long Adaptor Bar, (1) 20"   | DIADBR20              |          |               |
|   | \$80                  |          |               |
| Remote On/Off Switch (For Cold Pans Only)                         | -                     | DISWTRCK | -             |
|   | -                     | \$430    | -             |
| Extended Thermostatic Lead (For Hot Drop-Ins Only) <sup>(1)</sup> | DICTREXTx             |          |               |
|   | \$501                 |          |               |
| Individual Drain  | -                     | -        | DIDRNIND      |
|   | -                     | -        | \$95          |
| Individual Drain(s) Manifolded to Common Gate Valve               | DIDRNMAN              |          |               |
|   | \$239/well            |          |               |
| Change Drain Location   | -                     | DIDRNLOC | -             |
|   | -                     | \$466    | -             |
| Drain Location Left   | DIDRNLOCL             |          |               |
|   | \$466                 |          |               |
| Fill Faucet, Left <sup>(2)</sup>                                  | -                     | -        | DIHFFCTSGLLxW |
|   | -                     | -        | \$333         |
| Fill Faucet, Right <sup>(2)</sup>                                 | -                     | -        | DIHFFCTSGLRxW |
|   | -                     | -        | \$333         |
| Adaptor Plates, Stainless Steel, (3) 6.5" Dia. Cutouts            | DIHFADPLTA            |          |               |
|   | \$289                 |          |               |
| Adaptor Plates, Stainless Steel, (2) 8.5" Dia. Cutouts            | DIHFADPLTB            |          |               |
|   | \$289                 |          |               |
| Adaptor Plates, Stainless Steel, (1) 6.5", (1) 10.5" Dia. Cutouts | DIHFADPLTC            |          |               |
|   | \$289                 |          |               |

(1) "x" denotes number of heating elements. Consult factory.

(2) "x" denotes number of pans. Consult factory.



Adaptor Plates

# HOT FOOD SERVING

## 3500 & 3600 INDIVIDUAL Features

- Stainless steel body construction - no assembly required
- Die stamped individual 12" x 20" raised sanitary rim pan openings in stainless steel top
- Thermostatic control for precise food temperatures - one per well
- Stainless steel, full length plate shelf - 7" deep
- 8" wide poly cutting board
- 6" high adjustable legs
- Available for 120V, 208V/240V operation
- Stainless steel ends
- Provided with 6 ft power cord



3513-240  
with Optional Casters

| Part No.   | List Price | Length | Depth | Height | No. of Wells | NEMA  | Approx. Weight |
|--|------------|--------|-------|--------|--------------|-------|----------------|
| <b>Individual Open Well, Electric, 120 Volt</b>          |            |        |       |        |              |       |                |
| 3512-120   | \$2,292    | 33"    | 30"   | 36"    | 2            | 5-20P | 116            |
| 3513-120   | \$2,751    | 48"    | 30"   | 36"    | 3            | 5-30P | 174            |
| 3514-120   | \$3,209    | 63"    | 30"   | 36"    | 4            | 5-50P | 232            |
| 3515-120   | \$4,012    | 78"    | 30"   | 36"    | 5            | 5-50P | 290            |
| <b>Individual Open Well, Electric, Dual 208/240 Volt</b> |            |        |       |        |              |       |                |
| 3512-240   | \$2,292    | 33"    | 30"   | 36"    | 2            | 6-15P | 116            |
| 3513-240   | \$2,751    | 48"    | 30"   | 36"    | 3            | 6-20P | 174            |
| 3514-240   | \$3,209    | 63"    | 30"   | 36"    | 4            | 6-30P | 232            |
| 3515-240   | \$4,012    | 78"    | 30"   | 36"    | 5            | 6-30P | 290            |

NOTE: Depth & height dimensions for all Part No.s do not include cutting board overhang. For wet operation spillage pans are required.



3613-240  
with Optional Casters

| Part No.   | List Price | Length | Depth | Height | No. of Wells | NEMA  | Approx. Weight |
|--|------------|--------|-------|--------|--------------|-------|----------------|
| <b>Individual Sealed Well, Electric, 120 Volt</b>          |            |        |       |        |              |       |                |
| 3612-120   | \$3,209    | 33"    | 30"   | 36"    | 2            | 5-20P | 116            |
| 3613-120   | \$4,266    | 48"    | 30"   | 36"    | 3            | 5-30P | 174            |
| 3614-120   | \$5,475    | 63"    | 30"   | 36"    | 4            | 5-50P | 232            |
| 3615-120   | \$6,298    | 78"    | 30"   | 36"    | 5            | 5-50P | 290            |
| <b>Individual Sealed Well, Electric, Dual 208/240 Volt</b> |            |        |       |        |              |       |                |
| 3612-240   | \$3,209    | 33"    | 30"   | 36"    | 2            | 6-15P | 116            |
| 3613-240 <sup>(s)</sup>                                    | \$4,266    | 48"    | 30"   | 36"    | 3            | 6-20P | 174            |
| 3614-240   | \$5,475    | 63"    | 30"   | 36"    | 4            | 6-30P | 232            |
| 3615-240   | \$6,298    | 78"    | 30"   | 36"    | 5            | 6-30P | 290            |

NOTE: Depth & height dimensions for all Part No.s do not include cutting board overhang. Standard with manifold and drains to common gate valve.

<sup>(s)</sup> Stock item ready for next day shipment (large quantities should be confirmed by factory)

## 3300 & 3400 WATERBATH Features

- Stainless steel body construction - no assembly required
- Die stamped raised sanitary rim pan openings in stainless steel top with water bath tank below
- Thermostatic control for precise food temperatures (3300 series only)
- 12000 BTU gas burner(s) with safety shut off and pilot light system (3400 series only)
- Stainless steel, full length plate shelf -7" deep
- 8" wide NSF poly cutting board
- 6" high adjustable legs
- Unit available natural or LP, AGA listed (3400 Series only)
- Gate valve and 1" drain installed
- Power cord for 208V, or 240V operation available (3300 series only)
- Stainless steel ends



3313-240

| Part No.                             | List Price | Length | Depth | Height | No. of Openings | NEMA  | Approx. Weight |
|--------------------------------------|------------|--------|-------|--------|-----------------|-------|----------------|
| <b>Waterbath, Electric, 208 Volt</b> |            |        |       |        |                 |       |                |
| 3312-208                             | \$4,150    | 33"    | 30"   | 36"    | 2               | 6-20P | 116            |
| 3313-208                             | \$4,669    | 48"    | 30"   | 36"    | 3               | 6-20P | 174            |
| 3314-208                             | \$5,374    | 63"    | 30"   | 36"    | 4               | 6-50P | 232            |
| 3315-208                             | \$6,700    | 78"    | 30"   | 36"    | 5               | 6-50P | 290            |
| <b>Waterbath, Electric, 240 Volt</b> |            |        |       |        |                 |       |                |
| 3312-240                             | \$4,150    | 33"    | 30"   | 36"    | 2               | 6-20P | 116            |
| 3313-240                             | \$4,669    | 48"    | 30"   | 36"    | 3               | 6-20P | 174            |
| 3314-240                             | \$5,374    | 63"    | 30"   | 36"    | 4               | 6-50P | 232            |
| 3315-240                             | \$6,700    | 78"    | 30"   | 36"    | 5               | 6-50P | 290            |

NOTE: Depth & height dimensions for all Part No.s do not include cutting board overhang.



3413-NG


| Part No.                      | List Price | Length | Depth | Height | No. of Openings | BTU   | Approx. Weight |
|-------------------------------|------------|--------|-------|--------|-----------------|-------|----------------|
| <b>Waterbath, Natural Gas</b> |            |        |       |        |                 |       |                |
| 3412-NG                       | \$4,546    | 33"    | 30"   | 36"    | 2               | 12000 | 116            |
| 3413-NG                       | \$4,922    | 48"    | 30"   | 36"    | 3               | 12000 | 174            |
| 3414-NG                       | \$6,219    | 63"    | 30"   | 36"    | 4               | 24000 | 232            |
| 3415-NG                       | \$8,499    | 78"    | 30"   | 36"    | 5               | 24000 | 290            |
| <b>Waterbath, Propane</b>     |            |        |       |        |                 |       |                |
| 3412-LP                       | \$4,546    | 33"    | 30"   | 36"    | 2               | 12000 | 116            |
| 3413-LP                       | \$4,922    | 48"    | 30"   | 36"    | 3               | 12000 | 174            |
| 3414-LP                       | \$6,219    | 63"    | 30"   | 36"    | 4               | 24000 | 232            |
| 3415-LP                       | \$8,499    | 78"    | 30"   | 36"    | 5               | 24000 | 290            |

NOTE: Depth & height dimensions for all Part No.s do not include cutting board overhang.

# HOT FOOD SERVING

| Hot Food Serving Options  | 33"                                  | 48"                          | 63"                          | 78"                          |
|---|--------------------------------------|------------------------------|------------------------------|------------------------------|
|   | 3512<br>3612<br>3312<br>3412         | 3513<br>3613<br>3313<br>3413 | 3514<br>3614<br>3314<br>3414 | 3515<br>3615<br>3315<br>3415 |
|   | Part No. & List Price                |                              |                              |                              |
| Adaptor Plates, Stainless Steel, (3) 6.5" Dia. Cutouts<br>(1 Plate/Well)                                | HFADPLTA                             |                              |                              |                              |
|   | \$289                                |                              |                              |                              |
| Adaptor Plates, Stainless Steel, (2) 8.5" Dia. Cutouts<br>(1 Plate/Well)                                | HFADPLTB                             |                              |                              |                              |
|   | \$289                                |                              |                              |                              |
| Adaptor Plates, Stainless Steel, (1) 6.5", (1) 10.5" Dia. Cutouts<br>(1 Plate/Well)                     | HFADPLTC                             |                              |                              |                              |
|   | \$289                                |                              |                              |                              |
| Stainless Steel Full Height Back  | HFBACKSS33                           | HFBACKSS48                   | HFBACKSS63                   | HFBACKSS78                   |
|   | \$724                                | \$962                        | \$1,326                      | \$1,566                      |
| Manual Fill Faucet at Left (L) or Right (R) (Not Available When<br>Roll Covers and/or Casters are Used) | HFFCTSGLL (left) / HFFCTSGLR (right) |                              |                              |                              |
|   | \$254                                |                              |                              |                              |
| 3-Phase Wiring, 3500/3600 Series Only (Not Available on 2<br>Well Units) (208/240V Only)                | -                                    | HFELE3PH                     |                              |                              |
|   | -                                    | \$1,013                      |                              |                              |
| Convert Standard 750 Watt to 1100 Watt Per Well, 120V Unit<br>(3500/3600 Series Only)                   | HFVOL120H-x                          |                              |                              |                              |
|   | \$193                                | \$289                        | \$386                        | \$483                        |
| Convert Standard 865 Watt to 1100 Watt Per Well, 208V Unit<br>(3500/3600 Series Only)                   | HFVOL208H-x                          |                              |                              |                              |
|   | \$193                                | \$289                        | \$386                        | \$483                        |
| Casters in Lieu of Legs, (4) 4" for a 33" Work Height or<br>(4) 6" for a 34.875" Work Height            | HFCAS4IN/HFCAS6IN                    |                              |                              |                              |
|   | \$216                                |                              |                              |                              |
| Aluminum Spillage Pans for 3500 Series Units  | HFHFSPAN2                            | HFHFSPAN3                    | HFHFSPAN4                    | HFHFSPAN5                    |
|   | \$512                                | \$769                        | \$1,024                      | \$1,280                      |
| Counter Protectors, 18" x 15" With 12.8" Stainless Steel Top,<br>Glass Back and Enclosed Ends           | 37433S                               | 37448S                       | 37463S                       | 37478S                       |
|   | \$1,596                              | \$1,838                      | \$2,250                      | \$2,690                      |
| Counter Protectors, 18" x 15" With 12.8" Glass Top,<br>Back and Enclosed Ends                           | 37433                                | 37448                        | 37463                        | 37478                        |
|   | \$1,596                              | \$1,838                      | \$2,250                      | \$2,690                      |
| Single Tier Stainless Steel Overshelves, 12" Wide, 18 Gauge,<br>Stainless Steel Constructed             | HFDST33                              | HFDST48                      | HFDST63                      | HFDST78                      |
|   | \$635                                | \$845                        | \$1,054                      | \$1,375                      |
| Double Tier Stainless Steel Overshelves, 12" Wide, 18 Gauge,<br>Stainless Steel Constructed             | HFDDT33                              | HFDDT48                      | HFDDT63                      | HFDDT78                      |
|   | \$1,270                              | \$1,690                      | \$2,108                      | \$2,750                      |
| Buffet Shelf With Plexi Shield, 22" x 20" Stainless Steel<br>Constructed                                | 38433                                | 38448                        | 38463                        | 38478                        |
|   | \$1,218                              | \$1,623                      | \$2,030                      | \$2,638                      |

NOTE: "x" denotes number of wells. Consult factory.



Adaptor Plates



## REACH-IN & ROLL-IN REFRIGERATOR & FREEZER Features

- Top mounted compressor & evaporator coil
- CFC free refrigerants. R-134a - Refriger., R-404a - Freezer
- Expansion valve
- Hot gas condensate evaporator
- Refrigerators with thermostatic control
- Freezers with electronic control
- Automatic defrost
- Self-closing cam lift hinges with 120° open feature
- Automatic interior light
- Press-fit magnetic door gaskets
- Cylinder door locks
- Condensate heater around freezer door openings
- Fully coved interior meeting NSF Standard 7
- Polyurethane insulation
- Exterior LED temperature display
- Field reversible hinged door (single door unit only)
- 3 baked epoxy coated wire shelves with stainless steel support clips (adjustable every 1") per section
- 6" Casters - factory mounted (front two locking)
- 8' cord & plug, 115 Volt - Refriger., 115 or 208 Volt - Freezer
- Main power supply switch
- Stainless steel interior rack guide (Roll-in)
- Stainless steel door fronts and louver panel, exterior back is unfinished, stainless back panel is optional

### Standard Finish

- Exterior sides anodized aluminum with wrap-around front trim
- Interior is coved anodized aluminum

### "E" Finish

- Exterior sides stainless steel with wrap-around front trim
- Interior is coved stainless steel



2010



2020



2030

| Part No.   | List Price | Length | Depth | Height | Doors | Storage (Cu. Ft.) | HP  | NEMA   | Approx. Weight |
|--|------------|--------|-------|--------|-------|-------------------|-----|--------|----------------|
| <b>Solid Door Reach-in, Refrigerator, Standard Finish</b>          |            |        |       |        |       |                   |     |        |                |
| 2010 <sup>(s)</sup>  | \$5,564    | 30"    | 33.5" | 81.3"  | 1     | 23                | 1/4 | 5-15P  | 425            |
| 2010HL <sup>(1)</sup>  | \$5,564    | 30"    | 33.5" | 81.3"  | 1     | 23                | 1/4 | 5-15P  | 425            |
| 2020 <sup>(s)</sup>  | \$7,404    | 55"    | 33.5" | 81.3"  | 2     | 46                | 1/3 | 5-15P  | 595            |
| 2030   | \$9,997    | 83"    | 33.5" | 81.3"  | 3     | 72                | 1/2 | 5-15P  | 800            |
| <b>Solid Door Reach-in, Refrigerator, "E" Finish</b>               |            |        |       |        |       |                   |     |        |                |
| 2010E  | \$10,658   | 30"    | 33.5" | 81.3"  | 1     | 23                | 1/4 | 5-15P  | 425            |
| 2020E  | \$13,209   | 55"    | 33.5" | 81.3"  | 2     | 46                | 1/3 | 5-15P  | 595            |
| 2030E  | \$17,769   | 83"    | 33.5" | 81.3"  | 3     | 72                | 1/2 | 5-15P  | 800            |
| <b>Solid Door Reach-in, Freezer, Standard Finish, 115 Volt</b>     |            |        |       |        |       |                   |     |        |                |
| 2010F <sup>(s)</sup>   | \$6,953    | 30"    | 33.5" | 81.3"  | 1     | 24                | 1/2 | 5-15P  | 425            |
| 2020F <sup>(s)</sup>   | \$9,752    | 55"    | 33.5" | 81.3"  | 2     | 46                | 2/3 | 5-20P  | 620            |
| <b>Solid Door Reach-in, Freezer, Standard Finish, 208/240 Volt</b> |            |        |       |        |       |                   |     |        |                |
| 2030F  | \$14,120   | 83"    | 33.5" | 81.3"  | 3     | 72                | 1   | 14-20P | 840            |
| <b>Solid Door Reach-in, Freezer, "E" Finish, 115 Volt</b>          |            |        |       |        |       |                   |     |        |                |
| 2010FE   | \$11,843   | 30"    | 33.5" | 81.3"  | 1     | 24                | 1/2 | 5-15P  | 425            |
| 2020FE   | \$15,492   | 55"    | 33.5" | 81.3"  | 2     | 46                | 2/3 | 5-20P  | 620            |
| <b>Solid Door Reach-in, Freezer, "E" Finish, 208/240 Volt</b>      |            |        |       |        |       |                   |     |        |                |
| 2030FE   | \$20,399   | 83"    | 33.5" | 81.3"  | 3     | 72                | 1   | 14-20P | 840            |

3-DOOR REACH-INS MAY NOT HAVE LIFT-GATE DELIVERY AVAILABLE IN SOME AREAS – CONTACT FACTORY FOR ASSISTANCE

<sup>(s)</sup> Stock item ready for next day shipment (large quantities should be confirmed by factory)

<sup>(1)</sup> Hinged left

# UPRIGHTS



2011



2021



2031

| Part No.  | List Price | Length | Depth | Height | Doors | Storage (Cu. Ft.) | HP  | NEMA  | Approx. Weight |
|---|------------|--------|-------|--------|-------|-------------------|-----|-------|----------------|
| <b>Glass Door Reach-in, Refrigerator, Standard Finish</b> |            |        |       |        |       |                   |     |       |                |
| 2011  | \$7,200    | 30"    | 33.5" | 81.3"  | 1     | 23                | 1/4 | 5-15P | 425            |
| 2011HL <sup>(1)</sup>                                     | \$7,200    | 30"    | 33.5" | 81.3"  | 1     | 23                | 1/4 | 5-15P | 425            |
| 2021  | \$9,446    | 55"    | 33.5" | 81.3"  | 2     | 46                | 1/3 | 5-15P | 595            |
| 2022 <sup>(2)</sup>                                       | \$11,573   | 55"    | 33.5" | 81.3"  | 2     | 46                | 1/3 | 5-15P | 605            |
| 2031  | \$13,385   | 83"    | 33.5" | 81.3"  | 3     | 72                | 1/2 | 5-15P | 800            |
| <b>Glass Door Reach-in, Refrigerator, "E" Finish</b>      |            |        |       |        |       |                   |     |       |                |
| 2011E   | \$11,372   | 30"    | 33.5" | 81.3"  | 1     | 23                | 1/4 | 5-15P | 425            |
| 2021E   | \$14,759   | 55"    | 33.5" | 81.3"  | 2     | 46                | 1/3 | 5-15P | 595            |
| 2022E <sup>(2)</sup>                                      | \$16,427   | 55"    | 33.5" | 81.3"  | 2     | 46                | 1/3 | 5-15P | 605            |
| 2031E   | \$19,909   | 83"    | 33.5" | 81.3"  | 3     | 72                | 1/2 | 5-15P | 800            |
| <b>Glass Door Reach-in, Freezer, Standard Finish</b>      |            |        |       |        |       |                   |     |       |                |
| 2011F   | \$8,737    | 30"    | 33.5" | 81.3"  | 1     | 24                | 1/2 | 5-15P | 425            |
| 2021F   | \$12,635   | 55"    | 33.5" | 81.3"  | 2     | 46                | 3/4 | 5-20P | 620            |
| <b>Glass Door Reach-in, Freezer, "E" Finish</b>           |            |        |       |        |       |                   |     |       |                |
| 2011FE  | \$12,842   | 30"    | 33.5" | 81.3"  | 1     | 24                | 1/2 | 5-15P | 425            |
| 2021FE  | \$17,652   | 55"    | 33.5" | 81.3"  | 2     | 46                | 3/4 | 5-20P | 620            |

3-DOOR REACH-INS MAY NOT HAVE LIFT-GATE DELIVERY AVAILABLE IN SOME AREAS – CONTACT FACTORY FOR ASSISTANCE

(1) Hinged left

(2) Sliding glass door



2135

| Part No.   | List Price | Length | Depth | Height | Doors | Storage (Cu. Ft.) | HP  | NEMA   | Approx. Weight |
|--|------------|--------|-------|--------|-------|-------------------|-----|--------|----------------|
| <b>Solid Door Roll-in, Refrigerator, Standard Finish</b> |            |        |       |        |       |                   |     |        |                |
| 2135   | \$9,189    | 35"    | 34.5" | 84"    | 1     | 33.8              | 1/3 | -      | 850            |
| 2168   | \$13,506   | 68"    | 34.5" | 84"    | 2     | 71                | 1/2 | -      | 1275           |
| <b>Solid Door Roll-in, Refrigerator, "E" Finish</b>      |            |        |       |        |       |                   |     |        |                |
| 2135E  | \$13,208   | 35"    | 34.5" | 84"    | 1     | 33.8              | 1/3 | -      | 850            |
| 2168E  | \$18,615   | 68"    | 34.5" | 84"    | 2     | 71                | 1/2 | -      | 1275           |
| <b>Solid Door Roll-in, Freezer, Standard Finish</b>      |            |        |       |        |       |                   |     |        |                |
| 2235   | \$12,908   | 35"    | 34.5" | 84"    | 1     | 33.8              | 3/4 | 5-15P  | 880            |
| 2268   | \$19,562   | 68"    | 34.5" | 84"    | 2     | 71                | 1   | 14-20P | 1310           |
| <b>Solid Door Roll-in, Freezer, "E" Finish</b>           |            |        |       |        |       |                   |     |        |                |
| 2235E  | \$17,285   | 35"    | 34.5" | 84"    | 1     | 33.8              | 3/4 | 5-15P  | 880            |
| 2268E  | \$24,781   | 68"    | 34.5" | 84"    | 2     | 71                | 1   | 14-20P | 1310           |

ROLL-INS MAY NOT HAVE LIFT-GATE DELIVERY AVAILABLE IN SOME AREAS – CONTACT FACTORY FOR ASSISTANCE

NOTE: No caster/leg option available. Includes removable ramp and stainless steel interior.

## DUAL TEMP & PASS-THRU REFRIGERATOR & FREEZER Features

- Top-mounted compressor & evaporator coil
- CFC free refrigerants. R-134a - Refrig., R-404a - Freezer
- Expansion valve
- Hot gas condensate evaporator
- Refrigerators with thermostatic control
- Freezers with electronic control
- Automatic defrost
- Self-closing cam lift hinges with 120° open feature
- Automatic interior light
- Press-fit magnetic door gaskets
- Cylinder door locks
- Condensate heater around freezer door openings
- Fully coved interior meeting NSF Standard 7
- Polyurethane insulation
- Exterior LED temperature display
- 3 baked epoxy coated wire shelves with stainless steel support clips (adjustable every 1") per section
- 6" Casters - factory mounted (front two locking)
- 8' cord & plug, 115 Volt
- Main power supply switch
- Pass-thru models are double sided
- Single, double, triple door pass-thru models
- Refrigerator/freezer dual temp models (1 and 2 door models only)
- Refrigerator left/top, Freezer right/bottom on dual temp models
- Reverse refrigerator and freezer set-up available
- Stainless steel interior rack guide (Roll-in)
- Stainless steel door fronts and louver panel, exterior back is unfinished, stainless back panel is optional

### Standard Finish

- Exterior sides anodized aluminum with wrap around front trim
- Interior is coved anodized aluminum

### "E" Finish

- Exterior sides stainless steel with wrap around front trim
- Interior is coved stainless steel



2010D  
Refrigerator/Top, Freezer/Bottom

| Part No.                                     | List Price | Length | Depth | Height | Doors  | Storage (Cu. Ft.) | HP  | NEMA  | Approx. Weight |
|--|------------|--------|-------|--------|--------|-------------------|-----|-------|----------------|
| <b>Solid Door Dual Temp, Standard Finish</b> |            |        |       |        |        |                   |     |       |                |
| 2010D  | \$12,283   | 30"    | 33.3" | 81.3"  | 2 Half | 22                | 1/2 | 5-20P | 495            |
| 2020D  | \$14,173   | 55"    | 33.3" | 81.3"  | 2      | 44.3              | 3/4 | 5-20P | 690            |
| <b>Solid Door Dual Temp, "E" Finish</b>      |            |        |       |        |        |                   |     |       |                |
| 2010DE                                       | \$15,843   | 30"    | 33.3" | 81.3"  | 2 Half | 22                | 1/2 | 5-20P | 495            |
| 2020DE                                       | \$20,132   | 55"    | 33.3" | 81.3"  | 2      | 44.3              | 3/4 | 5-20P | 690            |



2030P

| Part No.   | List Price | Length | Depth | Height | Doors | Storage (Cu. Ft.) | HP  | NEMA | Approx. Weight |
|--|------------|--------|-------|--------|-------|-------------------|-----|------|----------------|
| <b>Solid Door Pass-Thru, Refrigerator, Standard Finish</b> |            |        |       |        |       |                   |     |      |                |
| 2010P  | \$10,124   | 30"    | 35.8" | 81.3"  | 2     | 24.8              | 1/3 | -    | 395            |
| 2020P  | \$13,598   | 55"    | 35.8" | 81.3"  | 4     | 49.5              | 1/2 | -    | 595            |
| 2030P  | \$19,176   | 83"    | 35.8" | 81.3"  | 6     | 77.2              | 1/2 | -    | 800            |
| <b>Solid Door Pass-Thru, Refrigerator, "E" Finish</b>      |            |        |       |        |       |                   |     |      |                |
| 2010PE   | \$14,097   | 30"    | 35.8" | 81.3"  | 1/1   | 24.8              | 1/3 | -    | 395            |
| 2020PE   | \$18,281   | 55"    | 35.8" | 81.3"  | 2/2   | 49.5              | 1/2 | -    | 595            |
| 2030PE   | \$24,912   | 83"    | 35.8" | 81.3"  | 3/3   | 77.2              | 1/2 | -    | 800            |

3-DOOR REACH-INS MAY NOT HAVE LIFT-GATE DELIVERY AVAILABLE IN SOME AREAS – CONTACT FACTORY FOR ASSISTANCE

# UPRIGHTS



2022P

| Part No.   | List Price | Length | Depth | Height | Doors | Storage (Cu. Ft.) | HP  | Approx. Weight |
|--|------------|--------|-------|--------|-------|-------------------|-----|----------------|
| <b>Glass Door Pass-Thru, Sliding Door, Standard Finish</b> |            |        |       |        |       |                   |     |                |
| 2022P  | \$19,420   | 55"    | 33.5" | 81.3"  | 4     | 46                | 1/2 | 605            |
| <b>Glass Door Pass-Thru, Sliding Door, "E" Finish</b>      |            |        |       |        |       |                   |     |                |
| 2022PE   | \$24,413   | 55"    | 33.5" | 81.3"  | 4     | 46                | 1/2 | 605            |
| <b>Glass Door Pass-Thru, Hinged Door, Standard Finish</b>  |            |        |       |        |       |                   |     |                |
| 2011P  | \$11,551   | 30"    | 35.8" | 81.3"  | 1/1   | 24.8              | 1/3 | 395            |
| 2021P  | \$16,449   | 55"    | 35.8" | 81.3"  | 2/2   | 49.5              | 1/2 | 595            |
| 2031P  | \$23,456   | 83"    | 35.8" | 81.3"  | 3/3   | 77.2              | 1/2 | 800            |

3-DOOR REACH-INS MAY NOT HAVE LIFT-GATE DELIVERY AVAILABLE IN SOME AREAS – CONTACT FACTORY FOR ASSISTANCE

NOTE: Glass door pass-thru units not available as freezers.

## HEATED Features

- 60°F to 180°F thermostatic control with high limit switch
- Exterior LED temperature display
- Hinged stainless steel doors
- Self-closing cam lift hinges with 120° open feature
- Solid core stainless steel interior bottom (Roll-in only)
- Press-fit magnetic door gaskets
- Cylinder door locks
- Fully coved interior meeting NSF Standard 4
- Polyurethane insulation
- Stainless steel interior rack guide (Roll-in)
- Main power supply switch
- 8' cord & plug, 208/240 Volt



2410

| Part No.  | List Price | Length | Depth | Height | Doors | Storage (Cu. Ft.) | NEMA  | Amps    | Approx. Weight |
|---|------------|--------|-------|--------|-------|-------------------|-------|---------|----------------|
| <b>Solid Door Reach-in, Heated, Standard Finish</b> |            |        |       |        |       |                   |       |         |                |
| 2410  | \$6,876    | 30"    | 33.5" | 81.3"  | 1     | 24                | 6-15P | 4.7/5.4 | 425            |
| 2420  | \$9,286    | 55"    | 35.6" | 81.3"  | 2     | 47                | 6-15P | 7/8.1   | 700            |
| <b>Solid Door Reach-in, Heated, "E" Finish</b>      |            |        |       |        |       |                   |       |         |                |
| 2410E   | \$10,110   | 30"    | 33.5" | 81.3"  | 1     | 24                | 6-15P | 4.7/5.4 | 425            |
| 2420E   | \$14,140   | 55"    | 35.6" | 81.3"  | 2     | 47                | 6-15P | 7/8.1   | 700            |



2368

| Part No.   | List Price | Length | Depth | Height | Doors | Storage (Cu. Ft.) | NEMA  | Amps    | Approx. Weight |
|--|------------|--------|-------|--------|-------|-------------------|-------|---------|----------------|
| <b>Solid Door Roll-in, Heated, Standard Finish</b> |            |        |       |        |       |                   |       |         |                |
| 2335   | \$9,462    | 35"    | 34.5" | 84"    | 1     | 35                | 6-15P | 4.7/5.4 | 425            |
| 2368   | \$13,058   | 68"    | 34.5" | 84"    | 2     | 72                | 6-15P | 7/8.1   | 650            |
| <b>Solid Door Roll-in, Heated, "E" Finish</b>      |            |        |       |        |       |                   |       |         |                |
| 2335E  | \$13,310   | 35"    | 34.5" | 84"    | 1     | 35                | 6-15P | 4.7/5.4 | 425            |
| 2368E  | \$16,583   | 68"    | 34.5" | 84"    | 2     | 72                | 6-15P | 7/8.1   | 650            |

ROLL-INS MAY NOT HAVE LIFT-GATE DELIVERY AVAILABLE IN SOME AREAS – CONTACT FACTORY FOR ASSISTANCE

NOTE: No caster/leg option available. Includes removable ramp and stainless steel interior



2410P

| Part No.   | List Price | Length | Depth | Height | Doors | Storage (Cu. Ft.) | NEMA  | Amps    | Approx. Weight |
|--|------------|--------|-------|--------|-------|-------------------|-------|---------|----------------|
| <b>Solid Door Pass-Thru, Heated, Standard Finish</b> |            |        |       |        |       |                   |       |         |                |
| 2410P  | \$9,616    | 30"    | 33.5" | 81.3"  | 2     | 24                | 6-15P | 4.7/5.4 | 425            |
| 2420P  | \$12,857   | 55"    | 35.6" | 81.3"  | 4     | 47                | 6-15P | 7/8.1   | 700            |
| <b>Solid Door Pass-Thru, Heated, "E" Finish</b>      |            |        |       |        |       |                   |       |         |                |
| 2410PE   | \$13,416   | 30"    | 33.5" | 81.3"  | 1/1   | 24                | 6-15P | 4.7/5.4 | 425            |
| 2420PE   | \$17,711   | 55"    | 35.6" | 81.3"  | 2/2   | 47                | 6-15P | 7/8.1   | 700            |


# UPRIGHTS

| Upright Options   | 1 Door                    | 2 Doors  | 3 Doors |
|---|---------------------------|----------|---------|
|   | Part No. & List Price     |          |         |
| (2) Stainless Steel Half Doors to Replace Full Stainless Door<br>(Add to Price of Stainless Steel Door Model)   | RIHSRSx                   |          |         |
|   | \$614                     |          |         |
| (2) Glass Half Doors to Replace Full Glass Door<br>(Add to Price of Glass Door Model)   | RIHGRGx                   |          |         |
|   | \$675                     |          |         |
| (1) Half Glass Door & (1) Half Stainless Steel Door to Replace Full Glass Door<br>(Add to Price of Glass Door Model)  | RIHSGRGx                  |          |         |
|   | \$643                     |          |         |
| (2) Full Height Stainless Steel Doors to Replace Glass Sliding Doors<br>(2022P Units Only)  | -                         | RIFSRSLD | -       |
|   | -                         | \$483    | -       |
| Stainless Steel Finish Back Panels, For Reach-in Units  | RISB1                     | RISB2    | RISB3   |
|   | \$1,221                   | \$2,302  | \$3,185 |
| Stainless Steel Finish Back Panels, For Heated Units  | RISB1H                    | RISB2H   | -       |
|   | \$1,221                   | \$2,302  | -       |
| Stainless Steel Finish Back Panels, For Roll-in Units   | RISB1RI                   | RISB2RI  | -       |
|   | \$1,284                   | \$2,417  | -       |
| (2) Stainless Steel Drawers, Fitted With (2) 1/1 Pans (Drawers Located on Lower Half of Unit, (1) Half Size Stainless Steel Door Located on Top Half of Unit on (1) Door Units Only, For Stainless Steel Door Units Only) | RIHSDWR                   | -        | -       |
|   | \$3,826                   | -        | -       |
| (2) Stainless Steel Drawers, Fitted With (2) 1/1 Pans (Drawers Located on Lower Half of Unit, (1) Half Size Glass Door Located on Top Half of Unit, For Glass Door Units Only)  | RIHGDWR                   |          |         |
|   | \$3,856                   |          |         |
| Electrical Deviation From Standard, 208-240V/50Hz or 60Hz   | VOL20850/ VOL23060        |          |         |
|   | \$635                     |          |         |
| (1) Door of Heavy Duty One Piece Modular Stainless Steel Trayslides, Choose (22) 2" Spaces Per Section, (18) 2.5" Spaces Per Section or (15) 3" Spaces Per Section  | RITR22x/ RITR18x/ RITR15x |          |         |
|   | \$1,184                   |          |         |
| Stainless Steel Legs in Lieu of Casters   | RILEG                     |          |         |
|   | No Charge                 |          |         |
| (1) Additional Interior Shelf for 1 Door Unit or the Right Section of the 2-3 Door Units (Max of 20 Additional Per Full Height Section)   | RISHLF                    |          |         |
|   | \$111                     |          |         |
| (1) Additional Interior Shelf for the Center or Left Section of the 2-3 Door Units (Max of 20 Additional Per Full Height Section)   | -                         | RISHLF   |         |
|   | -                         | \$111    |         |
| Stainless Steel Ends, Left (L) or Right (R)   | RISSENDL/RISENDR          |          |         |
|   | \$420                     |          |         |
| Stainless Steel Floor   | RISTFL                    | RISTFL2  | RISTFL3 |
|   | \$354                     | \$532    | \$708   |
| Remote Configuration to Replace Self-Contained, Choose 134a or 404a Refrigerant   | REM134/REM404             |          |         |
|   | -\$345                    |          |         |
| (2) Universal Pan Slides, Heavy Chrome Finish Wire  | RIUNIVPS-WIRE             |          |         |
|   | \$99/set                  |          |         |
| (2) Universal Pan Slides, Heavy Stainless Steel Wire  | RIUNIVPS-WIRESS           |          |         |
|   | \$123/set                 |          |         |
| (2) Universal Pan Slides, 16 Gauge 300 Series Stainless Steel   | RIUNIVPS                  |          |         |
|   | \$171/set                 |          |         |


NOTE: "x" denotes section. Consult factory.

18 x 26" sheet pans: (16) sets of slides for a total of (16) sheet pans per full height door  
12 x 20 x 6" deep hotel pans: (6) sets of slides for a total of (12) pans per full height door  
12 x 20 x 2.5" deep hotel pans: (12) sets of slides for a total of (24) pans per full height door

RIUNIVPS Max # of Pans



RIUNIVPS-WIRE/WIRESS



RIUNIVPS

Prices listed are for accessories shipped installed in units on original shipments. Loose accessories must be purchased through the Randell Parts Department and will be sold at Parts Department prices.

888-994-7636  
unifiedbrands.net



# WORK TOP/UNDERCOUNTER REFRIGERATORS & FREEZERS

## 9000 SIDE MOUNT Feature

- Side-mounted compressor with mullion "Turbo" coil
- Full depth usable interior space
- Front to back air-over design
- Expansion valve refrigeration system
- Self-contained R-134a refrigeration system
- Self-contained R-404a freezer system
- Easy servicing with removable refrigeration system
- High impact ABS door liners minimize sweating and maintenance
- Heavy duty fully extendible robust cartridge system (27" door/drawer combinations available) for 27" units
- All stainless steel top & front, anodized aluminum interior
- Foamed in place high density (CFC free) polyurethane insulation
- Hot gas condensate evaporator
- Self-closing doors with exclusive press-fit magnetic gaskets
- 6" high adjustable legs
- 8' cord & NEMA 5-15P plug, 115 Volt, 60 Hz



9235-32-7

| Part No.                      | List Price | Length | Depth | Work Height | Doors         | Storage (Cu. Ft.) | HP  | Approx. Weight |
|-------------------------------|------------|--------|-------|-------------|---------------|-------------------|-----|----------------|
| <b>Work Top Refrigerators</b> |            |        |       |             |               |                   |     |                |
| 9215-32-7                     | \$7,073    | 48"    | 33"   | 36"         | (2)18"        | 11.6              | 1/3 | 325            |
| 9205-32-7                     | \$7,326    | 60"    | 33"   | 36"         | (2)24"        | 16.2              | 1/3 | 370            |
| 9235-32-7                     | \$8,633    | 72"    | 33"   | 36"         | (2)27"        | 20.1              | 1/3 | 390            |
| 9225-32-7                     | \$9,598    | 84"    | 33"   | 36"         | (1)18" (2)24" | 23.2              | 1/3 | 435            |
| <b>Work Top Freezers</b>      |            |        |       |             |               |                   |     |                |
| 9215F-32-7                    | \$8,806    | 48"    | 33"   | 36"         | (2)18"        | 9.5               | 1/3 | 325            |
| 9205F-32-7                    | \$8,940    | 60"    | 33"   | 36"         | (2)24"        | 13.5              | 1/3 | 370            |

NOTE: 3" high backsplash standard, 6" high adjustable legs standard.

# WORK TOP/UNDERCOUNTER REFRIGERATORS & FREEZERS

| Side Mount Options   | 48"                    | 60"        | 72"        | 84"        |
|--|------------------------|------------|------------|------------|
|  | 9215-32-7              | 9205-32-7  | 9235-32-7  | 9225-32-7  |
|  | Part No. & List Price  |            |            |            |
| Drawers, (2) 18" Drawers, Each Holds (1) 12" x 20" x 6" Deep Pan   | SMRDxDBL18             | -          | -          | SMRDxDBL18 |
|  | \$2,002                | -          | -          | \$2,002    |
| Drawers, (2) 24" Drawers, Each Holds (1) 12" x 20" x 6" Deep Pan   | -                      | SMRDxDBL24 | -          | SMRDxDBL24 |
|  | -                      | \$2,002    | -          | \$2,002    |
| Drawers, (2) 27" Drawers, Each Holds (2) 12" x 20" x 6" Deep Pans  | -                      | -          | SMRDxEXT27 | -          |
|  | -                      | -          | \$2,687    | -          |
| Removable Tray Rack with (8) 18" x 26" Tray Capacity   | -                      | SMRCKWRx   |            |            |
|  | -                      | \$350      |            |            |
| Electrical Deviation From Standard (Lead Times Vary, Consult Factory), 208-240V/50Hz                                   | VOL23050               |            |            |            |
|  | \$635                  |            |            |            |
| Electrical Deviation From Standard (Lead Times Vary, Consult Factory), 208-240V/60Hz                                   | VOL20860               |            |            |            |
|  | \$635                  |            |            |            |
| Additional Shelves, 18" Interior Shelf (Recommended Max of 3)  | SMRFSxWR18             | -          | -          | SMRFSxWR18 |
|  | \$111                  | -          | -          | \$111      |
| Additional Shelves, 24" Interior Shelf (Recommended Max of 3)  | -                      | SMRFSxWR24 | -          | SMRFSxWR24 |
|  | -                      | \$111      | -          | \$111      |
| Additional Shelves, 27" Interior Shelf (Recommended Max of 3)  | -                      | -          | SMRFSxWR27 | -          |
|  | -                      | -          | \$111      | -          |
| Backsplash, Removal (DEL) or Addition (ADD)  | SMBKSDELxx/ SMBKSADDxx |            |            |            |
|  | \$352                  |            |            |            |
| Stainless Steel Back Panels  | SMBCKSS48              | SMBCKSS60  | SMBCKSS72  | SMBCKSS84  |
|  | \$962                  | \$1,207    | \$1,451    | \$1,683    |
| Deck Mounted Single Tier Overshelves, 16" Wide (Consult Factory For Overshelf Specifications)                          | SMDST48                | SMDST60    | SMDST72    | SMDST84    |
|  | \$805                  | \$1,004    | \$1,208    | \$1,409    |
| Deck Mounted Double Tier Overshelves, 16" Wide (Consult Factory For Overshelf Specifications)                          | SMDDT48                | SMDDT60    | SMDDT72    | SMDDT84    |
|  | \$1,610                | \$2,008    | \$2,416    | \$2,818    |
| Casters in Lieu of Legs, 3" Casters for 32" Work Height, Set of (4) For Units Up To 72", Set of (6) For Units Over 72" | SMCAS3IN               |            |            | SMCAS3INA  |
|  | \$216                  |            |            | \$325      |
| Casters in Lieu of Legs, 4" Casters for 33" Work Height, Set of (4) For Units Up To 72", Set of (6) For Units Over 72" | SMCAS4IN               |            |            | SMCAS4INA  |
|  | \$216                  |            |            | \$325      |
| Casters in Lieu of Legs, 6" Casters for 35" Work Height, Set of (4) For Units Up To 72", Set of (6) For Units Over 72" | SMCAS6IN               |            |            | SMCAS6INA  |
|  | \$216                  |            |            | \$325      |

NOTE: "x" denotes section. Consult factory.

# WORK TOP/UNDERCOUNTER REFRIGERATORS & FREEZERS

## 9000 REAR MOUNT Features

- Self-contained, CFC free, R-134a refrigeration system
- Self-contained R-404a freezer system
- "Front Breathing" refrigeration system, no side or back clearance required, front bottom must be open
- Exterior stainless steel top, sides, and front
- Stainless steel self-closing door with press-fit magnetic gasket
- Polyurethane insulation
- Hot gas condensate evaporator
- (2) powder coated finished shelves, fully adjustable, on door units
- 6" high adjustable legs (9404-32-7 & 9404-32D-7 standard with 3" casters)
- 27" unit standard hinge field reversible
- 8' cord & NEMA 5-15P plug, 115 Volt, 60 Hz



9402-7

| Part No.                      | List Price | Length | Depth | Height | Doors  | Storage (Cu. Ft.) | HP  | Approx. Weight |
|-------------------------------|------------|--------|-------|--------|--------|-------------------|-----|----------------|
| <b>Work Top Refrigerators</b> |            |        |       |        |        |                   |     |                |
| 9402-7                        | \$3,599    | 27"    | 30"   | 36"    | (1)27" | 5.7               | 1/4 | 185            |
| 9802-7                        | \$5,216    | 36"    | 30"   | 36"    | (2)18" | 7.9               | 1/4 | 220            |
| 9302-7                        | \$5,273    | 48"    | 30"   | 36"    | (2)24" | 10.8              | 1/4 | 265            |
| 9602-7                        | \$6,382    | 60"    | 30"   | 36"    | (2)27" | 13                | 1/4 | 350            |
| 9604-7                        | \$7,487    | 72"    | 30"   | 36"    | (3)24" | 16.8              | 1/4 | 330            |
| <b>Work Top Freezers</b>      |            |        |       |        |        |                   |     |                |
| 9402F-7                       | \$4,110    | 27"    | 30"   | 36"    | (1)27" | 5.7               | 1/3 | 185            |
| 9802F-7                       | \$5,783    | 36"    | 30"   | 36"    | (2)18" | 7.9               | 1/2 | 220            |
| 9302F-7                       | \$5,841    | 48"    | 30"   | 36"    | (2)24" | 10.8              | 1/2 | 265            |



9404-32D-7

| Part No.                          | List Price | Length | Depth | Height | Doors       | Storage (Cu. Ft.) | HP  | Approx. Weight |
|-----------------------------------|------------|--------|-------|--------|-------------|-------------------|-----|----------------|
| <b>Undercounter Refrigerators</b> |            |        |       |        |             |                   |     |                |
| 9404-7(s)                         | \$3,169    | 27"    | 30"   | 36"    | (1)27"      | 5.7               | 1/4 | 185            |
| 9404-7R <sup>(1)</sup>            | \$3,169    | 27"    | 30"   | 36"    | (1)27"      | 5.7               | 1/4 | 185            |
| 9404-7DW                          | \$4,922    | 27"    | 30"   | 36"    | (2) DRAWERS | -                 | 1/4 | 205            |
| 9404-32-7 <sup>(2)</sup>          | \$4,814    | 32"    | 32.8" | 36"    | (1)32"      | 8.6               | 1/4 | 252            |
| 9404-32D-7 <sup>(2)</sup>         | \$6,533    | 32"    | 32.8" | 36"    | (2) DRAWERS | -                 | 1/4 | 300            |
| 9301-7                            | \$4,761    | 48"    | 30"   | 36"    | (2)24"      | 10.8              | 1/4 | 265            |
| <b>Undercounter Freezers</b>      |            |        |       |        |             |                   |     |                |
| 9404F-7(s)                        | \$3,815    | 27"    | 30"   | 36"    | (1)27"      | 5.5               | 1/3 | 185            |
| 9404F-7R <sup>(1)</sup>           | \$3,815    | 27"    | 30"   | 36"    | (1)27"      | 5.5               | 1/3 | 185            |
| 9404F-7DW                         | \$5,568    | 27"    | 30"   | 36"    | (2) DRAWERS | -                 | 1/3 | 205            |
| 9404F-32-7 <sup>(2)</sup>         | \$5,364    | 32"    | 32.8" | 36"    | (1)32"      | 8.6               | 1/2 | 252            |
| 9404F-32D-7 <sup>(2)</sup>        | \$7,083    | 32"    | 32.8" | 36"    | (2) DRAWERS | -                 | 1/2 | 300            |
| 9301F-7                           | \$5,534    | 48"    | 30"   | 36"    | (2)24"      | 10.8              | 1/2 | 265            |

NOTE: On all models, excluding 9404-32-7, 9404-32D-7, 9404F-32-7 and 9404F-32D-7, 33" work height is available by adding 4" caster option.

(s) Stock item ready for next day shipment (large quantities should be confirmed by factory)

(1) "R" denotes right hinged

(2) Units ship on 3" casters (unit height is 36" - no other height options available on these models)

# WORK TOP/UNDERCOUNTER REFRIGERATORS & FREEZERS

| Rear Mount Options  | 27"                                | 32"  | 36"               | 48"                                    | 60"          | 72"          |
|---|------------------------------------|--|-------------------|--|--------------|--------------|
|   | 9402-7<br>9402-7F<br>9404<br>9404F | 9404-32-7<br>9404-32D-7<br>9404F-32-7<br>9404F-32D-7 | 9802-7<br>9802F-7 | 9302-7<br>9302F-7<br>9301-7<br>9301F-7 | 9602-7       | 9604-7       |
| Part No. & List Price   |                                    |  |                   |  |              |              |
| Drawers, (2) 18" Drawers,<br>Each Holds (1) 12" x 10" x 6" Deep Pan   | -                                  | -  | RMRDxDBL18        | -                                      | -            | -            |
|   | -                                  | -  | \$1,753           | -                                      | -            | -            |
| Drawers, (2) 24" Drawers,<br>Each Holds (1) 18" x 13" x 6" Deep Pan   | -                                  | -  | -                 | RMRDxDBL24                             | -            | RMRDxDBL24   |
|   | -                                  | -  | -                 | \$1,753                                | -            | \$1,753      |
| Drawers, (2) 27" Drawers, Top Holds<br>(1) 12" x 20" x 6" Deep Pan, Bottom Holds<br>(1) 12" x 20" x 6" Deep Pan | RMRDxDBL27                         | -  | -                 | -                                      | RMRDxDBL27   | -            |
|   | \$1,753                            | -  | -                 | -                                      | \$1,753      | -            |
| Electrical Deviation From Standard,<br>208-240V/50Hz  | VOL23050                           | -  | -                 | -                                      | -            | -            |
|   | \$635                              | -  | -                 | -                                      | -            | -            |
| Electrical Deviation From Standard,<br>208-240V/60Hz  | VOL20860                           | -  | -                 | -                                      | -            | -            |
|   | \$635                              | -  | -                 | -                                      | -            | -            |
| Additional Shelves, 18" Interior Shelf<br>(Recommended Max of 3)  | -                                  | -  | RMRFSxWR18        | -                                      | -            | -            |
|   | -                                  | -  | \$111             | -                                      | -            | -            |
| Additional Shelves, 24" Interior Shelf<br>(Recommended Max of 3)  | -                                  | -  | -                 | RMRFSxWR24                             | -            | -            |
|   | -                                  | -  | -                 | \$111                                  | -            | -            |
| Additional Shelves, 27" Interior Shelf<br>(Recommended Max of 3)  | RMRFSxWR27                         | -  | -                 | -                                      | RMRFSxWR27   | RMRFSxWR24   |
|   | \$111                              | -  | -                 | -                                      | \$111        | \$111        |
| Additional Shelves, 32" Interior Shelf<br>(Recommended Max of 3)  | -                                  | RMRFSxWR32   | -                 | -                                      | -            | -            |
|   | -                                  | \$111  | -                 | -                                      | -            | -            |
| Backsplash, Removal (DEL) or<br>Addition(ADD)   | RMBKSDELxx/ RMBKSADDxx             |  |                   |  |              |              |
|   | \$352                              |  |                   |  |              |              |
| Casters in Lieu of Legs,<br>Set of (4) 3" Casters for 32" Work Height   | RMCAS3IN                           |  |                   |  |              |              |
|   | \$216                              |  |                   |  |              |              |
| Casters in Lieu of Legs,<br>Set of (4) 4" Casters for 33" Work Height   | RMCAS4IN                           |  |                   |  |              |              |
|   | \$216                              |  |                   |  |              |              |
| Casters in Lieu of Legs,<br>Set of (4) 6" Casters for 35" Work Height   | RMCAS6IN                           |  |                   |  |              |              |
|   | \$216                              |  |                   |  |              |              |
| Casters in Lieu of Legs, Set of (4) 6" Adjustable<br>Casters for 35" Work Height                                | RMCAS6INADJ                        |  |                   |  |              |              |
|   | \$361                              |  |                   |  |              |              |
| Set of (4) Flanged Feet   | RMFLANFT                           |  |                   |  |              |              |
|   | \$215                              |  |                   |  |              |              |
| Stainless Steel Back Panels   | RMBCKSS27                          | RMBCKSS32  | RMBCKSS36         | RMBCKSS48                              | RMBCKSS60    | RMBCKSS72    |
|   | \$588                              | \$699  | \$708             | \$938                                  | \$1,144      | \$1,144      |
| Stainless Steel Back Panels for Units with<br>Backsplash  | RMBCKSS27SPL                       | -  | RMBCKSS36SPL      | RMBCKSS48SPL                           | RMBCKSS60SPL | RMBCKSS72SPL |
|   | \$571                              | -  | \$724             | \$911                                  | \$1,144      | \$1,144      |
| Deck Mounted Single Tier Overshelves, 16"<br>Wide (Consult Factory For Specifications)                          | RMST2716                           | RMST3216   | RMST3616          | RMST4816                               | RMST6016     | RMST7216     |
|   | \$535                              | \$635  | \$648             | \$845                                  | \$1,054      | \$1,269      |
| Deck Mounted Double Tier Overshelves, 16"<br>Wide (Consult Factory For Specifications)                          | RMDT2716                           | RMDT3216   | RMDT3616          | RMDT4816                               | RMDT6016     | RMDT7216     |
|   | \$1,070                            | \$1,270  | \$1,296           | \$1,690                                | \$2,108      | \$2,538      |
| Door Locks  | RMDRLOCK                           |  |                   |  |              |              |
|   | \$295/door                         |  |                   |  |              |              |

NOTE: "x" denotes section. Consult factory.

Prices listed are for accessories shipped installed in units on original shipments. Loose accessories must be purchased through the Randell Parts Department and will be sold at Parts Department prices.

888-994-7636  
unifiedbrands.net

## Grab-N-Go Merchandiser

Increase add-on sales with our point-of-purchase refrigerated display perfect for salads, sandwiches, refrigerated deserts and take-out items for cook-at-home — all generating increased ticket sales per customer.

### SELF-CONTAINED AIR-CURTAIN DISPLAY CASE Features

- Electronic controller provides precise and consistent temperature across length of unit
- Exterior finish is black laminate and matching vinyl-coated metal provides easy to clean surfaces
- All stainless steel refrigerated interior display area provides easy clean-up and long lasting luster while accenting the displayed products
- Removable stainless steel tiered display platform allows visibility and easy access to multiple levels of products
- High-efficiency fluorescent light fixture below upper shelf with on/off switch helps illuminate items regardless of ambient lighting
- Insulated body — bottom, back and top
- Hot gas condensate evaporator eliminates the need for floor drain while enhancing cooling capacity
- Unit is supplied on non-marring nylon buttons allowing unit to set directly on floor without damage to floors finish
- Provided with cord & plug for easy installation in a standard convenience outlet
- Extended lead-times on doors with locks

### OPTIONS

- Alternate finish (from standard black): White or Stainless Steel (consult factory for pricing and availability)
- Casters: Adds 4.25" to height, add\$375 to list price
- Removable lockable night cover (consult factory for pricing and availability)



Removable tiered display



Removable night cover



SSAC-40BSC

| Part No.   | List Price | Exterior  | Length | Depth | Height | Storage (Sq. Ft.) | NEMA  | HP  | Approx. Weight |
|--|------------|-----------|--------|-------|--------|-------------------|-------|-----|----------------|
| <b>Air-Curtain, Refrigerator, Self-Contained</b> |            |           |        |       |        |                   |       |     |                |
| SSAC-36SSC                                       | \$11,205   | Stainless | 36"    | 34"   | 46.5"  | 16.2              | 5-15P | 3/8 | 440            |
| SSAC-40SSC                                       | \$11,460   | Stainless | 40"    | 34"   | 46.5"  | 22.6              | 5-15P | 3/8 | 480            |



## CURVED GLASS DISPLAY Features

- R-134a refrigeration system
- Tempered / insulated curved glass front
- Insulated sliding glass doors are removable, self-closing, riding in nylon track, with lock
- Hot gas condensate evaporator
- Complete adjustable shelving & light system
- Stainless steel finish
- For doors with locks, consult factory for extended lead-times
- Mirrored interior ends
- Polyurethane insulation
- 8' cord & plug, 115 Volt, 60 Hz
- Optional laminate available



4149SCA

| Part No.   | List Price | Length | Depth | Height | Storage (Sq. Ft.) | NEMA  | HP  | Approx. Weight |
|--|------------|--------|-------|--------|-------------------|-------|-----|----------------|
| <b>Curved Glass, Refrigerator, Self-Contained</b>        |            |        |       |        |                   |       |     |                |
| 4137SCA  | \$20,876   | 37"    | 34.5" | 46"    | 16.2              | 5-15P | 1/3 | 500            |
| 4149SCA  | \$21,998   | 49"    | 34.5" | 46"    | 22.6              | 5-15P | 3/8 | 560            |
| 4161SCA  | \$25,978   | 61"    | 34.5" | 46"    | 29                | 5-15P | 1/2 | 675            |
| 4173SCA  | \$26,985   | 73"    | 34.5" | 46"    | 35.2              | 5-20P | 1/2 | 805            |
| <b>Curved Glass, Refrigerator, Remote <sup>(1)</sup></b> |            |        |       |        |                   |       |     |                |
| 4137REA  | \$20,178   | 37"    | 34.5" | 46"    | 16.2              | 5-15P | 3/8 | 500            |
| 4149REA  | \$21,300   | 49"    | 34.5" | 46"    | 22.6              | 5-15P | 3/8 | 560            |
| 4161REA  | \$25,281   | 61"    | 34.5" | 46"    | 29                | 5-15P | 1/2 | 675            |
| 4173REA  | \$26,288   | 73"    | 34.5" | 46"    | 35.2              | 5-20P | 1/2 | 805            |

<sup>(1)</sup> Recommended HP



4149DR

| Part No.                     | List Price | Length | Depth | Height | Storage (Sq. Ft.) | Approx. Weight |
|------------------------------|------------|--------|-------|--------|-------------------|----------------|
| <b>Curved Glass, Ambient</b> |            |        |       |        |                   |                |
| 4137DR                       | \$18,169   | 37"    | 34.5" | 46"    | 16.2              | 400            |
| 4149DR                       | \$18,919   | 49"    | 34.5" | 46"    | 22.6              | 460            |
| 4161DR                       | \$19,786   | 61"    | 34.5" | 46"    | 29                | 475            |
| 4173DR                       | \$20,865   | 73"    | 34.5" | 46"    | 35.2              | 605            |



4137DT

| Part No.  | List Price | Length | Depth | Height | Storage (Sq. Ft.) | HP  | Approx. Weight |
|---|------------|--------|-------|--------|-------------------|-----|----------------|
| <b>Curved Glass, Refrigerator &amp; Ambient</b> |            |        |       |        |                   |     |                |
| 4137DT  | \$24,766   | 37"    | 35"   | 46.5"  | 16.2              | 1/3 | 500            |
| 4149DT  | \$27,459   | 49"    | 35"   | 46.5"  | 24.3              | 3/8 | 560            |

# DISPLAY MERCHANDISERS

## WALL MOUNT & COUNTERTOP Features

- Self-contained R-134a refrigeration system
- Stainless steel exterior & interior finish
- Polyurethane insulation
- Fluorescent lights
- Wall mount bracket provided for 41000 & 42000 Units
- For doors with locks, consult factory for extended lead-times
- Wall mounts with angled display mirrors
- Powder coated angled display shelves (4030GA Only)
- Powder coated display shelves (All Others)
- 8' cord & NEMA 5-15P plug, 115 Volt, 60 Hz



42060A

| Part No.                       | List Price | Length | Depth | Height | Storage (Sq. Ft.) | HP  | Approx. Weight |
|--------------------------------|------------|--------|-------|--------|-------------------|-----|----------------|
| <b>Wall Mount Refrigerator</b> |            |        |       |        |                   |     |                |
| 42036A                         | \$4,934    | 36"    | 22.5" | 20"    | 4                 | 1/4 | 235            |
| 42048A                         | \$5,410    | 48"    | 22.5" | 20"    | 5.6               | 1/4 | 275            |
| 42060A                         | \$5,958    | 60"    | 22.5" | 20"    | 6.9               | 1/4 | 360            |
| <b>Wall Mount Ambient</b>      |            |        |       |        |                   |     |                |
| 41036A                         | \$4,335    | 36"    | 22.5" | 20"    | 4                 | -   | 185            |
| 41048A                         | \$4,815    | 48"    | 22.5" | 20"    | 5.5               | -   | 225            |
| 41060A                         | \$5,362    | 60"    | 22.5" | 20"    | 7                 | -   | 310            |



40048A

| Part No.                       | List Price | Length | Depth | Height | Style          | HP  | Approx. Weight |
|--------------------------------|------------|--------|-------|--------|----------------|-----|----------------|
| <b>Countertop Refrigerator</b> |            |        |       |        |                |     |                |
| 40048A                         | \$6,979    | 48"    | 26.5" | 25.1"  | Pass-Thru      | 1/3 | 370            |
| 40048SSA                       | \$6,979    | 48"    | 26.5" | 25.1"  | Single Service | 1/3 | 370            |



40024A

| Part No.                                   | List Price | Length | Depth | Height | Style          | HP  | Approx. Weight |
|--|------------|--------|-------|--------|----------------|-----|----------------|
| <b>Top Mounted Countertop Refrigerator</b> |            |        |       |        |                |     |                |
| 40024A                                     | \$5,420    | 24"    | 24.5" | 38.5"  | Pass-Thru      | 1/4 | 240            |
| 40024SSA                                   | \$5,420    | 24"    | 24.5" | 38.5"  | Single Service | 1/4 | 240            |



4030GA

| Part No.                                      | List Price | Length | Depth | Height | HP  | Approx. Weight |
|---|------------|--------|-------|--------|-----|----------------|
| <b>Bottom Mounted Countertop Refrigerator</b> |            |        |       |        |     |                |
| 4030GA  | \$7,635    | 30"    | 27.5" | 28"    | 1/4 | 240            |

# DISPLAY MERCHANDISERS

## DROP-IN DISPLAY Features

- Self-contained, CFC free, R-134a refrigeration system with thermostatic control
- Expansion valve
- (4) adjustable shelves
- Stainless steel interior & exterior
- Polyurethane insulation
- For doors with locks, consult factory for extended lead-times
- Condensing unit mounted on corrosion resistant frame work suspended below unit body
- 8' cord & NEMA 5-15P plug, 115 Volt, 60 Hz
- Stainless steel louver shipped loose for field installation
- Insulated sliding glass doors are self-closing



44250DIPA

| Part No. <sup>(1)</sup>                                       | List Price | Length | Depth | Height | Storage (Cu. Ft.) | HP  | Approx. Weight |
|---|------------|--------|-------|--------|-------------------|-----|----------------|
| <b>Drop-in Display Refrigerator, Single Service, Mirrored</b> |            |        |       |        |                   |     |                |
| 44250DIMA   | \$14,329   | 50"    | 25.3" | 44"    | 20.1              | 1/3 | 600            |
| 44262DIMA   | \$16,641   | 62"    | 25.3" | 44"    | 25.5              | 1/2 | 700            |
| 44274DIMA   | \$17,048   | 74"    | 25.3" | 44"    | 31.1              | 1/2 | 800            |
| <b>Drop-in Display Refrigerator, Pass-Thru</b>                |            |        |       |        |                   |     |                |
| 44250DIPA   | \$14,787   | 50"    | 26.5" | 44"    | 20.1              | 1/3 | 600            |
| 44262DIPA   | \$17,541   | 62"    | 26.5" | 44"    | 25.5              | 1/2 | 700            |
| 44274DIPA   | \$17,969   | 74"    | 26.5" | 44"    | 31.1              | 1/2 | 800            |
| <b>Drop-in Display Refrigerator, See-Thru</b>                 |            |        |       |        |                   |     |                |
| 44250DISA   | \$14,787   | 50"    | 25.3" | 44"    | 20.1              | 1/3 | 600            |
| 44262DISA   | \$17,541   | 62"    | 25.3" | 44"    | 25.5              | 1/2 | 700            |
| 44274DISA   | \$17,969   | 74"    | 25.3" | 44"    | 31.1              | 1/2 | 800            |

<sup>(1)</sup> Overall height including compressor is 62"

## FULL VIEW DISPLAY WITH BASE UNIT Features

- Insulated sliding self-closing glass doors on the top unit; doors are easily removed for cleaning
- (2) angled display mirrors
- PA units have (2) sets of pass-thru insulated sliding self-closing glass doors
- (4) adjustable shelves
- Stainless steel interior & exterior on upper section
- Display area illuminated from sides for shadow-free display
- For doors with locks, consult factory for extended lead-times
- Fluorescent illumination
- 29" deep unit becomes 31" deep. 33" deep unit becomes 35" deep, when pass-through (add for finished back, below 36" A.F.F.)
- Self-contained, CFC free, R-134a refrigeration system with thermostatic control
- Separate coils for upper structure and base
- Expansion valve

## BASE UNIT Features

- Press-fit magnetic gaskets
- One baked enamel shelf behind each door
- Stainless steel service ledge
- Stainless steel exterior, ABS interior
- For doors with locks, consult factory for extended lead-times
- Polyurethane insulation
- 6" high adjustable, movable legs
- 8' cord & plug, 115 Volt, 60 Hz



44250PA

Shown with optional stainless steel ends on lower section, below 36" unfinished standard, upper section ends are finished in stainless as standard.

For finished ends (standard non-finished) add \$453 list for each side.

Pan cut-out to base of unit is standard, optional with solid surface.

| Part No.  | List Price | Length | Depth | Height | Storage (Cu. Ft.) | Display (Cu. Ft.) | Pan Capacity       | NEMA  | HP  | Approx. Weight |
|---|------------|--------|-------|--------|-------------------|-------------------|--------------------|-------|-----|----------------|
| <b>Full View Pass-Thru Refrigerator, Self-Contained</b>       |            |        |       |        |                   |                   |                    |       |     |                |
| 44250PA   | \$24,394   | 50"    | 31"   | 80"    | 6.1               | 20.1              | (4) 1/2            | 5-15P | 1/2 | 593            |
| 44262PA   | \$29,114   | 62"    | 31"   | 80"    | 9.5               | 25.5              | (4) 1/2<br>(1) 1/3 | 5-15P | 1/2 | 678            |
| 44274PA   | \$29,826   | 74"    | 31"   | 80"    | 14                | 31.1              | (6) 1/2            | 5-20P | 1/2 | 764            |
| 44350PA   | \$24,394   | 50"    | 33"   | 80"    | 9.7               | 20.1              | (4) 1/2            | 5-15P | 1/2 | 593            |
| 44362PA   | \$29,114   | 62"    | 33"   | 80"    | 11.2              | 25.5              | (4) 1/2<br>(1) 1/3 | 5-15P | 1/2 | 678            |
| 44374PA   | \$29,826   | 74"    | 33"   | 80"    | 16.7              | 31.1              | (6) 1/2            | 5-20P | 1/2 | 764            |
| <b>Full View Pass-Thru Refrigerator, Remote<sup>(1)</sup></b> |            |        |       |        |                   |                   |                    |       |     |                |
| 43250PA   | \$21,370   | 50"    | 31"   | 80"    | 11.6              | 20.1              | (4) 1/2            | -     | 1/2 | 593            |
| 43262PA   | \$26,026   | 62"    | 31"   | 80"    | 14.5              | 25.5              | (4) 1/2<br>(1) 1/3 | -     | 1/2 | 678            |
| 43274PA   | \$26,661   | 74"    | 31"   | 80"    | 17.5              | 31.1              | (6) 1/2            | -     | 1/2 | 764            |
| 43350PA   | \$21,370   | 50"    | 35"   | 80"    | 13.8              | 20.1              | (4) 1/2            | -     | 1/2 | 593            |
| 43362PA   | \$26,026   | 62"    | 35"   | 80"    | 17.3              | 25.5              | (4) 1/2<br>(1) 1/3 | -     | 1/2 | 678            |
| 43374PA   | \$26,661   | 74"    | 35"   | 80"    | 20.8              | 31.1              | (6) 1/2            | -     | 1/2 | 764            |

<sup>(1)</sup> Recommended HP

# DISPLAY MERCHANDISERS



43250A

Shown with optional stainless steel ends on lower section (add \$453 list per end), upper section ends are finished in stainless as standard

| Part No.   | List Price | Length | Depth | Height | Storage (Cu. Ft.) | Display (Cu. Ft.) | Pan Capacity    | NEMA  | HP  | Approx. Weight |
|--|------------|--------|-------|--------|-------------------|-------------------|-----------------|-------|-----|----------------|
| <b>Full View Sliding Door Refrigerator, Self-Contained</b>       |            |        |       |        |                   |                   |                 |       |     |                |
| 44250A   | \$23,069   | 50"    | 29"   | 80"    | 6.1               | 20.1              | (4) 1/2         | 5-15P | 1/2 | 593            |
| 44262A   | \$26,241   | 62"    | 29"   | 80"    | 9.5               | 25.5              | (4) 1/2 (1) 1/3 | 5-15P | 1/2 | 678            |
| 44274A   | \$26,383   | 74"    | 29"   | 80"    | 14                | 31.1              | (6) 1/2         | 5-20P | 1/2 | 764            |
| 44350A   | \$23,069   | 50"    | 33"   | 80"    | 9.7               | 20.1              | (4) 1/2         | 5-15P | 1/2 | 593            |
| 44362A   | \$25,754   | 62"    | 33"   | 80"    | 11.2              | 25.5              | (4) 1/2 (1) 1/3 | 5-15P | 1/2 | 678            |
| 44374A   | \$26,383   | 74"    | 33"   | 80"    | 16.7              | 31.1              | (6) 1/2         | 5-20P | 1/2 | 764            |
| <b>Full View Sliding Door Refrigerator, Remote<sup>(1)</sup></b> |            |        |       |        |                   |                   |                 |       |     |                |
| 43250A   | \$19,933   | 50"    | 29"   | 80"    | 11.6              | 20.1              | (4) 1/2         | -     | 1/2 | 593            |
| 43262A   | \$22,790   | 62"    | 29"   | 80"    | 14.5              | 25.5              | (4) 1/2 (1) 1/3 | -     | 1/2 | 678            |
| 43274A   | \$23,346   | 74"    | 29"   | 80"    | 17.5              | 31.1              | (6) 1/2         | -     | 1/2 | 764            |
| 43350A   | \$19,933   | 50"    | 33"   | 80"    | 13.8              | 20.1              | (4) 1/2         | -     | 1/2 | 593            |
| 43362A   | \$22,790   | 62"    | 33"   | 80"    | 17.3              | 25.5              | (4) 1/2 (1) 1/3 | -     | 1/2 | 678            |
| 43374A   | \$23,346   | 74"    | 33"   | 80"    | 20.8              | 31.1              | (6) 1/2         | -     | 1/2 | 764            |

<sup>(1)</sup> Recommended HP

| Display Merchandiser Options  |                           |           |           |           |           |           |           |
|---|---------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Part No. & List Price   |                           |           |           |           |           |           |           |
| Standard Laminate Available for 4100SCA, 4100DT, 4100REA, 4100DR Series | DCLAMSIDE                 |           |           |           |           |           |           |
|   | \$557                     |           |           |           |           |           |           |
| Fluorescent Lights for 4030GA Part No.                                  | DCLGTKIT                  |           |           |           |           |           |           |
|   | \$437                     |           |           |           |           |           |           |
| (4) 3" Casters, For Curved Glass Units Only                             | DCCAS3IN                  |           |           |           |           |           |           |
|   | \$729                     |           |           |           |           |           |           |
| (4) 3" Casters, Front Locking, Excluding Curved Glass Units             | CAS3IN                    |           |           |           |           |           |           |
|   | \$216                     |           |           |           |           |           |           |
| (4) 4" Casters, Front Locking, Excluding Curved Glass Units             | CAS4IN                    |           |           |           |           |           |           |
|   | \$216                     |           |           |           |           |           |           |
| (4) 4" Casters, Front Locking, Heavy Duty, Excluding Curved Glass Units | CAS4IN-HD                 |           |           |           |           |           |           |
|   | \$487                     |           |           |           |           |           |           |
| (4) 6" Casters, Front Locking, Excluding Curved Glass Units             | CAS6IN                    |           |           |           |           |           |           |
|   | \$216                     |           |           |           |           |           |           |
| (4) 6" Casters, Front Locking, Heavy Duty, Excluding Curved Glass Units | CAS6IN-HD                 |           |           |           |           |           |           |
|   | \$487                     |           |           |           |           |           |           |
| Stainless Steel Back for 50", 62", 74", 24" 36", 48" or 60" Unit        | 2BCKSS-50                 | 2BCKSS-62 | 2BCKSS-74 | ADBCKSS24 | ADBCKSS36 | ADBCKSS48 | ADBCKSS60 |
|   | \$864                     | \$1,080   | \$1,295   | \$648     | \$648     | \$864     | \$1,080   |
| Stainless Steel Left (L) or Right (R) End                               | 2ENDFIN-SS-L/2ENDFIN-SS-R |           |           |           |           |           |           |
|   | \$453                     |           |           |           |           |           |           |
| Electrical Deviation, 208-240/50 or 208-240/60                          | VOL23050/VOL23060         |           |           |           |           |           |           |
|   | \$635                     |           |           |           |           |           |           |

**STANDARD WARRANTY: 1 YEAR PARTS, 90 DAYS LABOR, 1 YEAR COMPRESSOR**  
(CW5) 5 Year Compressor Replacement Policy \$70 net, (LW1) 1 Year Labor Policy \$135 net, (LW2) 2 Year Labor Policy \$320 net  
See page 7 for factory turnaround time. Contact your customer service representative for FOB shipping points.

**888-994-7636**  
**unifiedbrands.net**



# Custom Fabrication. In addition to Randell's proven self contained refrigeration, Randell also offers remote refrigeration at its best.

- Reduction of up-front equipment costs
- Allows tapping into existing remote rack systems or in conjunction with walk-in rack systems
- Allows tapping into existing secondary coolant system
- Precisely balanced refrigeration systems from the factory
- Reduces ambient heat in the kitchen
- Reduces ambient noise in the kitchen
- Allows maximum utilization of equipment in a smaller foot print

## The ultimate solution for your design specific projects.



With the flexibility of custom you can have a modified rail unit self-contained that would allow you to roll a production refrigerator, freezer or even a heat box under the counter top.

Fish Station designed specifically for whole fish cleaning, portioning, and preparing for daily use. By using the FX in the base this is made possible with out the use of ice.

**CUSTOM  
FABRICATION.**  
The possibilities  
are amazing.



Built to order  
self-contained  
Soup Station.





Built to order working flat top prep table with built in roll warmers.




Dual sided raised rail preparation table with pass overself.



Get all the value and features of Randell's popular raised rails cooled with a secondary coolant. Experience meets innovation.



Remote refrigerated base for point of use storage gives chefs less steps during product preparation.



Combination built in hot wells and refrigerated base with built in hot and cold wells. Combine this with a corian top and powder coated counter protectors to give you a clean one piece look.



## FREIGHT CLAIM POLICY AND PROCESS

**Unified Brands ships products F.O.B (Free On Board) Origin.** - FOB is a legal term used to govern passage of Title when goods are shipped. Regardless of freight terms, or which party is responsible for the freight charges, FOB Origin means that Title passes to the buyer when the freight is loaded onto the carrier.

When the carrier signs for the shipment, they are acknowledging that the product is properly packaged and free from damage at the time the product is loaded on to their truck. The carrier assumes responsibility to deliver the shipment to the specified destination in the same condition it was picked up from the factory.

When the carrier makes delivery it is very important that the receiver **INSPECT THE SHIPMENT IMMEDIATELY BEFORE SIGNING THE DELIVERY RECEIPT.** In the event the shipment is being drop shipped to a third party, you will need to advise them of this responsibility. Acceptance of the shipment without any notations on the delivery receipt acknowledges that the product has been delivered complete and in undamaged condition.

### Process to follow when receiving shipment:

- Inspect the entire shipment for visible damage and correct number of pieces. If you receive a shipment with obvious freight damage, you have the right to refuse the entire shipment, or any part of the shipment that has been damaged, and contact Unified Brands immediately for a replacement. Unified Brands will repair, re-ship or supply a replacement at the original price, and provide a credit for the refused item upon receipt from the carrier.
- Unpack cartons immediately to check their contents for possible damage in the presence of the delivery driver. If damage appears minor and can be corrected via field repair, you may elect to sign for the shipment as damaged, contact a Unified Brands Authorized Service Agent to order and install replacement parts and to file a claim with the carrier for the cost of parts and repairs. Make notation of shortage or

damage on all copies of the freight bill - be as specific as possible when making your damage or shortage notation on the delivery receipt. (If you wish Unified Brands to assist you with filing freight claim make sure you have available all documentation as mentioned above and contact your Customer Service Representative for assistance.)

- If you have any concerns regarding the integrity of the packaging or its contents, mark the delivery receipt as such. Example: "Carton torn open or creased – possible damage to contents, subject to further inspection." or, "boards on crate broke off, possible internal damage, subject to further inspection." If the equipment is later found to be damaged, contact the carrier immediately and request that a formal inspection be performed.
- If hidden or concealed damage is discovered after the carrier has left the receiver's facility, the receiver should save the original packing material, and contact the carrier immediately to report the concealed damage, and request an inspection be performed. Concealed damage must be reported within 5 days of the original delivery, and the equipment should remain at the original delivery location. Moving the damaged unit to a new location will greatly reduce your chances of being reimbursed by the carrier on your freight claim.

### Unified Brands Assistance

Your Customer Service Representative can be contacted at any time for additional assistance or information. Though Unified Brands is not liable for damages caused by freight, we can assist with claims processing as needed.

Freight damage is not covered under Unified Brands product warranty.

Do not return any product back to the factory without a valid return material authorization number (RMA). Without a valid return authorization number returned shipments will be refused.

## ORDER PLACEMENT TERMS AND CONDITIONS

- 1) This Price List does not include any federal, state, city or local taxes which may apply and all are subject thereto.
- 2) Prices and specifications are subject to change without notice.
- 3) All prices are F.O.B. plant Weidman, Michigan (48893) or Jackson, Mississippi (39272) and include crating for domestic shipping. Extra charges will be made for special or export crating. Any delivery special requirements will be the customer's responsibility.
- 4) Shipping weights are approximate.
- 5) Standard payment terms are net 30 days. All orders are subject to credit approval. A finance charge of 1.5% per month will be charged on any past due balance.
- 6) Written authorization is required for return of any standard equipment. Returns must be labeled with Return Material Authorization Number (RMA), include RMA forms and be shipped to Randell pre-paid, prior to RMA expiration date. Returns without prior authorization will be refused.
- 7) **A restocking charge will be collected on all returned products.** No RMA's will be issued after 90 days from date of invoice. Consult Customer Service for RMA terms, approvals and charges.

## SALES ORDER (SO) CONFIRMATION TERMS AND CONDITIONS

If SO confirmations are not received within 24 hours of order submission, please contact Customer Service. Your order, an exact copy of which Randell has entered for shipment, is confirmed with thanks. The SO confirmation establishes that Randell has your purchase order and it has been entered. If there are discrepancies please advise us promptly. The confirmation constitutes acceptance of your order subject to the terms and conditions stated herein. We do not recognize terms and conditions printed on the purchase order that enlarge the liability or responsibility of the Seller in any way. Prices confirmed herein are current at the time of the confirmation and supersede any prices contained in the Buyer's purchase order. Confirmed prices are not binding on the Seller and are subject to review and revision at the time of delivery if deemed necessary by the Seller. Seller should under no circumstances be responsible for failure to fill any order or

orders **when due to strikes or other labor difficulties, labor shortages, fire, flood, or other Acts of God, war, breakdowns, failure of plant machinery or equipment, governmental priorities or allocations, delays of suppliers or any other cause beyond our control.**

- All cancellation requests must be submitted in writing prior to the scheduled ship date and require approval of the Regional Sales Manager.
- Cancellations may be subject to charges ranging from 20% to 80% of the order value dependent on the type of equipment and the progression of the order through the Manufacturing process.
- Contact Customer Support for details.

# CREDIT TERMS AND CONDITIONS, UNIFIED BRANDS, INC. - A DOVER COMPANY

## Applicable To All Unified Brands, Inc. Customers

**Following are the terms and conditions which apply to all your purchases from UNIFIED BRANDS, INC. ('UNIFIED BRANDS') Placement of any purchase order constitutes your acceptance of these Terms and Conditions (as in effect now and as they may be changed by us from time to time in the future).**

### 1. Purchase Price and Payment Obligations

**(a) Purchase Price** The purchase price for and specifications relating to all orders are subject to change without notice to conform to the prices and specifications in effect on the date of shipment of your order. All prices are F.O.B. the manufacturing plant (currently Tucson, Arizona, Weidman, Michigan or Jackson, Mississippi, U.S.A.), unless otherwise approved in writing by UNIFIED BRANDS, and include only crating for domestic shipping. Extra charges will be added for special or export crating. Any delivery special requirements will be the customer's responsibility. All shipping weights described in our catalogs and elsewhere are approximate and shipping charges may vary. Our base prices do not include any sales, excise, use or other taxes applicable to your purchases, whether now or hereafter in effect - and you are responsible for paying all such taxes. All shipments will be made at your expense on a collect basis unless we otherwise agree in our written acceptance of your order.

**(b) Invoices and Payment Obligations** You will be sent an invoice for the full cost (purchase price and all applicable charges) of each order of equipment and/or parts at the time it is shipped to you, and you must pay the full amount of that invoice no later than 30 days after the date of the invoice, unless otherwise approved by UNIFIED BRANDS (Please note that long lead items and items built to the customer's specifications may have different payment requirements and may be invoiced in a different manner, but payment is still required within 30 days of each invoice date unless otherwise approved by UNIFIED BRANDS). If you fail to pay any invoice by its due date, we reserve the right to charge you late charges on the amount unpaid from the issuance date of the invoice at a rate equal to 1.5% per month.

We also reserve the right to stop, limit or discontinue filling any or all of your orders or making any or all shipments of equipment and/or parts to you (whether or not orders with respect thereto have been accepted by us) if any of the following occur:

- (i) you fail to pay any invoice when due; or
- (ii) you become or are insolvent, admit your inability to pay your bills when due, begin any bankruptcy proceedings or any bankruptcy proceeding is begun against you; or
- (iii) any proceeding or action which could materially affect your business is begun against you; or
- (iv) UNIFIED BRANDS for any reason, in its sole judgment, decides that it is unwilling or uncomfortable about extending you credit, and you are unable to pay for your orders in advance or provide sufficient security for such orders.

**(c) Collection, Repossession and Costs of Collection** If any of the events listed in Paragraph 1(b) above occur, UNIFIED BRANDS may, at its option, take any legal action against you it deems necessary or appropriate to collect the amounts of any invoices then outstanding and unpaid and the amounts you owe for which invoices have not yet been sent. In addition, by virtue of placing a purchase order with UNIFIED BRANDS, you also thereby grant to UNIFIED BRANDS, a purchase money security interest in and to the equipment and/or parts covered by such purchase order, and UNIFIED BRANDS may foreclose such security interest and may also take any steps necessary or appropriate to repossess any merchandise which has been shipped to you by UNIFIED BRANDS. You are responsible for the full costs of any such collection or repossession efforts, including legal fees, third party collection fees and other expenses in connection therewith. You agree that you must pay UNIFIED BRANDS all such fees and expenses immediately upon UNIFIED BRANDS'S demand therefore. In the event that legal action is taken for collection of any debt owed by you to UNIFIED BRANDS, place of venue shall be HINDS COUNTY, MISSISSIPPI, and all orders and purchases from UNIFIED BRANDS shall be governed by MISSISSIPPI law, and such venue and governing law are agreed to as part of UNIFIED BRANDS'S extension of credit to you or your placement of an order with UNIFIED BRANDS, unless otherwise approved in writing by UNIFIED BRANDS.

### 2. Placement, Acceptance and Cancellation of Orders

**(a) Placing an Order** All equipment orders must contain all information necessary for our processing. Full details about equipment orders and other information about ordering can be obtained from our factory. Please pay careful attention to these requirements when ordering as you are responsible for any omissions or errors. All orders are subject to written acceptance and credit approval by us at UNIFIED BRANDS headquarters, and when so accepted shall result in a binding contract between us on the terms set forth in our acceptance and subject to these Terms and Conditions. Once an order has been accepted, neither you nor we may cancel that order except as specifically provided for in our acceptance or in these Terms and Conditions.

**(b) Optional Devices; Customer's Design or Specifications** The customer is responsible for purchasing and/or installing all optional or other safety devices appropriate to any item you purchase. Where a unit is manufactured to the customer's design or specifications, our sole responsibility is limited to the manufacture and delivery of such unit in accordance with the customer's approved drawings and specifications. Any recommendations we may make for use of equipment processes or materials are based on tests and evaluations believed reliable, but we are not responsible in any way for the correctness or reasonableness of such recommendations. Should any claim be brought by anyone against UNIFIED BRANDS arising out of a customer's design and specifications or a customer's failure to order and/or install optional or other safety devices, you agree to defend and indemnify UNIFIED BRANDS to the fullest extent legally possible, including for damages, expenses, and costs of counsel.

# CREDIT TERMS AND CONDITIONS

## Applicable To All Unified Brands, Inc. Customers

---

**(c) Return Items or Cancellation of Orders** Written authorization is required for the return of any part or all of any order of standard equipment already shipped. Returns must be labeled with the applicable Return Material Authorization Number, you must include all RMA forms and the equipment must be shipped to UNIFIED BRANDS pre-paid within 30 days of authorization. Returns without prior written authorization will be refused, and you will remain liable for the full amount of the purchase price (and other charges applicable thereto). There will be a restocking charge applied to all returned items, as determined appropriate by UNIFIED BRANDS. No items may be returned more than 90 days after the date of the applicable invoice. Long lead items or special order equipment built to your specifications may NOT be returned. All orders for standard items may be cancelled with the written consent of UNIFIED BRANDS at any time up to seven (7) days prior to shipment; but you are responsible for the appropriate cancellation charges, and our agreement to cancellation is subject to your paying those cancellation charges. Long-lead and custom orders which have been accepted may be cancelled with our written consent, but you are still responsible for the full amount of the applicable purchase price reduced by the appropriate cancellation adjustment.

### 3. Delivery and Delays in Delivery

All requests for specific time of shipment must be accepted by us in writing. In the event of any conflict between the shipment time requested in an order and the shipment time specified in the acceptance we sent to you, the time specified in our acceptance will govern. You may change a shipment date only if we receive notice of such change at least seven days before the shipment date to be changed. All agreements as to time and method of shipment are subject to strikes or other labor difficulties, labor shortages, fire, flood, or other Acts of God, war, breakdowns, failure of plant machinery or equipment, governmental priorities or allocations, delays of suppliers or any other cause beyond our control. In no event will UNIFIED BRANDS be liable for any consequential, special or contingent damages on account of delay in shipment, whether or not we have actual or implied knowledge of the importance or significance of the timing of such shipment and whether or not any employee or agent of UNIFIED BRANDS has given any assurances with respect to such shipment. If you request a shipment method other than our normal shipment for that equipment, we are in no way responsible for the condition of the equipment so shipped or the timeliness of its delivery.

### 4. Warranties and Limitations on Warranties

To find the nearest Authorized Service Agency for service, please visit <http://www.unifiedbrands.net/index.php?id=176>

UNIFIED BRANDS warrants its products against defects in materials and workmanship under normal use and services for which such products were designed. This warranty runs only to the original end user and is in lieu of any other liability for defects. THE WARRANTIES EXPRESSED IN THESE TERMS AND CONDITIONS ARE IN PLACE OF ANY AND ALL OTHER EXPRESS WARRANTIES (UNLESS SEPARATELY STATED IN PRINTED MATERIAL PREPARED BY US DESCRIBING OUR EQUIPMENT) AND EXCLUDE ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OR MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE; NOR ARE THERE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, BY OPERATION OF LAW OR OTHERWISE. In no event shall UNIFIED BRANDS be liable for damages or delay or for any consequential, special or contingent damages arising out of any breach of our warranty, whether or not we have knowledge of specific needs or our employees or agents have given any specific assurances. Anyone claiming that there has been a breach of any warranty by UNIFIED BRANDS must give us written notice within THIRTY (30) days after discovery of the relevant defect or the right to assert such claim will have been waived conclusively, and provided further that any such claim must also be asserted within the general warranty period for such equipment and/or parts. UNIFIED BRANDS will not be liable for any expense incurred without our prior written authorization for alterations made outside of our factory or for repairs which are not performed by UNIFIED BRANDS authorized service departments using UNIFIED BRANDS factory parts. Nor shall we be responsible for the performance of equipment as to which any repairs, revisions or alterations have been made by others.

### 5. Repairs. Claims and Limitations on Claims

To find the nearest Authorized Service Agency for service, please visit <http://www.unifiedbrands.net/index.php?id=176>

All repairs are to be made by factory authorized services using UNIFIED BRANDS factory parts only. A list of UNIFIED BRANDS authorized servicing centers is available from the factory.

All claims relating to the quality, quantity or condition of merchandise you have received (such as shortages, equipment damaged in shipment, incorrect items, etc.) must be made within fourteen days after receipt of the relevant shipment either to us or the shipper, as appropriate.



# WARRANTY

## Applicable to All Randell Customers (U.S and Canada Sales)

Congratulations on your purchase of a Randell manufactured piece of equipment. Randell believes strongly in the products it builds and backs them with the best warranty in the industry. Standard with every unit comes the piece of mind that this unit has been thoroughly engineered, properly tested and manufactured to excruciating tolerances, by a manufacturer with over 30 years of industry presence. On top of that front end commitment, Randell has a dedicated staff of certified technicians that monitor our own technical service hotline at 1-800-621-8560 to assist you with any questions or concerns that may arise after delivery of your new Randell equipment.

- 1 year parts replacement of any and all parts that are found defective in material or workmanship
- Free ground freight to customer specified location for all in warranty parts within continental U.S. (PS, USPS)
- 3 months (90 days) labor reimbursement for any repairs that are caused by Randell's use of defective material or workmanship (Repairs to be performed by a Randell Authorized Service Agent at contracted rate)
- Warranty begins at the time of installation or 3 months from factory shipment, whichever occurs first.

For warranty inquiries or questions regarding current ASAs please contact the Randell technical support hotline at 1-800-621-8560 or visit the Randell page of our web site.

### 1. When Optional 5 Year Compressor Warranty Applies

Randell will provide to the original customer, that owns a Randell piece of equipment, and has an optional compressor warranty with one of the following options:

- Provide reimbursement to an ASA for the cost of locally obtained replacement compressor in exchange for the return of the defective compressor sent back freight prepaid. Note: Randell does limit amount of reimbursement allowed and does require bill from local supply house where compressor was obtained (customer should not pay servicing agent up front for compressor).
- Provide repair at the manufacturing facility by requiring that the defective unit be sent back to Randell freight prepaid. Perform repair at the expense of Randell and ship the item back to the customer freight collect.
- Furnish a complete condensing unit freight collect in exchange for the return of the defective compressor sent back freight prepaid. (Decisions on whether or not to send complete condensing units will be made by Randell's in-house service technician)

### 2. When Optional Labor Extension Policy Applies

Randell will provide reimbursement of labor to an ASA for any customer that has an optional labor extension of our standard warranty. (Contracted rates do apply) Randell offers both 1 and 2 year extensions. Labor extensions begin at the end of our standard warranty and extend out 9 months to 1 calendar year or 21 months to 2 calendar years from date of purchase. Please contact Randell Manufacturing's technical service hotline at 1-800-621-8560 for details and any question on Authorized Service Agents (ASA).

### 3. When Export Warranties Apply

- Randell covers all non-electrical components under the same guidelines as our standard domestic policy.
- All electrical components operated on 60 cycle power are covered under our standard domestic policy.
- All electrical components operated on 50 cycle power are covered for 90 days from shipment only.
- Extended warranty options are not available from the factory.

### 4. Items Not Covered Under Warranty

- Maintenance type of repairs such as condenser cleaning, temperature adjustments, clogged drains, unit leveling, and gasket replacement or cleaning.
- Repairs caused by abuse such as broken glass, freight damage, or scratches and dents.
- Electrical component failure due to water damage from cleaning procedures.

### 5. Specification & Product Design

Due to continued product improvement, specification and product design may change without notice. Such revisions do not entitle the buyer to additions, changes or replacements for previously purchased equipment.

### 6. Sanitation Requirements

Certain areas require specific sanitation requirements other than NSF & UL standards. Randell must be advised of these specifications before fabrication of equipment. In these special circumstances, a revised quotation may be required to cover additional costs. Failure to notify Randell before fabrication holds the dealer accountable for all additional charges.

### 7. Cancellations

Orders canceled prior to production scheduling entered into engineering/production and cancelled are subject to a cancellation charge (contact Customer Service for details).

### 8. Storage Charges

Randell makes every effort to consistently meet our customers' shipment expectations. If after the equipment has been fabricated, the customer requests delay in shipment, and warehousing is required:

- Equipment held for shipment at purchaser's request for a period 30 days beyond original delivery date specified will be invoiced and become immediately payable.
- Equipment held beyond 30 days after the original delivery date specified will also include storage charges.

### 9. Shipping & Delivery

Randell will attempt to comply to any shipping, routing or carrier request designated by dealer, but reserves the right to ship merchandise via any responsible carrier at the time equipment is ready for shipment. Randell will not be held responsible for any carrier ate charges when the Dealer's requested carrier is used. Rate charges are entirely between the carrier and purchaser. Point of shipping shall be determined by Randell (Weidman, MI / Jackson, Mississippi). At dealers request, Randell will endeavor whenever practical to meet dealers request. Freight charges for Dealer requested carriers will be collect unless otherwise noted.

### 10. Damages

All crating conforms to general motor carrier specifications. To avoid concealed damage, we recommend inspection of every carton upon receipt. In the event the item shows rough handling or visible damage, to minimize liability, a full inspection is necessary upon arrival. A notation must be placed on the freight bill and signed for by the truck driver. Appearance of damage will require removing the crate in the presence of the driver. Consignee is responsible for filing of freight claims when a clear delivery receipt is signed. Claims for damages must be filed immediately (within 10 days) by the consignee with the freight carrier. Retain all cartons and merchandise for inspection.

### 11. Returned Goods

Authorization for return must first be obtained from Randell before returning any merchandise. Any returned goods shipment lacking the return authorization number will be refused, all additional freight costs to be borne by the returning party. Returned equipment must be shipped in original carton, freight prepaid and received in good conditions. Any returned merchandise is subject to a minimum handling charge (consult Customer Service for rate).

### 12. Installation

Equipment installation is the responsibility of the dealer and/or their customer.

### 13. Penalty Clauses

Dealer penalty clauses, on their purchase order or contractually agreed to between the dealer and their clients are not binding on Randell. Randell does not accept orders subject to penalty clauses. This agreement supersedes any such clauses in dealer purchase orders.

### 11. Export Policy

All quotations for export sales will be handled by Dorian Drake International (www.doriandrake.com) or Greenfield, Randell's export management organizations.

FOOTNOTES IN REFERENCE TO PARAGRAPHS ABOVE

1. Herein called Randell.
2. NET means list price less discount, warranty, labor policy, freight, Randell delivery and other miscellaneous charges. CASH DISCOUNTS WILL BE CALCULATED ON NET ONLY.





888-994-7636 | [unifiedbrands.net](http://unifiedbrands.net)

© 2009 Unified Brands. All Rights Reserved. Unified Brands is a wholly-owned subsidiary of Dover Corporation.