

Core Product List & Pricing Guide



Gourmet Coffee Brewing Systems



New Products: GEMTN, TCN, EXPR, TPST, TPTT

CURTIS GENERATION 3 EQUIPMENT

TODAY'S DIGITAL ADVANTAGE IN BREWING.

Since 1941, the Wilbur Curtis Company has manufactured premium commercial coffee brewing systems. Over the years Curtis has engineered many features and models designed to deliver the best quality coffee...every time. Curtis firsts include: • **Dump Valve Brewing** – delivers full brews regardless of water pressure • **Match-Brew Systems** – coffee brewing based on volume requirements • **Gemini® Coffee Brewing Systems** – the FIRST satellite brewing system ever • **InterLock Coffee Systems** – error free fresh grind/fresh brew systems • **ADS (Advanced Digital System)** – the FIRST truly digital brewing system.



ALL GENERATION 3 Equipment features this icon ahead of its model number.

NOW... GENERATION 3 – the latest in Curtis' exclusive revolutionary digital system.

- **CONSISTENT BREWING** – Factory pre-set operation. Digital precision in fine tuning of coffee flavor. Gourmet control over pre-infusion, water bypass, pulse-brew. Exacting brew water temperature.
- **SIMPLIFIED OPERATION** – Large, scroll-through LCD display. Clearly displayed brewer functions/operation. Intuitive graphic overlay. Single module speeds up learning. Preventive maintenance, error codes/brewer condition, and service requirements are displayed automatically.
- **RUGGED, PROVEN DESIGN** – Control board, components and switches are protected against steam, water and impact. No expensive membrane or unreliable switches. Energy saving circuitry saves power. Teflon® pads on rear feet provides easy movement. High-volume hot water faucet.
- **PLUS** – Decreased equipment service costs. • “Plug & Play” Installation • Greater accuracy and consistency.

They're ready to go right from the factory. ALL critical adjustments – temperature, volume, time – are preset. Simply connect water and power and turn the unit on. The G3 advanced DIGITAL system will automatically sense the water level and will NOT energize the heating elements until the tank is full. Once full and hot you're ready to brew.

1	2	3
<p>CONSISTENTLY BREWS RICH, ROBUST COFFEE</p> <ul style="list-style-type: none"> • Coffee Profiles are factory set for out of the carton operation. • Precise, digital fine tuning of brewing process creates individual signature coffee flavor. • Gourmet coffee brewing control over Pre-Infusion, Pulse Brewing System, Water Bypass and more. • Proprietary Heating Algorithm maintains brew temperature to ensure optimal flavor extraction. 	<p>EASY TO OPERATE. EASY TO MAINTAIN.</p> <ul style="list-style-type: none"> • Simple graphic overlay. • Large LCD Display provides scroll-through menu of all programming functions. • Brewer functions are clearly displayed in real time. • Single module – learn one/learn them all. • Display prompt of Preventative Maintenance needs or Service Requirements. • Error codes/condition automatically displayed. 	<p>PROVEN, RELIABLE & DURABLE DESIGN</p> <ul style="list-style-type: none"> • Fully encapsulated control board, components & switches protects against steam, water or impact. • No separate membrane/switches. • Rear Teflon® pads allow for “scratch-free” movement on counter. • High-volume Hot Water Faucet for instant beverages and clean up. • User defined Energy Saving Circuitry reduces power consumption when it's not needed.

Curtis Systems are pre-set to gourmet specifications. Generally, there will not be a reason to change your programming. However, should you find the need to make slight adjustments to meet your customer's needs, please refer to the programming instructions that accompanied your equipment.

Terms Of Sale

Approval – All orders subject to approval at home office in Montebello, California, at prices, terms and specifications prevailing at time of shipment
Loss Or Damage – If merchandise is lost or damaged in transit, purchaser must make claim directly with carrier. Concealed damage or shortage: Merchandise must be unpacked and inspected within 10 days of receipt. Any shortage or damage should be reported to transportation company immediately.
Returns – Any merchandise returned for credit or exchange must have an RMA # (Return Merchandise Authorization number) from our factory (800) 995-0417. All returns must be

returned prepaid. Merchandise is subject to a handling charge. All cartons to be marked with RMA number. Equipment should be properly packed in their original cartons. Equipment damage in transit will not be accepted. All returns are subject to a 20% restocking fee.
Terms – 1%-15 days, net 30 days. Past due accounts are subject to a late charge of 1 1/2% per month on the unpaid balance.
Minimum Billing – \$50.00, on approved credit
Freight Policy – Freight F.O.B. Montebello, California

PRICES SUBJECT TO CHANGE WITHOUT NOTICE.



STANDARD FEATURES INCLUDE:

G3 Technology Precision Control – for enhanced gourmet flavor extraction every brew • **Stainless steel brew cone** • **Hot water faucet** • **All stainless steel construction** • **Unparalleled recovery for back-to-back-brewing**



Decanter Brewers—Automatic

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
ALP1GT12A000	1 Station, 1 Lower Warmer	120V	1600W 13A 2W+G	30	\$ 920	\$ 870
ALP2GT12A000	2 Station, 1 Lower, 1 Upper Warmer	120V	1700W 14A 2W+G	30	\$ 940	\$ 890
ALP3GT12A000	3 Station, 1 Lower, 2 Upper Warmers	120V	1800W 15A 2W+G	30	\$ 960	\$ 910
ALP3GT63A000	3 Station, 1 Lower, 2 Upper Warmers, Dual Voltage	120/220V	1800/3300W 15/17A 2/3W+G	30	\$1,020	\$ 970
ALP3GTR12A000	3 Station, 3 Lower, Right Warmers	120V	1800W 15A 2W+G	36	\$1,050	\$1,000
ALP3GTR63A000	3 Station, 3 Lower, Right Warmers, Dual Voltage	120/220V	1800/3300W 15/17A 2/3W+G	36	\$1,110	\$1,060
ALP3GTL12A000	3 Station, 3 Lower, Left Warmers	120V	1800W 15A 2W+G	36	\$1,050	\$1,000
ALP3GTL63A000	3 Station, 3 Lower, Left Warmers, Dual Voltage	120/220V	1800/3300W 15/17A 2/3W+G	36	\$1,110	\$1,060
ALP5GT12A000	5 Station, 5 Lower, Right/Left Warmers	120V	2000W 16.3A 2W+G	44	\$1,290	\$1,230
ALP5GT63A000	5 Station, 5 Lower, Right/Left Warmers, Dual Voltage	120/220V	2000/3500W 16.3/15.9A 2/3W+G	44	\$1,350	\$1,290
ALP6GT63A000	6 Station Twin, 6 Lower Warmers, Dual Voltage	120/220V	3600/6600W 30/30A 2/3W+G	69	\$2,200	\$2,100
ALP6GTN63A000	6 Station Twin, 4 Upper, 2 Lower Warmers, Dual Voltage	120/220V	3600/6600W 30/30A 2/3W+G	60	\$2,200	\$2,100
EXPORT						
ALP1GT32A000	1 Station, 1 Lower Warmer	220V	3700W 16.8A 2W+G	30	\$1,020	\$ 970
ALP2GT32A000	2 Station, 1 Lower, 1 Upper Warmer	220V	3800W 17.3A 2W+G	30	\$1,040	\$ 990
ALP3GT32A000	3 Station, 1 Lower, 2 Upper Warmers	220V	3900W 17.7A 2W+G	30	\$1,060	\$1,010

STANDARD FEATURES INCLUDE:

All stainless steel construction • **Lighted On/Off switches** • **High-wattage warmer elements**



Decanter Warmers

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
AW-1-10	1 Station Warmer	120V	100W 1A 2W+G	3	\$ 90	\$ 80
AW-2-10	2 Station Warmer, Low Profile	120V	180W 2A 2W+G	4	\$ 110	\$ 100
AW-2S-10	2 Station Warmer, Step-Up	120V	180W 2A 2W+G	8	\$ 150	\$ 140
AW-2SR-10	2 Station Warmer, Step-Up with Receptacle	120V	180W 2A 2W+G	8	\$ 160	\$ 150
EXPORT						
AW-1-30	1 Station Warmer	220V	100W 1A 2W+G	3	\$ 130	\$ 120
AW-2-30	2 Station Warmer, Low Profile	220V	200W 1A 2W+G	4	\$ 150	\$ 140
AW-2S-30	2 Station Warmer, Step-Up	220V	200W 1A 2W+G	8	\$ 190	\$ 180

STANDARD FEATURES INCLUDE:

Exceptional value, convenience and coffee quality
 • Space saving design, large volume water tank and quick recovery high-power heating element, no plumbing required • Steel construction with black powder coating and matching brew cone



Pourover Brewers—Café

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price		
					1 to 4	5 to 9	10+
CAFE0AP10A000	Airpot brewer, 2.2L	120V	1450W 12.1A 2W+G	28	\$ 600	\$ 590	\$ 570
CAFE0PP10A000	Single, Low Profile Thermal Carafe (64 oz.)	120V	1450W 12.1A 2W+G	28	\$ 420	\$ 410	\$ 390
CAFE1DB10A000	1 Station, 1 Lower Warmer	120V	1550W 12.9A 2W+G	25	\$ 420	\$ 410	\$ 390
CAFE2DB10A000	2 Station, 1 Lower, 1 Upper Warmer	120V	1650W 13.8A 2W+G	26	\$ 450	\$ 440	\$ 420
CAFE3DB10A000	3 Station, 3 Lower, Right Warmers	120V	1750W 14.6A 2W+G	32	\$ 480	\$ 470	\$ 450
EXPORT							
CAFE0AP30A000	Airpot brewer, 2.2L	208/240V	2629/3500W 12.6/14.6A 2W+G	28	\$ 640	\$ 630	\$ 610
CAFE0PP30A000	Single, Low Profile Thermal Carafe (64 oz.)	208/240V	2629/3500W 12.6/14.6A 2W+G	28	\$ 460	\$ 450	\$ 430
CAFE1DB30A000	1 Station, 1 Lower Warmer	208/240V	2700/3600W 13/15A 2W+G	25	\$ 460	\$ 450	\$ 430
CAFE2DB30A000	2 Station, 1 Lower, 1 Upper Warmer	208/240V	2800/3700W 13.4/15.4A 2W+G	26	\$ 490	\$ 480	\$ 460
CAFE3DB30A000	3 Station, 3 Lower, Right Warmers	208/240V	2850/3800W 13.7/15.8A 2W+G	32	\$ 520	\$ 510	\$ 490

*Airpots/Pourpots/Decanters are NOT Included with Brewers

STANDARD FEATURES INCLUDE:

G3 Technology Precision Control – for enhanced gourmet flavor extraction every brew • Stainless steel brew cone • Hot water faucet • All stainless steel construction • Unparalleled recovery for back-to-back-brewing • Twin brewers offer two individually tunable sides



Airpot/Pourpot Thermal Brewers—Automatic*

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price		
					1 to 9	10+	
D60GT12A000	Single, Low Profile Thermal Carafe (64oz.)	120V	1500W 12.5A 2W+G	27	\$ 940	\$ 890	
D60GT63A000	Single, Low Profile Thermal Carafe (64oz.), Dual Voltage	120/220V	1700/3300W 14/15A 2/3W+G	27	\$1,000	\$ 950	
D500GT12A000	Single/Std., 2.2L to 2.5L Airpots	120V	1700W 14A 2W+G	33	\$ 960	\$ 910	
D500GT63A000	Single/Std., 2.2L to 2.5L Airpots, Dual Voltage	120/220V	1700/3300W 14/15A 2/3W+G	33	\$1,020	\$ 970	
D500GTH12A000	Single/Tall, 2.2L to 2.5L Airpots/Gravity	120V	1700W 14A 2W+G	36	\$1,010	\$ 960	
D500GTH63A000	Single/Tall, 2.2L to 2.5L Airpots/Gravity, Dual Voltage	120/220V	1700/3300W 14/15A 2/3W+G	36	\$1,070	\$1,020	
D1000GT12A000	Twin/Std., 2.2L to 2.5L Airpots	220V	5050W 23A 3W+G	53	\$1,730	\$1,630	
D1000GT63A000	Twin/Std., 2.2L to 2.5L Airpots, Dual Voltage	120/220V	1800/2800W 14/15A 2/3W+G	53	\$1,780	\$1,680	
D1000GH13A000	Twin/Tall, 2.2L to 2.5L Airpots/Gravity, Deluxe Brew Cone	220V	5050W 23A 3W+G	53	\$1,800	\$1,700	
D1000GH62A000	Twin/Tall, 2.2L to 2.5L Airpots/Gravity, Deluxe Brew Cone, Dual Voltage	120/220V	1800/2800W 14/15A 2/3W+G	59	\$1,850	\$1,750	
TLP12A	Single, Low Profile Airpot/Gravity/Pourpots SS Finish	120V	1500W 12.5A 2W+G	26	\$1,010	\$ 960	
TLP	Single, Low Profile Airpot/Gravity/Pourpots Black Texture Finish, Black plastic brew cone	120V	1500W 12.5A 2W+G	26	\$1,090	\$1,040	
EXPORT							
D500GT30A000	Single/Std., 2.2L to 2.5L Airpots	220V	3550W 16A 2W+G	33	\$1,060	\$1,010	
D1000GT30A000	Twin/Std., 2.2L to 2.5L Airpots	220V	5050W 23A 2W+G	53	\$1,830	\$1,800	

*Airpots/Pourpots are NOT Included with Brewers

STANDARD FEATURES INCLUDE:

GENERATION 3 – G3 Technology Precision Control for enhanced gourmet flavor extraction every brew • Stainless steel or plastic brew cone • Hot water faucet • All stainless steel construction • Unparalleled recovery for back-to-back-brewing • Six pre-set global recipes • Field selectable for one, two or three batch brewing • Customizable settings for each brew button • Solenoid brew cone locks

STANDARD MODELS – Hot water faucet • All stainless steel construction • Satellites with safety locking lid included



Gemini® Satellite Brewing Systems

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price
GEMSS10A1000	Single, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable	220V	4300W 19.5A 3W+G	51	\$1,810
GEMSS63A1000	Single, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, Dual Voltage	120/220V	1800/2800W 15/12.7A 2/3W+G	51	\$1,880
GEMTS10A1000	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, Wattage selectable	220V	5200/7600W 23.6/34.5A 3W+G	82	\$2,880
GEMTS16A1000	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, 3PH w/Transformer	220V	7800W 20A 3W+G 3PH	96	\$3,060
GEMTS19A1000	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, 3PH	220V	7800W 20A 4W+G 3PH	82	\$3,060
GEMINI NARROW SATELLITE BREWER SYSTEMS – G3 SERIES					
GEMTN10A1000	Twin, 12,24,36 cup (1/2,1,1-1/2 gal), 1, 2, or 3-Batch selectable	220V	5200/7600W 23.6/34.5A 3W+G	95	\$3,180
EXPORT					
GEMSS30A1000	Single, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable	220V	4300W 19.5A 2W+G	51	\$2,010
GEMTS30A1000	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, Wattage selectable	220V	5200/7600W 23.6/34.5A 2W+G	82	\$3,080
STANDARD GEMINI BREWER SYSTEMS					
GEM-120A-10	Single, 12, 24 cup, (1/2, 1 gal)	120V	1775W 15A 2W+G	48	\$1,080
GEM-120A-63	Single, 12, 24 cup, (1/2, 1 gal), Dual Voltage	120/220V	1775/2100W 15/10A 2/3W+G	48	\$1,150
GEM-12D-10	Twin, 36 cup, (1-1/2 gal), ADS Digital	220V	6300W 29A 3W+G	78	\$2,350
GEM-12D-16	Twin, 36 cup, (1-1/2 gal), 3PH w/transformer, ADS Digital	220V	6300W 17A 3W+G 3PH	92	\$2,530
GEM-12D-19	Twin, 36 cup, (1-1/2 gal), 3PH, ADS Digital	220V	6300W 17A 4W+G 3PH	78	\$2,530
EXPORT					
GEM-120A-30	Single, 12, 24 cup, (1/2, 1 gal)	220V	2175W 10A 2W+G	48	\$1,180
GEM-12D-30	Twin, 36 cup, (1-1/2 gal), ADS Digital	220V	6300W 29A 2W+G	78	\$2,450

STANDARD FEATURES INCLUDE:

All stainless steel construction • Satellites with safety locking lid • Convenient carrying handle



Satellites & Warmers


Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price
GEM-3	1.5 Gallons Satellite Server	N/A	N/A	11	\$ 270
GEM-3D	1.5 Gallons Satellite Server Decaf Faucet	N/A	N/A	11	\$ 270
GEM-3-5	1.5 Gallons Satellite Server & Warmer Stand	120V	100W 1A 2W+G	18	\$ 390
GEM-5	Warmer Stand (9-3/4"H)	120V	100W 1A 2W+G	8	\$ 150
NARROW SATELLITES & WARMERS					
GEM-3N	1.5 Gallons Satellite Server, Narrow	N/A	N/A	10	\$ 410
GEM-3-5N	1.5 Gallons Satellite Servers (2) & Warmer Stand, Twin Narrow	120V	200W 1.7A 2W+G	32	\$1,100
GEM-5N	Twin Warmer Stand	120V	200W 1.7A 2W+G	12	\$ 340
EXPORT					
GEM-5-30	Warmer Stand (9-3/4"H)	220V	100W .45A 2W+G	8	\$ 190
GEM-3&5-30	1.5 Gallons Satellite Server & Warmer Stand	220V	100W .45A 2W+G	18	\$ 430

STANDARD FEATURES INCLUDE:

G3 Technology Precision Control – for enhanced gourmet flavor extraction every brew • All stainless steel construction • Three separate brew batch selections • High output brewing module • 10 Gallon portable serving vessel and integral cart



Mercury Brewing System

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price
 MWMGT1000	Wall Mount Brewing Module, 800 cups/hour	208V	15KW 39.4A 3PH	60	\$4,110
MCV-10	10 Gallons Coffee Dispensing Vessel	120V	300W 3A 2W+G	55	\$1,520
MCV-10DS	10 Gallons Coffee Dispensing Vessel, Dual Service	120V	300W 3A 2W+G	58	\$1,720
MCVC-1	Coffee Vessel Cart	N/A	N/A	89	\$1,020

STANDARD FEATURES INCLUDE:

All stainless steel construction • Automatic agitator/aerator • Emergency refill • Hot water dispense • Side mounted control panel • Half batch option included on RU-225, RU-600 and RU-1000



Urn Brewers

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price
RU-150-12	Single, 3 Gallons	208/220V	5000W 23A 3W+G	80	\$2,680
RU-150-20	Single, 3 Gallons, 3PH	208/220V	5250W 13.8A 3W+G 3PH	80	\$2,890
RU-150-35	Single, 3 Gallons, Gas	120V	NAT GAS 3A 2W+G	80	\$3,260
RU-225-12	Single, 6 Gallons	208/220V	7000W 32A 3W+G	85	\$3,830
RU-225-20	Single, 6 Gallons, 3PH	208/220V	7500W 20A 3W+G 3PH	85	\$4,040
RU-225-35	Single, 6 Gallons, Gas	120V	NAT GAS 3A 2W+G	85	\$4,410
RU-300-12	Twin, 3 Gallons	208/220V	6000W 28A 3W+G	95	\$3,280
RU-300-20	Twin, 3 Gallons, 3PH	208/220V	7500W 20A 3W+G 3PH	95	\$3,490
RU-300-35	Twin, 3 Gallons, Gas	120V	NAT GAS 3A 2W+G	95	\$3,860
RU-600-12	Twin, 6 Gallons	208/220V	10000W 45.5A 3W+G	120	\$4,640
RU-600-20	Twin, 6 Gallons, 3PH	208/220V	10500W 27.6A 3W+G 3PH	120	\$4,850
RU-600-35	Twin, 6 Gallons, Gas	120V	NAT GAS 3A 2W+G	120	\$5,220
RU-1000-12	Twin, 10 Gallons	208/220V	10000W 45.5A 3W+G	150	\$5,530
RU-1000-20	Twin, 10 Gallons, 3PH	208/220V	10500W 27.6A 3W+G 3PH	150	\$5,740
RU-1000-35	Twin, 10 Gallons, Gas	120V	NAT GAS 3A 2W+G	150	\$6,110

EXPORT

RU-150-62	Single, 3 Gallons	220V	5000W 23A 2W+G	80	\$2,920
RU-150-91	Single, 3 Gallons, 3PH	380V	6600W 10A 4W+G 3PH	80	\$3,340
RU-225-62	Single, 6 Gallons	220V	7000W 32A 2W+G	85	\$4,070
RU-300-63	Twin, 3 Gallons	220V	8000W 36A 2W+G	95	\$3,520
RU-300-91	Twin, 3 Gallons, 3PH	380V	12000W 18.25A 4W+G 3PH	95	\$4,490
RU-600-63	Twin, 6 Gallons	220V	8000W 36A 2W+G	120	\$4,880
RU-600-91	Twin, 6 Gallons, 3PH	380V	12000W 18.25A 4W+G 3PH	120	\$5,300
RU-1000-60	Twin, 10 Gallons	220V	10000W 45.5A 2W+G	150	\$5,770
RU-1000-91	Twin, 10 Gallons, 3PH	380V	12000W 18.25A 4W+G 3PH	150	\$6,190

STANDARD FEATURES INCLUDE:

G3 Technology Precision Control – for enhanced gourmet flavor extraction every brew • High capacity brew cone • Hot water faucet • All stainless steel construction • Unparalleled recovery for back-to-back-brewing • Six pre-set global recipes • Field selectable for one, two or three batch brewing • Customizable settings for each brew button • ThermoPro insulated server(s) included • Solenoid brew cone locks (2 gallon brewers)



ThermoPro™ Brewing Systems

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
TP15S10A1100	Single, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable	220V	4300W 19.5A 3W+G	53	\$2,440	\$2,340
TP15S63A1100	Single, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, Dual Voltage	120/220V	1800/2800W 15/12.7A 2/3W+G	53	\$2,510	\$2,410
TP15S10A1500	Single, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, w/Shelf	220V	4300W 19.5A 3W+G	53	\$2,590	\$2,490
TP15S63A1500	Single, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, Dual Voltage, w/Shelf	120/220V	1800/2800W 15/12.7A 2/3W+G	53	\$2,660	\$2,560
TP15T10A1100	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable	220V	5100/7600W 23/34.5A 3W+G	68	\$3,760	\$3,590
TP15T16A1100	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, 3PH w/Transformer	220V	7600W 20A 3W+G 3PH	82	\$3,940	\$3,770
TP15T19A1100	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, 3PH	220V	7600W 20A 4W+G 3PH	68	\$3,940	\$3,770
TP15T10A1500	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable, w/Shelf	220V	5100/7600W 23/34.5A 3W+G	68	\$3,910	\$3,850
TXSG1501S000	1.5 Gallon Insulated Portable Server (2 gal max)	N/A	N/A	17	\$ 450	\$ 410
ONE GALLON BREWERS						
TP1S63A1000	Single, 12,24 cup (1/2, 1 gal), 1 or 2-Batch selectable, Dual Voltage	120/220V	1650/2700W, 13.7/12.3A 2/3 W+G, 1PH	43	\$1,940	\$1,840
TP1T10A1000	Twin, 12,24 cup (1/2, 1 gal), 1 or 2-Batch selectable	220V	5100/7600W 23/34.5A 3W+G	60	\$2,890	\$2,720
TP1T19A1000	Twin, 12,24 cup (1/2, 1 gal), 1 or 2-Batch selectable	220V	7600W 20A 4W+G 3PH	60	\$3,360	\$3,110
TP1ST63A3000	Single Tall, 12, 24 cup (1/2, 1 gal), 1 or 2-Batch selectable, server not included	120/220V	1650/2700W 13.7/12.3A 2/3W+G	42	\$1,490	\$1,390
TP1TT10A3000	Twin Tall, 12, 24 cup (1/2, 1 gal), 1 or 2-Batch selectable, servers not included	220V	5100/7600W 23/34.5A 3W+G	69	\$2,300	\$2,130
TXSG0101S200	1 Gallon Insulated Portable Server, without stand	N/A	N/A	11	\$ 430	\$ 390
TXSG0101S000	1 Gallon Insulated Portable Server	N/A	N/A	17	\$ 450	\$ 410
WS1	Wire Stand	N/A	N/A	5	\$ 92	\$ 92
TSS1A000	Single Thermal Server Stand	N/A	N/A	5	\$ 120	\$ 120
TSS2A000	Twin Thermal Server Stand	N/A	N/A	12	\$ 190	\$ 190
EXPORT						
TP1S30A1000	Single 12,24 cup (1/2, 1 gal) 1 or 2-Batch selectable	220V	4300W 19.5A 2W+G	43	\$2,640	\$2,540
TP1T30A1000	Twin 12,24 cup (1/2, 1 gal) 1 or 2-Batch selectable	220V	7600W/34.5A 2W+G	60	\$3,960	\$3,790
TP15S30A1100	Single, 12,24,36 cup (1/2, 1, 1 1/2 gal), 1, 2, or 3-Batch selectable	220V	4300W 19.5A 2W+G	53	\$2,070	\$1,970
TP15T30A1100	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable	220V	5100/7600W 23/34.5A 2W+G	68	\$3,090	\$2,920

STANDARD FEATURES INCLUDE:

Stylized Design and G3 Technology Precision Control – for enhanced gourmet flavor extraction every brew • Six pre-set global recipes • Customizable settings for signature flavor profiles • Easy-to-use scroll-through programming • Hot water dipense • High capacity brew cones ensure maximum flavor extraction • Field selectable for one, two or three batch brewing • Solenoid brew cone locks • Stylish, Vacuum-Insulated Servers Included – for maximum heat retention • Elegant, conical shape • Integral timers ensure optimum coffee quality



Curtis Milano™ Brewing System

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
TPC15S10A1100	Single 12,24,36 cup (1/2, 1, 1-1/2 gal) 1, 2 or 3 Batch selectable	220v	4300W 19.5A 3W+G	56	\$2,970	\$2,870
TPC15S63A1100	Single, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable	120/220V	1800/2800W 15/12.7A 2/3W+G	56	\$3,040	\$2,940
TPC15T10A1100	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable	220V	5100/7600W 23/34.5A 3W+G	68	\$4,250	\$4,080
TLCG1509S000	1.5 Gallon Stylized Insulated Portable Server	N/A	N/A	15	\$ 450	\$ 410
EXPORT						
TPC15S30A1100	Single, 12,24,36 cup (1/2, 1, 1 1/2 gal), 1, 2, or 3-Batch selectable	220V	4300W 19.5A 2W+G	56	\$3,170	\$3,070
TPC15T30A1100	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal), 1, 2, or 3-Batch selectable	220V	5100/7600W 23/34.5A 2W+G	68	\$4,450	\$4,280

STANDARD FEATURES INCLUDE:

GRINDERS – Accurate consistent throw and uniform grind • Adjustable grind settings • Automatic operation • Anti-chaff design • Brewer interface on ILGD



Grinders

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
GSG-3BLK	Single, 2.5 lb. Hopper, Gourmet Store Grinder, Black Finish	120V	8A 2W+G 1/2Hp	52	\$1,390	\$1,310
SHG-10	Single 6 lb. Hopper	120V	8A 2W+G 1/2Hp	50	\$1,200	\$1,150
SLG-10	Single 5 lb. Hopper, Low Profile	120V	8A 2W+G 1/2Hp	43	\$ 910	\$ 860
DHG-10	Twin 7.5 lb. Hoppers	120V	8A 2W+G 1/2Hp	62	\$1,690	\$1,610
ILGD-10	Twin 7.5 lb. Hoppers, Digital Interlock	120V	8A 2W+G 1/2Hp	62	\$1,980	\$1,900
EXPORT GRINDERS						
GSG-3BLK-31	Single 2.5 lb. Hopper, Gourmet Store Grinder, Black Finish	220V	8A 2W+G 1/2Hp	52	\$1,540	\$1,460
SHG-30	Single 6 lb. Hopper	220V	8A 2W+G 1/2Hp	50	\$1,350	\$1,300
SLG-30	Single 5 lb. Hopper, Low Profile	220V	8A 2W+G 1/2Hp	43	\$1,060	\$1,010
DHG-30	Twin 7.5 lb. Hoppers	220V	8A 2W+G 1/2Hp	62	\$1,840	\$1,760
ILGD-31	Twin 7.5 lb. Hoppers, Digital Interlock	220V	4A 2W+G 1/2Hp	62	\$2,130	\$2,050

STANDARD FEATURES INCLUDE:

Low temperature warming elements keep syrup flavorful
 • All stainless steel construction • Gentle sloping bottom eliminates waste



Syrup Warmers

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
SW-1	1 Gallon	120V	30W .25A 2W+G	7	\$ 240	\$ 200
SW-2	2 Gallons	120V	100W 1A 2W+G	10	\$ 340	\$ 300

STANDARD FEATURES INCLUDE:

Stainless steel/black plastic construction • Stainless steel construction • Black plastic construction



Drip Trays

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
DTP-08	Drip Tray, Assy Plastic 8" (GEMSS/120A)	N/A	N/A	2	\$ 17	
DTP-13	Drip Tray, Assy Plastic 13" (GEMTS/12D/RU-225/150)	N/A	N/A	2	\$ 21	
DTP-20	Drip Tray, Assy Plastic 20"	N/A	N/A	4	\$ 32	
DT-24	Drip Tray, Assy 24" (RU-300)	N/A	N/A	3.5	\$ 72	
DT-28	Drip Tray, Assy 28" (RU-600/1000)	N/A	N/A	5	\$ 82	
WC-5686	Cup Holder, Octagon (General Use)	N/A	N/A	1	\$ 8	

STANDARD FEATURES INCLUDE:

G3 Technology Precision Control – Adjust powder flow in 5% increments and water temp from 80° to 204°F
 • Repeatable accuracy • European styling creates impulse sales • Extra large oversized backlit graphic • High volume powder hoppers and large capacity drip tray • Moisture removal system • Self cleaning feature • Pre-Set Dispense in PCGT3 with three size portion control



PC Systems—G3 Series

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
PCGT3C10000	Three Station, one 5 lb. and two 10 lb. Hoppers	120V	1800W 15A 2W+G	125	\$2,930	\$2,780
PCGT3C10900	Iced Coffee, Three Station, one 5 lb. and two 10 lb. Hoppers	120V	1800W 15A 2W+G	125	\$2,930	\$2,780
PCGT3C10700	Pre Set Dispense, Three Portion control, one 5 lb. and two 10 lb. Hoppers.	120V	1800W 15A 2W+G	125	\$3,090	\$2,940
EXPR10	Multi-Flavor, One Station, Four 2 lb. and One 10 lb. Hoppers	120V	1800W 15A 2W+G	136	\$3,360	\$3,160
PCGT4A10000	Four Station, Two 5 lb. and two 10 lb. Hoppers	120V	1800W 15A 2W+G	147	\$3,770	\$3,620
PCGT5F10000	Five Station, Three 5 lb. and two 10 lb. Hoppers	120V	1800W 15A 2W+G	160	\$3,990	\$3,790
EXPORT						
PCGT3C31000	Three Station, one 5 lb. and two 10 lb. Hoppers	220V	3700W 17A 2W+G	125	\$3,080	\$2,930
PCGT3C31900	Iced Coffee, Three Station, one 5 lb. and two 10 lb. Hoppers	220V	3700W 17A 2W+G	125	\$3,080	\$2,930
PCGT4A31000	Four Station, two 5 lb. and two 10 lb. Hoppers	220V	3700W 17A 2W+G	145	\$3,970	\$3,820
PCGT5F31000	Five Station, Three 5 lb. and two 10 lb. Hoppers	220V	3700W 17A 2W+G	160	\$4,240	\$4,040

STANDARD FEATURES INCLUDE:

Digital solid state technology • Choose between continuous or portion control dispensing • One-touch hot water whipping chamber cleaning system • Standard drip tray



PC Systems—Café Series

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
CAFEP1CS10000	Single Station, 7 lb. Hopper, Generic Graphic	120V	1800W 15A 2W+G	59	\$1,410	\$1,310
CAFEP2CS10000	Two Station, 4 lb. Hoppers	120V	1800W 15A 2W+G	64	\$1,740	\$1,640
CAFEP3CS10000	Three Station, 4 lb. Hoppers	120V	1800W 15A 2W+G	75	\$2,060	\$1,960
CAFEP3CS10900	Iced Coffee, Three Station, 4 lb. Hoppers	120V	1800W 15A 2W+G	75	\$2,060	\$1,960
CAFEP4CS10000	Four Station, 4 lb. Hoppers	120V	1800W 15A 2W+G	87	\$2,390	\$2,290
EXPORT						
CAFEP1CS31000	Single Station, 7 lb. Hopper, Generic Graphic	220V	2200W 10A 2W+G	59	\$1,460	\$1,360
CAFEP2CS31000	Two Station, 4 lb. Hoppers	220V	2200W 10A 2W+G	64	\$1,840	\$1,740
CAFEP3CS31000	Three Station, 4 lb. Hoppers	220V	2200W 10A 2W+G	75	\$2,210	\$2,110
CAFEP4CS31000	Four Station, 4 lb. Hoppers	220V	2200W 10A 2W+G	87	\$2,590	\$2,490
LIGHT BOX						
CAFEP1CL10000	Single Station, 7 lb. Hopper, Generic Graphic	120V	1800W 15A 2W+G	60	\$1,550	\$1,450
CAFEP2CL10000	Two Station, 4 lb. Hoppers	120V	1800W 15A 2W+G	65	\$1,900	\$1,800
CAFEP3CL10000	Three Station, 4 lb. Hoppers	120V	1800W 15A 2W+G	76	\$2,260	\$2,160
CAFEP4CL10000	Four Station, 4 lb. Hoppers	120V	1800W 15A 2W+G	88	\$2,610	\$2,510
EXPORT						
CAFEP1CL31000	Single Station, 7 lb. Hopper, Generic Graphic	220V	2200W 10A 2W+G	60	\$1,600	\$1,500
CAFEP2CL31000	Two Station, 4 lb. Hoppers	220V	2200W 10A 2W+G	65	\$2,000	\$1,900
CAFEP3CL31000	Three Station, 4 lb. Hoppers	220V	2200W 10A 2W+G	76	\$2,400	\$2,310
CAFEP4CL31000	Four Station, 4 lb. Hoppers	220V	2200W 10A 2W+G	88	\$2,810	\$2,710

Standard features include:

G3 Technology Precision Control – provides fast-brew and pulse-brew capabilities for enhanced gourmet flavor extraction • Brew iced tea and coffee from the same machine • Two black plastic brew cones • Adjustable shelf handles any coffee brewing vessel • Tea container lock-out switch • All stainless steel construction • Ultra-precision dual inlet valve and water level sensor • Three pre-set recipes • Hot water faucet



Combo Tea/Coffee Brewer

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
CBS10000	64oz. to 2.5L Coffee (adj. shelf), 3 to 5 Gallon Tea (dispenser sold separately)	120V	1650W 13.8A 2W+G	46	\$1,330	\$1,280
CBP10000	Low Profile, 64oz. to 2.5L Coffee, 3 Gallon Tea, Includes Dispenser TC0308	120V	1650W 13.8A 2W+G	49	\$1,410	\$1,360
EXPORT						
CBS30000	64oz. to 2.5L Coffee (adj. shelf), 3 to 5 Gallon Tea (dispenser sold separately)	220V	3600W 16.4A 2W+G	46	\$1,330	\$1,280

STANDARD FEATURES INCLUDE:

G3 Technology Precision Control – provides fast-brew and pulse-brew capabilities for enhanced gourmet flavor extraction • Black plastic brew cone • All stainless steel construction • Ultra-precision dual inlet valve and water level sensor • Three pre-set recipes • 3-5 gallon capacity



Tea Brewers

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price	
					1 to 9	10+
PTT310000	3 Gallons, Low Profile, Includes Dispenser TCO308	120V	1650W 13.8A 2W+G	46	\$1,150	\$1,100
TCTS10000	3 to 5 Gallons, Standard (dispenser sold separately)	120V	1650W 13.8A 2W+G	41	\$1,070	\$1,020
TCTT10000	3 to 5 Gallons, Tall (dispenser sold separately)	120V	1650W 13.8A 2W+G	44	\$1,120	\$1,070
TCTS10200	Sweet Tea, 3 to 5 Gallon, Standard (dispenser sold separately)	120V	1650W 13.8A 2W+G	48	\$1,470	\$1,420
EXPORT						
PTT330000	3 Gallons, Low Profile, Includes Dispenser TCO308	220V	3600W 16.4A 2W+G	46	\$1,250	\$1,200
TCTS30000	3 to 5 Gallons, Standard (dispenser sold separately)	220V	3600W 16.4A 2W+G	41	\$1,170	\$1,120
TCTT30000	3 to 5 Gallons, Tall (dispenser sold separately)	220V	3600W 16.4A 2W+G	44	\$1,220	\$1,170

STANDARD FEATURES INCLUDE:

All stainless steel construction • TCO's feature combo brew-through/solid lid • No liner required • Gently sloping bottom ensures complete dispensing



Tea Dispensers/Remote Stand

Model No.	Description	Shipping Wt. (Lbs.)	List Price			
			1 to 9	10 to 49	50+	
TC-2H	2 Gallons, Round	7	\$ 120	\$ 114	\$ 110	
TC-3H	3 Gallons, Round	8	\$ 124	\$ 118	\$ 114	
TC-3HS	3 Gallons, Round (Short)	8	\$ 144	\$ 138	\$ 134	
TC-5H	5 Gallons, Round	10	\$ 136	\$ 130	\$ 126	
TC-5H-S	5 Gallons, Round (Short)	10	\$ 162	\$ 156	\$ 152	
TC-10H	10 Gallons, Round	16	\$ 236	\$ 236	\$ 236	
TC15S	1.5 Gallon, Round Stackable		\$ 116	\$ 110	\$ 106	
TC15RS	Remote Stand Stackable		\$ 32	\$ 32	\$ 32	
TC0417A000	4 Gallons, Oval 17"H	13	\$ 158	\$ 152	\$ 148	
TC0419A000	4 Gallons, Oval 19"H	14	\$ 162	\$ 156	\$ 152	
TC0421A000	4 Gallons, Oval 21"H	14	\$ 166	\$ 160	\$ 156	
TC0308A000	3 Gallons, Oval Tea Dispenser,	8	\$ 150	\$ 150	\$ 150	
TCORS000	Remote Stand for TCO308 dispenser, stainless steel	8	\$ 124	\$ 124	\$ 124	
TC0308ARS000	3 Gallons Tea Dispenser with Remote Stand	16	\$ 274	\$ 274	\$ 274	
TCN	3.5 Gallon, Oval Narrow 22"	14	\$ 150	\$ 150	\$ 150	
ICED COFFEE DISPENSER						
TCOC421G000	4 Gallons, Oval 21"H	14	\$ 166	\$ 160	\$ 156	

STANDARD FEATURES INCLUDE:

- All Stainless steel Construction • Drip trays and Quick Disconnect included • Braided hoses • Black plastic Lid • Rear shut-off valve



Liquid Tea Dispensers

Model No.	Description	Shipping Wt. (Lbs.)	List Price	
			1 to 9	10+
TCC1	Single Faucet Oval 24"H	21	\$ 510	\$460
TCC2	Dual Faucet Oval 24"H	22	\$ 610	\$560
TCC3	Triple Faucet Oval 24"H	24	\$ 870	\$820
TCC3N	Triple Faucet Narrow 24"H	24	\$ 870	\$820
LIQUID COFFEE DISPENSER				
TCC1C	Single Faucet Oval 24"H	21	\$ 510	\$460
TCC2C	Dual Faucet Oval 24"H	22	\$ 610	\$560

STANDARD FEATURES INCLUDE:

- Quality construction with excellent heat retention • Wide selection to handle any dispensing/serving need • Sold by case (6)



ThermoPro™ Dispensers

Model No.	Description	Ship Wt. Cs. (Lbs.)	List Price (ea.)	
			6 to 54	60 to 294
TLXA2201G000	2.2L Airpot, SS exterior, Glass liner, Lever handle	30	\$55.00	\$39.00
TLXA2201G000D	2.2L Airpot, SS exterior, Glass liner, Lever handle, Decaf lid	30	\$55.00	\$39.00
TLXA2201S000	2.2L Airpot, SS exterior, SS liner, Lever handle	30	\$65.00	\$57.00
TLXA2203G000	2.2L Airpot, Black plastic exterior, Glass liner, Lever handle	30	\$55.00	\$39.00
TLXA2203S000	2.2L Airpot, Black plastic exterior, SS liner, Lever handle	30	\$65.00	\$57.00
TLXA2204G000	2.2L Airpot, Blue plastic exterior, Glass liner, Lever handle	30	\$55.00	\$39.00
TLXA2206G000	2.2L Airpot, Red plastic exterior, Glass liner, Lever handle	30	\$55.00	\$39.00
CAP-1	2.2L Airpot, SS exterior, Glass liner, Push button lid	24	\$69.00	\$61.00
CAP-1D	2.2L Airpot, SS exterior, Glass liner, Push button, Decaf lid	24	\$69.00	\$61.00
TLXA0101S000	1 Gal Airpot, SS exterior, SS liner, Lever handle	38	\$82.00	\$76.00
TLXA2501S000	2.5L Airpot, SS exterior, SS liner, Lever handle	36	\$70.00	\$62.00
TLXA3001S000	3.0L Airpot, SS exterior, SS liner, Lever handle	36	\$75.00	\$69.00
TLXP1201S000	1.2L Pourpot, SS exterior, SS liner	15	\$49.00	\$41.00
TLXP1201S000D	1.2L Pourpot, SS exterior, SS liner, Decaf lid	15	\$49.00	\$41.00
TLXP1901S000	1.9L Pourpot, SS exterior, SS liner, Brew thru lid	18	\$55.00	\$47.00
TLXP1901S000D	1.9L Pourpot, SS exterior, SS liner, Brew thru, Decaf lid	18	\$55.00	\$47.00
CLXP6401S000	64 oz. Pourpot, SS exterior, SS liner, Brew thru lid	18	\$54.00	\$46.00
CLXP6401S000D	64 oz. Pourpot, SS exterior, SS liner, Brew thru, Decaf lid	18	\$54.00	\$46.00

STANDARD FEATURES INCLUDE:

- Heavy-duty solid racks or economical wire racks • Drip trays included • All black finish • Merchandising channel



Airpot Racks

Model No.	Description	Shipping Wt. (Lbs.)	List Price
CAR-2T-BLK	2 Position, Step	15	\$ 113.00
CAR-2-BLK	2 Position	9	\$ 92.00
CAR-3-BLK	3 Position	12	\$ 113.00
CAR-4-BLK	4 Position	21	\$ 181.00
CAR-6-BLK	6 Position	30	\$ 237.00
WR2B0000	2 Position, Wire	10	\$ 51.00
WR3B0000	3 Position, Wire	12	\$ 82.00
WR4B0000	4 Position, Wire	20	\$ 101.50
WR5B0000	5 Position, Wire	22	\$ 132.50
WR6B0000	6 Position, Wire	24	\$ 163.50

STANDARD FEATURES INCLUDE:

- Lab quality glass bowls • Ergonomic handle design • Curtis standard or custom brand (3 week lead time for custom brand)
- Freight prepaid on 360 decanters



Glass Decanters

Model No.	Handle/Imprint Color	Case Ct.	Logo	Ship Wt. Cs. (Lbs.)	List Price (ea.)		
					24-360	384-552	576-720
Standard — 1 Case Minimum							
70280200403	Orange/Orange	3	Decaf	4	\$ 8.26	\$ 7.60	\$ 7.38
70280000306	Black/White	24	Curtis	26	\$ 7.74	\$ 7.08	\$ 6.86
70280000206	Brown/White	24	Curtis	26	\$ 7.74	\$ 7.08	\$ 6.86
70280200406	Orange/Orange	24	Decaf	26	\$ 7.74	\$ 7.08	\$ 6.86
70280100303	Black/White	3	Use & Care Instructions only	4	\$ 8.26	\$ 7.60	\$ 7.38
70180100306	Black/White	24	Use & Care Instructions only	26	\$ 7.74	\$ 7.08	\$ 6.86
70280100203	Brown/White	3	Use & Care Instructions only	4	\$ 8.26	\$ 7.60	\$ 7.38
70280100206	Brown/White	24	Use & Care Instructions only	26	\$ 7.74	\$ 7.08	\$ 6.86
Custom Branding — 15 Case Minimum (Artwork set-up fee applies)							
	Black or Brown handle	24	Custom	26		\$ 7.36	\$ 7.14
	Black or Brown handle	6	Custom	8		\$ 7.78	\$ 7.56
	Black or Brown handle	2 or 3	Custom	4		\$ 7.88	\$ 7.66
	Orange handle	24	Custom	26		\$ 7.58	\$ 7.36
	Orange handle	6	Custom	8		\$ 8.00	\$ 7.78
	Orange handle	2 or 3	Custom	4		\$ 8.10	\$ 7.88
Plastic Decanters — Stainless Base — 1 Case Minimum							
70480100304	Black/White	6	Use & Care Instructions only	6	\$16.50	\$16.50	\$16.50
70480100104	Orange/White	6	Use & Care Instructions only	6	\$16.50	\$16.50	\$16.50

STANDARD FEATURES INCLUDE:

- All stainless steel construction • Unparalleled recovery • Solid-state automatic refill system • Precision temperature gauge



Water Towers

Model No.	Description	Voltage	Electrical	Shipping Wt. (Lbs.)	List Price
WB5GT63000	5 gallon, Electric with Aerator Dual Voltage	120V/220V	1500/5000W 12.5/22.7A 2/3W+G	32	\$1,220
WB-10-12	10 Gallon, Electric with Sight Glass	120V/220V	2080/7000W 17.3/31.8A 3W+G	32	\$1,900
WB-14-11	14 Gallon, Gas with Sight Glass	120V	GAS 3A 2W+G	56	\$3,300
WB-14-12	14 Gallon, Electric with Sight Glass	120V/220V	2080/7000W 17.3/31.8A 3W+G	56	\$2,390
EXPORT					
WB5GT30000	5 Gallon, Electric with Aerator	220V	5000W 22.7A 3W+G	32	\$1,300
WB-10-60	10 Gallon, Electric with Sight Glass	220V	7KW 31.8A 2W+G	32	\$1,980
WB-14-60	14 Gallon, Electric with Sight Glass	220V	7KW 31.8A 2W+G	56	\$2,470

STANDARD FEATURES INCLUDE:

- Patented "Scale Stick" ensures top brewing performance • Industry recognized taste and odor removal • Quick disconnect filter head



Water Filtration Systems

Model No.	Description	Shipping Wt. (Lbs.)	List Price	
			1 to 4	5+
CSC10AC00	10" Filter/Cartridge Assembly Complete	3	\$ 134	\$ 108
CSC10CC00	10" Replacement Cartridge	3	\$ 92	\$ 74
CSC10AV00	10" Vend Filter/Cartridge Assembly Complete	3	\$ 134	\$ 108
CSC10CV00	10" Vend Replacement Cartridge	3	\$ 92	\$ 74
CSC15AC00	15" Filter/Cartridge Assembly Complete	4	\$ 160	\$ 134
CSC15CC00	15" Replacement Cartridge	4	\$ 116	\$ 98



STANDARD FEATURES INCLUDE:

All stainless steel construction or plastic construction • Wide selection of sizes to control coffee grounds' bed depth for optimum flavor

Brew Cones/Baskets/Paper Filters

Model No.	Description	Case Ct.	Size	Shipping Wt. (Lbs.)	List Price
Decanter Brewers, Airpot Brewers and GEM120A					
WC-3621-101	Universal 7-1/8" Black Plastic	N/A	N/A	1	\$ 13.00
WC-3316	Standard SS, 7-1/8", with wire basket	N/A	N/A	2	\$ 59.00
WC-3323	Standard SS brew cone only	N/A	N/A	1	\$ 46.00
WC-3317	Wire basket only	N/A	N/A	1	\$ 30.00
CR-10	Filter only - Universal/Standard brew cone	1000	9.5" x 3"	5	\$ 18.00
Airpot Brewers, GEM120A					
WC-3338	Deluxe high capacity SS with wire basket	N/A	N/A	2	\$ 79.00
WC-3313	Deluxe high capacity SS brew cone only	N/A	N/A	1	\$ 64.00
WC-3314	Wire basket only	N/A	N/A	1	\$ 32.00
GEM-6	Filter only	500	12.5" x 4"	5	\$ 20.00
Gemini, ThermoPro, Milano Twins/Singles (excluding GEM120A)					
WC-3357	Standard SS with wire basket	N/A	N/A	2	\$ 79.00
WC-3311	Standard SS brew cone only	N/A	N/A	1	\$ 64.00
WC-3301	Wire basket only	N/A	N/A	1	\$ 32.00
GEM-6	Filter only	500	12.5" x 4"	5	\$ 20.00
WC-3354	Gourmet high capacity SS with wire basket	N/A	N/A	2	\$ 99.00
WC-3352	Gourmet high capacity SS brew cone only	N/A	N/A	1	\$ 80.00
WC-3353	Wire basket only	N/A	N/A	1	\$ 36.00
WC-37308	Gemini Black Plastic	N/A	N/A	1	\$ 40.00
GEM-6-102	Filter only	500	12.75" x 5.25"	6	\$ 26.00
WC-37259	Gourmet high-capacity, Black Plastic, Coffee Logo	N/A	N/A	1	\$ 60.00
GEM-6-101	Filter only	500	15" x 5.5"	7	\$ 32.00
PTT & TCT Tea Brewers					
WC-3358	Standard SS with wire basket and Strainer	N/A	N/A	2	\$ 99.00
WC-3320	Standard SS brew cone with Strainer	N/A	N/A	1	\$ 64.00
WC-3301	Wire basket only	N/A	N/A	1	\$ 32.00
GEM-6	Filter only	500	12.5" x 4"	5	\$ 20.00
WC-37256	Gourmet High Capacity Black Plastic, Tea Logo	N/A	N/A	1	\$ 60.00
GEM-6-101	Filter Only	N/A	15" x 5.5"	7	\$ 32.00
WC-37242	Short Black Plastic with Coffee Label (Combo Brew)	N/A	N/A	1	\$ 18.00
CR-10	Filter only - Universal /Standard brew cone	1000	9.5" x 3"	5	\$ 18.00
Urns					
WC-3302	Wire basket only RU150/300	N/A	N/A	4	\$ 65.00
UP-3	Filter only - RU150/300	500	18" x 7.5"	10	\$ 68.00
WC-3303	Wire basket only RU225/600	N/A	N/A	5	\$ 90.00
UP-6	Filter only - RU225/600	500	21" x 9"	13	\$ 88.00
WC-3304	Wire basket only RU1000	N/A	N/A"	5	\$ 93.00
UP-10	Filter only - RU1000	500	23" x 7.9"	18	\$112.00

STANDARD FEATURES INCLUDE:

Keeps decanters and airpots sparkling clean • Non-scratch sponge fingers • Long reach handles.



Cleaning Brushes

Model No.	Description	Case Ct.	Ship Wt. Cs. (Lbs.)	List Price (ea.)		
				144-576	1440-2016	3600
CAB-1	Clean-a-Bowl Brush	144	7	\$ 1.64	\$ 1.54	\$ 1.48
JB-1	Java Jug Airpot Brush	144	10	\$ 1.96	\$ 1.86	\$ 1.80
WC-3640	Gauge Glass Brush	144	18	\$ 3.80	\$ 3.80	\$ 3.80

Curtis Care Installation

Model	Primary Unit	Additional Unit
Pourover	\$130.00	\$ 50.00
Grinder	\$160.00	\$ 65.00
Alpha/TLP	\$180.00	\$ 90.00
Airpot Brewer	\$180.00	\$ 90.00
Water Boiler	\$180.00	\$115.00
Tea Concentrate	\$180.00	\$ 85.00
Tea/Combo Brewer	\$195.00	\$110.00
Gemini	\$250.00	\$165.00
ThermoPro	\$250.00	\$165.00
Cappuccino	\$225.00	\$145.00
Urn	\$270.00	\$195.00
Additional Charges		
Curtis Care Managed Site Survey		\$130.00
Removal of Unit	\$ 60.00	\$ 35.00
After-hours installation	Add 50% of standard install cost	

Curtis Care Urgent Services

Services will be billed at actual time and material rates plus \$45.00 Curtis Care service fee.

- Standard on-site response time is 24 hours, next business day.
- Curtis Care dedicated 800 number provided for easy Curtis Care Service.
- Service program available 365 days a year, day or night.
- Stress free optional distribution of e-mails advising you where we are in the process of the call.

Curtis Care Preventive Maintenance

Contract Price (per trip)

Primary Unit	Additional Unit
\$195.00	\$130.00
Unit	Contract Term
Cappuccino	3 per year
Brewer	2 per year
Grinder	2 per year

Curtis Care Asset Management

No Hassle Asset Management — Curtis Care Asset Management is a simple stress free method of keeping track of your assets.

Under the program, we can track the following:

- Installation (if purchased)
- Removal of Units (if purchased)
- Preventive Maintenance (if purchased)
- Urgent Service (if purchased)

Our reports provide you:

- Site Name
- Unit
- Service Date
- Automated e-mails generated with a step by step of where the call is in its process.
- Site Address
- Serial Number
- Service Agent Contact Information

Steps

- Ask your Curtis Product Specialist to include Asset Management on your order.
- **Option 1** - Provide us with current information:
 - a. Site Name
 - b. Address
 - c. Contact Phone Number
 - d. Contact Name
 - e. Item No. of Unit
 - f. Serial Number
- **Option 2** - Request a site survey (additional fees apply)
- Report provided on a per year, monthly, or quarterly basis, or for project roll-outs.

Service	Primary Unit	Additional
Initial Contract Fee	\$140.00	\$75.00
Asset Tracking Reports	\$75.00	

Notes

Standard rates are for installations performed during normal business hours (Mon.–Fri., 8:00 AM – 5:00 PM local time). For installation of multiple units at the same site, add the price of the largest unit (primary) and the price of each additional unit. Special rates are available for multiple site rollouts. Includes travel up to 60 miles round trip from the nearest Curtis authorized service center. Delays, (improper electrical or power source) waiting time or operating restrictions that hinder the Service Agent's ability to perform the installation will incur additional charges. Services that are performed beyond the standard installation scope of work will be billable at a rate of \$85.00 per hour during normal business hours (8:00 AM to 5:00 PM local time zone), plus associated parts. After-hours rate is billable at \$97.50 per hour. Above prices are on a per service call basis. Standard on-site response time is 24 hours, next business day. Dedicated 800 number provided for easy Curtis Care Service. Service is provided 24/7 - 365 days a year. For corporate accounts - automated e-mails are generated advising status of service calls.

Freight

Freight F.O.B. Montebello, CA.

Freight prepaid in the continental U.S.A. on shipment of the following items to one location:

1. 2 or more RU series coffee urns.
2. 20 or more TC Iced Tea dispensers.
3. 360 or more glass coffee decanters.

Product Warranty

All in-warranty service calls must have prior authorization. For Authorization, call the Technical Support Department at 1-800-995-0417.

Wilbur Curtis Company, Inc. certifies that its products are free from defects in material and workmanship under normal use. The following limited warranties and conditions apply:

- 3** Years, Parts and Labor, from Original Date of Purchase on digital control boards.
- 2** Years, Parts, from Original Date of Purchase on all other electrical components, fittings and tubing.
- 1** Year, Labor, from Original Date of Purchase on all electrical components, fittings and tubing.

Additionally, Curtis warrants its Grinding Burrs for Forty (40) months from date of purchase or 40,000 pounds of coffee, whichever comes first. Stainless Steel components are warranted for two (2) years from date of purchase against leaking or pitting and replacement parts are warranted for ninety (90) days from date of purchase or for the remainder of the limited warranty period of the equipment in which the component is installed.

Additional conditions may apply. Go to www.wilburcurtis.com to view the full product warranty information.

CONDITIONS & EXCEPTIONS

The warranty covers original equipment at time of purchase only. Curtis assumes no responsibility for substitute replacement parts installed on Curtis equipment that have not been purchased from Curtis. Curtis will not accept any responsibility if the following conditions are not met. The warranty is null and void under any of the following circumstances:


- 1. Improper operation of equipment:** The equipment must be used for its designed and intended purpose and function.
- 2. Improper installation of equipment:** This equipment must be installed by a professional technician and must comply with all local electrical, mechanical and plumbing codes.
- 3. Improper voltage:** Equipment must be installed at the voltage stated on the serial tags supplied with this equipment.
- 4. Improper water supply:** This includes, but is not limited to, excessive, inadequate or fluctuating water flow rate.
- 5. Adjustments and cleaning:** The resetting of safety thermostats and circuit breakers, programming and temperature adjustments are the responsibility of the equipment owner. The owner is responsible for proper cleaning and regular maintenance of this equipment.
- 6. Damaged in transit:** Equipment damaged in transit is the responsibility of the freight company and a claim should be made with the carrier.
- 7. Abuse or neglect (including failure to periodically clean or remove lime accumulations):** Manufacturer is not responsible for variation in equipment operation due to excessive lime or local water conditions. The equipment must be maintained, serviced and inspected daily according to the manufacturer's recommendations.
- 8. Replacement of items subject to normal use and wear:** This shall include, but is not limited to, light bulbs, shear disks, "O" rings, gaskets, silicone tube, canister assemblies, whipper chambers and plates, mixing bowls, agitation assemblies and whipper propellers.
- 9. Repairs and/or Replacements** are subject to our discretion that the workmanship or parts were faulty and the defects showed up under normal use. All labor shall be performed during regular working hours. Overtime charges are the responsibility of the owner. Charges incurred by delays, waiting time, or operating restrictions that hinder the service technician's ability to perform service is the responsibility of the owner of the equipment. This includes institutional and correctional facilities. Curtis will allow up to 60 miles, round trip, per in-warranty service call.

RETURN MERCHANDISE AUTHORIZATION

All claims under this warranty must be submitted to Curtis' Technical Support Department **prior to performing any repair work or return of this equipment to the factory.** All returned equipment must be re-packaged properly in the original carton. No units will be accepted if they are damaged in transit due to improper packaging. **NO UNITS OR PARTS WILL BE ACCEPTED WITHOUT A RETURN MERCHANDISE AUTHORIZATION (RMA) tag. RMA MUST BE MARKED ON THE CARTON OR SHIPPING LABEL.** All in-warranty service calls must be performed by Curtis authorized service agent. Call the Curtis Technical Support Department to find an agent near you. Returned parts that failed under warranty are an important part of our analysis, beginning October 1, 2007, we will no longer accept claims that are returned outside of our 45 day claim window. We will pay for claims only when the required parts are returned.

Representative Locator

For the local representative in your area
log on to www.wilburcurtis.com



Steve Bradley

Corporate Vice President
518 Braemar Avenue
Naperville, IL 60563
Ph: 630-778-7886
Fx: 323-832-1103
sbradley@wilburcurtis.com

WESTERN REGION

John Biesek
Vice President

6913 Acco Street
Montebello, CA 90640
Ph: 323-837-2442
Fx: 323-837-2406
jbiesek@wilburcurtis.com

NORTHERN REGION

Dan Schneider
Vice President

8511 Prairie Field Drive
Union, IL 60180
Ph: 815-923-2438
Fx: 323-832-1110
dschneider@wilburcurtis.com

SOUTHERN REGION

Frank McCarter
Vice President

209 Penicillin Point
Troutman, NC 28166
Ph: 704-528-0219
Fx: 323-832-1107
FMcCarter@wilburcurtis.com

INTERNATIONAL

Diane Grossman

Director of International Sales
Ph: 323-837-2441 • Fx: 323-837-2409
dgrossman@wilburcurtis.com

Michael Conner

Director of Business Development
Ph: 323-837-2341 • Fx: 323-837-1115
mconner@wilburcurtis.com



WILBUR CURTIS COMPANY, INC.

6913 Acco Street • Montebello, CA 90640-5403 • Telephone: 800-421-6150 • 323-837-2300 • Fax: 323-837-2406 • www.wilburcurtis.com
email: csrassistance@wilburcurtis.com