









2008 PRICE LIST

Cabinets & Merchandisers

REVISION A

Effective August 2, 2008 to February 15, 2009



See the inside front cover for a list of energy saving features and options on Master-Bilt equipment





Because energy savings is an ever-increasing concern, Master-Bilt strives to make our equipment as efficient as possible. That's why we initiated our Energy Saver program to help you quickly identify features that serve your efficiency needs. Below is a list of features and options included in the program. Visit www. master-bilt.com/products/energy_saver.htm for more information.

Feature	Energy-Saving Function	Where Used
Demand defrost	Initiates electric defrost heaters only as needed	As part of the optional Master Controller electronic control system on walk-ins
Electric expansion valve	Highly efficient valve eliminates need to maintain a high head pressure (head pressure control valve eliminated also) allowing a lower head pressure and condensing temperature. A compressor operating at a lower condensing temperature yields higher capacity with less energy input.	As an integrated part of the optional Master Controller system for walk-ins
Reverse cycle defrost	A reverse cycle valve reverses the flow of high temperature refrigerant through evaporator coil, heating along its entire length and eliminating frost buildup. Results in an 80% decrease in defrost energy usage as well as a major reduction in defrost time.	An option used in conjunction with the Master Controller on walk-ins
Electronic lighting	T8 lighting with electronic ballasts uses less electricity than electromagnetic ballasts. Electronic lamps and ballasts run cooler reducing heat buildup in the refrigerated space.	Numerous cabinets and glass door walk-in freezers
Greenheat™ ASM-115 anti-sweat module	Modulates glass door and frame heaters that evaporate condensation. Heaters are only energized as needed.	An option on glass door walk-in freezers
MBWA-1 digital alarm/light management system	Door open alarm prevents door from being left open. Optional light management system automatically turns off lights after a programmed interval.	An option on walk-in coolers and freezers
Permanent Split Capacitor (PSC) Fan Motors	Amount of torque and current required to start PSC motors is low, making them more efficient. PSC motors run cooler, reducing heat load to refrigerated space which makes the compressor run less.	Optional on single phase walk-in unit coolers and standard on condensing units
5" and 6" thick panels	Thickness of panels produces a higher R-factor and energy efficiency required by California Energy Code	An option on walk-in coolers and freezers
MRS & DRS multi-compressor remote refrigeration systems	Since these systems are remote, the heat produced by multiple condensing units is removed from the kitchen or sales space reducing the air conditioning load and energy bill	Walk-ins and cabinets with remote refrigeration systems



Contents

	GELATO MERCHANDISERS GEL Series	2
	ICE CREAM, FROZEN FOOD & DAIRY MERCHANDISERS	
	FIP-40/FIP-50 Series	2
	Coldin IG/IG-C Series	
	GT SeriesDD/DD-L/DD-CG Series	
	DC Series	
	FLR Series	
MEW	BHC Series	
	IHC Series	10
	OPEN DISPLAY MERCHANDISERS	11
	QMVM/QMVM-L Series	
	MDT Series	
	ICE MERCHANDISERS	
NEW		17
	GLASS DOOR MERCHANDISERS	
	BMG/BLG Series	18
	TMG/TLG Series	
	BGR-14 SeriesSMB Series	
	ENDLESS REMOTE GLASS DOOR MERCHANDISERS	21
	BEM/BEL Series	22.
	TEM/TEL Series	
	DELI, DAIRY & SANDWICH MERCHANDISERS	
	DMS/DMS-F/DMS-L/DMS-LF Series	27
	MILK COOLERS	
	ATMC Series	28
	ATMC-D Series	
	OMC Series DOMC Series	
	HEATER/PROOFING CABINET	
	HP6A-LX Series	30
	FOODSERVICE REACH-INS	
	TAC/TAF Series	31
	BSD Series	
	PREP UNITS & UNDERCOUNTERS	
	SPT/UC Series	
	PPT Series	33
	SAMPLE CABINET WARRANTY	34
	CONDENSING UNIT FEATURES	35
	TEDMS OF SALE & SDECIAL CONSIDERATIONS	26

Gelato Merchandisers

GEL SERIES Gelato Merchandisers







	LIST	DIMENSIONS (In Inches)					UNIT	CAPACITY 5 LITER	SHIP	SHIP WT.
MODEL	PRICE	L	D	н	VOLTS*	AMPS**	-	PANS	CU. FT.	LB/KG
GEL-6	\$25,591	46 ⁵ / ₁₆	441/2	533/8	208-230	9.0	1	12	93.0	900/409
GEL-9	\$30,057	65 ¹⁵ / ₁₆	44 ¹ / ₂	533/8	208-230	13.1	***	18	127.0	1100/500
GEL-12	\$37,040	85 ¹ / ₂	441/2	533/8	208-230	13.8	***	24	161.0	1300/591

^{*}Note: 208-230/60/1 also requires neutral and safety ground wire.

GEL SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		CASTERS	
A016A11140	\$141	Set of 4, 21/2" dia. for GEL-6 and GEL-9	4/2
A018A11140	\$202	Set of 6, 2 ¹ / ₂ " dia. for GEL-12	5/2
		STAINLESS STEEL FIVE LITER FOOD PANS (PRICE EACH)	
44-01050	\$75	GEL-6 holds 24 (12 per level), GEL-9 holds 36 (18 per level), GEL-12 holds 48 (24 per level)	3/1
		STAINLESS STEEL 1/3 SIZE 4" DEEP FOOD PANS (PRICE EACH)	
44-01054	\$75	GEL-6 holds 20 (10 per level), GEL-9 holds 32 (16 per level), GEL-12 holds 44 (22 per level)	3/1
		STAINLESS STEEL 1/3 SIZE 6" DEEP FOOD PANS (PRICE EACH)	
44-01055	\$75	GEL-6 holds 10, GEL-9 holds 16, GEL-12 holds 22	3/1
		DIPPER WELL	
A060-20400	\$462	With installation kit for all GEL models	4/2

Add \$250 net for custom paint upcharge on front, rear and/or ends of GEL models.

VOLTS

115

AMPS

13.6

Ice Cream, Frozen Food & Dairy Merchandisers

DIMENSIONS

(In Inches)

31

FIP-40/FIP-50 SERIES Ice Cream & Novelty Display Merchandisers

н

503/16



		\$11,093					
FIP SERIES Options							

LIST

PRICE

\$10.439



FIP-40

	LIST	
PART NO.	PRICE	DESCRIPTION
		EXTRA SHELF
33-01721	\$143	Extra wire shelf for FIP-40
		CASTERS
A039-11140	\$144	Set of four, 2" dia. for FIP-40
A070-11140	\$269	Set of four, 3" dia. for FIP-50
		<u> </u>



MODEL

FIP-40





(Both models) (FIP-40 only) (FIP-50 only)



SHIP

WT.

LB/KG

427/194 640/291

SHIP WT. LB/KG

12/5

4/2 6/3

SHIP

CU.

FT.

46.4

CAPACITY

CU. FT.

11.8

UNIT

H.P.

3/4

^{**}Standard electric condensate evaporator pan requires a dedicated 15 amp, 120 volt circuit.

^{***}Refrigeration system contains two 1 HP compressors.

COLDIN™ IG/IG-C SERIES Display Freezers



IG-408



IG-409C





	LIST		MENSIO n Inche				UNIT	INTERNAL VOLUME	SHIP	SHIP WT.
MODEL	PRICE	L	D	Н	VOLTS	AMPS	H.P.	CU. FT.*	CU. FT.	LB/KG
STANDAR	D FLAT	LID								
IG-208	\$1597	299/16	257/8	361/2	115	3.4	1/4	6.1	19.4	101/46
IG-308	\$1865	41	257/8	36 ¹ / ₂	115	4.2	1/4	9.5	27.1	119/54
IG-408	\$2081	51 ⁹ / ₁₆	25 ⁷ / ₈	36 ¹ / ₂	115	5.3	1/4	12.5	34.9	136/62
IG-508	\$2381	60 ¹ / ₂	257/8	36 ¹ / ₂	115	6.2	1/4	14.1	40.3	163/74
IG-608	\$2619	693/4	25 ⁷ / ₈	36 ¹ / ₂	115	5.0	1/2	16.7	45.0	183/83
CURVED I	.ID									
IG-209C	\$1929	299/16	257/8	361/2	115	3.4	1/4	5.0	19.4	99/45
IG-309C	\$2264	41	257/8	36 ¹ / ₂	115	3.7	1/4	7.8	26.3	128/58
IG-409C	\$2567	51 ⁹ / ₁₆	25 ⁷ /8	36 ¹ / ₂	115	5.6	1/4	10.4	34.1	136/62
IG-509C	\$2886	601/2	25 ⁷ /8	36 ¹ / ₂	115	6.0	1/2	11.5	39.5	183/83
IG-609C	\$3062	693/4	25 ⁷ /8	36 ¹ / ₂	115	6.0	1/2	13.6	44.2	202/92

^{*}Measured at product load line.


COLDIN SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		EXTRA BASKETS FOR STANDARD FLAT LID MODELS	
70-00100	\$42	210 mm basket for Coldin flat lid models (each)	7/3
70-00101	\$42	285 mm basket for Coldin flat lid models (each)	7/3
		EXTRA BASKETS FOR CURVED LID MODELS	
70-00105	\$42	210 mm basket for Coldin curved lid models (each)	7/3
70-00102	\$42	285 mm basket for Coldin curved lid models (each)	7/3
		EXTRA BASKET DIVIDERS	
70-00150	\$15	Horizontal divider for Coldin 210 mm basket (each)	2/1
70-00151	\$15	Horizontal divider for Coldin 285 mm basket (each)	2/1
70-00152	\$15	Vertical divider for Coldin 210 mm and 285 mm baskets (each)	2/1
		REPLACEMENT THERMOMETER	
70-00002	\$15	For all Coldin models (each)	2/1

Consult factory for pricing and availability on lighted canopies, sneeze guards and solid lids.



COLDIN THERMOMETER



COLDIN BASKET WITH DIVIDERS

GT SERIES Low Temp Horizontal Display Merchandisers





	LIST	DIMENSIONS (In Inches)					UNIT	CAPACITY	SHIP CU.	SHIP WT.
MODEL	PRICE	L	D	Н	VOLTS	AMPS	H.P.	CU. FT.	FT.	LB/KG
GT-30	\$7646	3615/16	323/16	$39^{3}/8$	115	9.9	1/2	7.2	43.0	435/198
GT-40	\$7787	485/8	323/16	393/8	115	9.9	1/2	10.0	50.0	470/214
GT-50	\$8558	603/8	323/16	$39^{3}/_{8}$	115	10.1	3/4	13.5	60.0	530/241
GT-60	\$8778	72 ⁵ / ₁₆	323/16	393/8	115	10.3	3/4	17.4	71.0	585/266
GT-80	\$10,229	9515/16	323/16	393/8	115	12.0	3/4	25.5	92.0	705/320





GT SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
TART NO.	I MICE	CASTERS	LD/ RG
A027-11240	\$116	Set of 4, 2"diameter for GT-30 through GT-60	8/4
A033-11240	\$173	Set of 6, 2" diameter for GT-80	10/5
		LOAD LEVEL SHELVES	
A027-18127	\$333	For GT-30	7/3
A029-18127	\$343	For GT-40	20/9
A030-18127	\$409	For GT-50	20/9
A031-18127	\$426	For GT-60	25/11
A033-18127	\$493	For GT-80	35/16
		LID LOCKING KITS - LESS LOCKS	
A027-11129	\$68	For GT-30	1/0.4
A029-11129	\$87	For GT-40 through GT-60	1/0.4
A032-11129	\$118	For GT-80	1/0.4
		NOVELTY BASKETS - WELDED WIRE WHITE EPOXY-COATED	
33-01405	\$46	9.125" x 12" x 7.125" deep	5/2
		SACK RACK - 48"L X 17.5"H X 3"D	
A030-20400	\$212	For GT-50 through GT-80	27/12
		SUPERSTRUCTURES	
A027-20200	\$1142	For GT-30	100/45
A029-20200	\$1270	For GT-40	100/45
A030-20200	\$1514	For GT-50	112/51
A031-20200	\$1631	For GT-60	140/64
A033-20200	\$1948	For GT-80	173/79







GT LOAD LEVEL SHELF



GT LID LOCKING KIT

DD/DD-L/DD-CG SERIESDeluxe Ice Cream Dipping/Display Merchandisers



DD-46

	DIMENSIONS (In Inches)			(In Inches)				UNIT	CAPACITY DISPLAY/	SHIP	SHIP WT.
MODEL	L	D	н	VOLTS	AMPS	H.P.	STORAGE**	CU. FT.	LB/KG		
DD-26/26L/26CG	26 ¹ / ₂	273/4	*	115	7.4	1/3	4/0	38.0	240/109		
DD-46/46L/46CG	473/4	273/4	*	115	7.5	1/2	8/4	54.0	370/168		
DD-66/66L/66CG	691/4	273/4	*	115	9.7	1/2	12/8	76.0	495/225		
DD-88/88L/88CG	903/4	273/4	*	115	11.5	3/4	16/12	97.0	600/273		

^{*}Height of standard and low glass models: 50", curved glass models: 52"

^{**}Capacity measured in $9^{1}/2^{1}$ diameter, 3 gallon cans.



DD-46L

STANDARD MODELS

MODEL	LIST PRICE
DD-26	\$4978
DD-46	\$5881
DD-66	\$8168
DD-88	\$9070

LOW GLASS MODELS

MODEL	LIST PRICE
DD-26L	\$5976
DD-46L	\$6858
DD-66L	\$9704
DD-88L	\$10,977

CURVED GLASS MODELS

MODEL	LIST PRICE
DD-26CG	\$5747
DD-46CG	\$7159
DD-66CG	\$9115
DD-88CG	\$10.035

Optional rear service doors available. Add \$326 to list price of DD-46 models and \$651 for DD-66 and DD-88 models. DD-46 models require one door, DD-66 and DD-88 require two.



DD-46CG





DD/DD-L/DD-CG SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		CAN HOLDERS - INCLUDES WHITE CAN COVERS	
A059-20300	\$402	For DD-26/DD-26L/DD-26CG	5/2
A062-20300	\$602	For DD-46/DD-46L/DD-46CG	8/4
A060-20300	\$814	For DD-66/DD-66L/DD-66CG	10/5
A061-20300	\$1007	For DD-88/DD-88L/DD-88CG	14/6
		CAN COVERS	
44-00984	\$16	Clear (each)	2/0.9
44-00973	\$8	White (each)	2/0.9
		DIPPER WELL	
A060-20400	\$462	With installation kit for all DD, DD-L and DD-CG models	4/2
		FROST SHIELDS (A MASTER-BILT EXCLUSIVE)	
A059-11150	\$257	For DD-26/DD-26CG	5/2
A062-11150	\$321	For DD-46/DD-46CG	7/3
A060-11150	\$465	For DD-66/DD-66CG	8/4
A061-11150	\$474	For DD-88/DD-88CG	10/5
A059-11250	\$257	For DD-26L	5/2
A062-11250	\$321	For DD-46L	7/3
A060-11250	\$465	For DD-66L	8/4
A061-11250	\$474	For DD-88L	10/5

CONTINUED ON NEXT PAGE

DD/DD-L/DD-CG SERIES Options (cont.)

	LIST		SHIP WT.
PART NO.	PRICE	DESCRIPTION	LB/KG
		CASTERS	
		Set of 4, 2" diameter for DD-26/DD-26L/DD-26CG and	
A059-11340	\$119	DD-46/DD-46L/DD-46CG	4/2
		Set of 6, 2" diameter for DD-66/DD-66L/DD-66CG and	
A060-11340	\$175	DD-88/DD-88L/DD-88CG	5/2
		LEG KITS	
A062-11270	\$148	6" leg kit for DD-26/DD-26L/DD-26CG and DD-46/DD-46L/DD-46CG	18/8
A061-11270	\$213	6" leg kit for DD-66/DD-66L/DD-66CG and DD-88/DD-88L/DD-88CG	26/12
		LID LOCKING KITS - LESS LOCKS	
A059-11129	\$75	For DD-26/DD-26L/DD-26CG and DD-46/DD-46L/DD-46CG	2/1
A060-11129	\$120	For DD-66/DD-66L/DD-66CG and DD-88/DD-88L/DD-88CG	3/1
		DDN FLAVOR TAGS	
A062-20225	\$13	For all DD/DD-CG models	1/.5
		ICE CREAM PAN RACK ASSEMBLY (PANS NOT INCLUDED)	
A059-18040	\$307	For DD-26/DD-26CG	15/7
A062-18040	\$577	For DD-46/DD-46CG	17/8
A060-18040	\$713	For DD-66/DD-66CG	26/12
A061-18040	\$761	For DD-88/DD-88CG	31/14
A059-S9040	\$388	For DD-26L	17/8
A062-S9040	\$498	For DD-46L	19/9
A060-S9040	\$608	For DD-66L	35/16
A061-S9040	\$688	For DD-88L	40/18




DD FROST SHIELDS



DD CAN HOLDERS



DD REAR SERVICE DOOR



DD FLAVOR TAG

DC SERIES Conventional Ice Cream Storage/Dipping Cabinets

Stainless
Steel
Exterior Finish
Available



		LIST	STAINLESS EXTERIOR	STAINLESS EXTERIOR		IENSI Inch				UNIT	CAPACITY DISPLAY/	SHIP CU.	SHIP WT.
١	MODEL	PRICE	MODEL	LIST PRICE	L	D	Н	VOLTS	AMPS		STORAGE*	FT.	LB/KG
/	DC-2S	\$3817	DC-2SSE	\$4310	31 ⁷ /8	21 ¹ /8	34 ¹ / ₈	115	5.7	1/4	2/1	19.0	195/89
	DC-4S	\$4479	DC-4SSE	\$5483	54	211/8	341/8	115	5.7	1/4	5/4	36.0	280/127
	DC-4D	\$4011	DC-4DSE	\$4932	305/8	301/8	341/8	115	5.7	1/4	5/2	27.0	220/100
	DC-6D	\$4654	DC-6DSE	\$5484	43	301/8	341/8	115	5.7	1/4	8/5	39.0	275/125
	DC-8D	\$4932	DC-8DSE	\$5835	54	301/8	341/8	115	7.3	1/3	11/8	47.0	365/164
	DC-10D	\$5801	DC-10DSE	\$6276	665/8	301/8	341/8	115	7.3	1/3	14/11	59.0	430/195
	DC-12D	\$7500	DC-12DSE	\$8762	845/8	30 ¹ / ₈	341/8	115	7.5	1/3**	18/15	71.0	490/223
	DC-8D DC-10D	\$4932 \$5801	DC-8DSE DC-10DSE	\$5835 \$6276	54 66 ⁵ / ₈	30 ¹ / ₈	34 ¹ / ₈ 34 ¹ / ₈	115 115	7.3 7.3	1/3	11/8 14/11	47.0 59.0	365 430

^{*}Capacity measured in 3 gallon cans.

DC-8D





DC-2S




(C-UL listing for all models except DC-12D)

DC SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		CASTERS	
A039-11140	\$144	Set of 4, 2" diameter casters for DC-2S, DC-4S, DC-4D, DC-6D and DC-8D	4/2
A044-11140	\$207	Set of 6, 2" diameter for DC-10D and DC-12D	5/2
		LEG KITS	
A039-11170	\$143	6" leg kit for DC-2S, DC-4S, DC-4D, DC-6D and DC-8D	18/8
A044-11170	\$191	6" leg kit for DC-10D and DC-12D	26/12
		LID LOCKING KITS - LESS LOCKS	
A041-11129	\$104	For DC-2S and DC-4D	3/1
A051-11229	\$342	For DC-4S	5/2
A043-11129	\$190	For DC-6D and DC-8D	5/2
A044-11129	\$314	For DC-10D and DC-12D	6/3
		LIDS	
44-00470	\$320	Single lid for DC models	5/2
44-00471	\$418	Double lid for DC models	9/4
		LOAD LEVEL SHELVES	
A039-18127	\$224	Load level shelf for DC-2S	*
A040-18127	\$396	Load level shelf for DC-4S	*
A041-18127	\$246	Load level shelf for DC-4D	16/7
A042-18127	\$411	Load level shelf for DC-6D	20/9
A043-18127	\$421	Load level shelf for DC-8D	22/10
A044-18127	\$557	Load level shelf for DC-10D	24/11
A045-18127	\$644	Load level shelf for DC-12D	*
		DIPPER WELL	
A060-20400	\$462	With installation kit for all DC models	4/2

^{*}Consult factory.



DC LID LOCKING KIT

^{**}DC-12D contains semi-hermetic compressor.

FLR SERIES Flavorail Ice Cream Dipping Cabinets



				STAINLESS EXTERIOR		OIMENSION (In Inches		MENSIONS n Inches)					CAPACITY DISPLAY/		
1	MODEL	PRICE	MODEL	LIST PRICE	L	D	Н	VOLTS	AMPS	H.P.	STORAGE*	FT.	LB/KG		
	FLR-60	\$5614	FLR-60SE	\$6,216	43	30 ¹ /8	38 ¹ / ₄	115	5.7	1/4	5/7	46.0	300/136		
	FLR-80	\$5883	FLR-80SE	\$6,566	54	301/8	381/4	115	7.3	1/3	6/11	57.0	340/155		

^{*}Capacity measured in 3 gallon cans.



FLR-80





Standard FLR cabinets do not include optional pumps and jars.

FLR SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
TART NO.	I MICE	PUMP AND JAR ASSEMBLIES	LD/ NG
A050-11150	\$924	For FLR-60: 1 chocolate pump, 1 syrup pump, 3 jars with lids and spoons	12/5
		For FLR-80: 1 chocolate pump, 2 syrup pumps, 6 jars with lids and	
A051-11150	\$1414	spoons, 1 spoon holder	20/9
		LID LOCKING KITS - LESS LOCKS	
A050-11229	\$245	For FLR-60	5/2
A051-11229	\$342	For FLR-80	5/2
		CASTERS	
A039-11140	\$144	Set of 4, 2" dia. for FLR-60 and FLR-80	4/2
		LEG KITS	
A039-11170	\$143	6" leg kit for FLR models	18/8
		INDIVIDUAL PARTS	
44-00558	\$208	Chocolate pump	3/1
44-00559	\$160	Syrup pump	3/1
44-00561	\$55	Spoon holder jar	3/1
44-00562	\$32	Fruit jar (does not include hinged lid or ladle)	3/1
44-00560	\$41	Syrup jar (does not include hinged lid or ladle)	3/1
44-00565	\$82	Hinged lid (for individual fruit jar)	1/0.4
44-00563	\$25	Ladle	1/0.4
		DIPPER WELL	
A060-20400	\$462	With installation kit for all FLR models	4/2



FLR-80 PUMPS AND JARS



BHC SERIES Bottom Mounted Ice Cream Hardening & Holding Cabinets





BHC-27



SELF-CONTAINED

	LIST	OIMENSIONS (In Inches)				UNIT	CAPACITY 3 GAL.	USABLE INTERIOR CAPACITY	SHIP WT.	
MODEL	PRICE	L	D	Н	VOLTS	AMPS	H.P.	CANS	CU. FT.	LB/KG
BHC-27	\$8873	31	361/2	79	115	12.0	3/4	24	20.5	630/286
BHC-27E**	\$9005	31	361/2	79	230**	6.0	3/4	24	20.5	630/286
BHC-48E**	\$11,985	52	36 ¹ / ₂	79	230**	9.0	2	48	36.5	880/400

^{**230} volt models operate on 208-230/60/1 and also on 220/50/1.

REMOTE (Less condensing unit)*

		CAS	E AMP D	RAW	NORMAL	HIGH		
		230V			AMBIENT	AMBIENT AMBIENT		
	LIST	CASE	ASE EVAP.		UNIT	UNIT	SHIP WT.	
MODEL	PRICE	HEATER	FANS	DEFROST	UP TO 100°F	100°F TO 120°F	LB/KG	
BHC-48R	\$10,192	0.7	.5	5.8	MHLZ0091 (B or C)	MHLZ0121 (B or C)	CONTACT	
							FACTORY	

BHC cabinets operate on a minimum of 208 volts. Part no. 39-01087 voltage boosting transformer (see options below) must be used when the supply voltage is less than 208 volts. This transformer is shipped loose.

REMOTE CONDENSING UNIT SPECIFICATIONS (Standard features listed on p. 35)*

				BTU	BTU	BTU	BTU	ELECTRICAL		
				RATING	RATING	RATING	RATING			
				AT +20°F SUCTION	AT -10°F SUCTION	AT -20°F SUCTION	AT -30°F SUCTION			
	LIST			+35°F	0°F	-10°F	-20°F			SHIP WT.
MODEL	PRICE	VOLTAGE	REFRIG.	CABINET*	-			MCA	МОР	LB/KG
MHLZ0091B	\$4087	208-230/60/1	R-404A	N/A	12,480	9133	6193	26	40	260/118
MHLZ0091C	\$3982	200-230/60/3	R-404A	N/A	12,314	9230	6484	19	25	245/111
MHLZ0121B	\$4279	208-230/60/1	R-404A	N/A	15,035	11,559	8077	30	45	260/118
MHLZ0121C	\$4236	200-230/60/3	R-404A	N/A	14,963	11,596	8402	21	30	260/118

^{*}BTUs rated at 90°F air entering condenser.

BHC SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		CASTERS	
A039-11140	\$144	Set of 4, 2" dia. for BHC-27, BHC-27E, BHC-48E	4/2
		LEG KITS	
A200-11170	\$430	6" kit for for BHC-27, BHC-27E, BHC-48E	20/9
		EXTRA CONVENTIONAL SHELVING	
33-01763	\$111	For BHC-27 and BHC-27E	7/3
33-01875	\$183	For BHC-48E	8/4
		EXTRA SHELF CLIPS	
33-01011	\$4	For all BHC models	2/1
		EXTRA CONVENTIONAL SHELVING - BLACK PAINTED UPCHARGE	
		\$20 each shelf for all BHC models	
		VOLTAGE BOOSTING TRANSFORMER	
39-01087	\$548	For BHC-27E and BHC-48E models	14/6

IHC SERIES Top Mounted Ice Cream Hardening & Holding Cabinets



SELF-CONTAINED

	LIST	OIMENSIONS (In Inches)						CAPACI- TY 3 GAL.	USABLE INTERIOR CAPACITY	SHIP WT.	
MODEL	PRICE	L	D	Н*	VOLTS					CU. FT.	LB/KG
IHC-27	\$11,477	31	36	82	208-230	7.4	1	6-15P	20	19.0	490/223
IHC-48	\$14,427	52	36	82	208-230	11.5	11/2	6-15P	43	34.5	690/314

^{*}Height includes 6" - 7" adjustable legs.



IHC-48

REMOTE (Less condensing unit)*

		(ASE AMP DRAW			
	LIST		230V	CONDENSING	SHIP WT.	
MODEL	PRICE	CASE HEATER	EVAP. FANS	DEFROST	UNIT*	LB/KG
IHC-48R	\$11,097	2.3	0.5	6.5	MCLZ0101(B or C)	560/255

^{*}Remote condensing units sized for 100°F ambient. Consult factory for higher ambient conditions.





IHC cabinets operate on a minimum of 208 volts. Part no. 39-01087 voltage boosting transformer (see options below) must be used when the supply voltage is less than 208 volts. This transformer is shipped loose.

REMOTE CONDENSING UNIT SPECIFICATIONS (Standard features listed on p. 35)*

				BTU	BTU	BTU	BTU	ELECTRICAL		
				RATING	RATING	RATING	RATING			
				-	AT -10°F SUCTION	AT -20°F SUCTION	AT -30°F SUCTION			
	LIST			+35°F	0°F	-10°F	-20°F			SHIP WT.
MODEL	PRICE	VOLTAGE	REFRIG.	CABINET*	CABINET*	CABINET*	CABINET*	MCA	MOP	LB/KG
MCLZ0101B	\$7281	208-230/60/1	R-404A	N/A	11,804	9104	6999	24	35	330/150
MCLZ0101C	\$6912	208-230/60/3	R-404A	N/A	11,678	8755	6169	19	20	330/150

^{*}BTUs rated at 90°F air entering condenser.

IHC SERIES Options

	LIST		SHIP WT.
PART NO.	PRICE	DESCRIPTION	LB/KG
		CASTERS	
A297-11140	\$613	Set of 4, 5" dia. casters for IHC-27 and IHC-48	38/17
		CANTILEVER SHELVES - WELDED WIRE, GRAY EPOXY-COATED,	
		TWO-POSITION	
33-01519	\$111	Extra cantilever shelf for IHC-27	7/3
33-01518	\$111	Extra cantilever shelf for IHC-48	7/3
		PAN RACK	
02-70976	\$623	For both IHC models (per section)	25/11
		VOLTAGE BOOSTING TRANSFORMER	
39-01087	\$548	For both IHC models	14/6



QMVM/QMVM-L SERIES Quantum Series Medium Temp Open Display Merchandisers

QMVM-36 & QMVM-48 models now with cord and plug.





QMVM-36L



SELF-CONTAINED

		STAINLESS INTERIOR/	STAINLESS INTERIOR/		DIMENSION (In Inches					CAP.	SHIP	SHIP
MODEL	LIST PRICE	EXTERIOR MODEL	EXTERIOR LIST PRICE	L	D	н	VOLTS	AMPS	UNIT H.P.	CU. FT.	CU. FT.	WT. LB/KG
STANDA	STANDARD											
QMVM-36E	\$11,967	QMVM-36ESS	\$16,347	36	30	81	208-230	13.5	1	13.6	89.0	525/239
QMVM-48E	\$12,295	QMVM-48ESS	\$18,123	48	30	81	208-230	16.1	1	20.4	107.0	640/291
QMVM-72E	\$14,184	QMVM-72ESS	\$21,377	72	30	81	115/208-	3.7/13.7	11/2	31.5	152.0	860/391
							230					
LOW PR	LOW PROFILE											
QMVM-36L	\$9361	QMVM-36LSS	\$14,340	36	30	60	115	14.8	1/2	11.2	67.0	490/223
QMVM-48L	\$10,409	QMVM-48LSS	\$15,036	48	30	60	115	14.9	3/4	15.4	81.0	580/264

REMOTE (Less condensing unit)*

		C	ASE AMP DRAV				
	LIST	115V	208-230V	230V	CONDENSING	SHIP WT.	
MODEL	PRICE	LIGHTS	EVAP. FANS	DEFROST	UNIT*	LB/KG	
QMVM-48R	\$10,293	3.0	0.9	3.5	MHHZ0191(B or C)	535/243	
QMVM-72R	\$12,129	4.3	1.4	4.8	MHHZ0221(B or C)	720/327	

^{*}Remote condensing units sized for 100°F ambient. Consult factory for higher ambient conditions.

NOTE: QMVM & QMVM-L models require floor drain. If drain is unavailable, condensate evaporator drain pan option is necessary, see p. 12 for details.

REMOTE CONDENSING UNIT SPECIFICATIONS (Standard features listed on p. 35)*

				BTU	BTU	BTU	BTU	ELECT	RICAL	
	LIST			RATING AT +20°F SUCTION +35°F	RATING AT -10°F SUCTION 0°F	-10°F	RATING AT -30°F SUCTION -20°F			SHIP WT.
MODEL	PRICE	VOLTAGE	REFRIG.	CABINET*	CABINET*	CABINET*	CABINET*	MCA	MOP	LB/KG
MHHZ0191B	\$3932	208-230/60/1	R-404A	14,826	N/A	N/A	N/A	20	30	360/164
MHHZ0191C	\$4230	200-230/60/3	R-404A	14,661	N/A	N/A	N/A	19	20	360/164
MHHZ0221B	\$4065	208-230/60/1	R-404A	16,726	N/A	N/A	N/A	23	30	360/164
MHHZ0221C	\$4280	200-230/60/3	R-404A	16,491	N/A	N/A	N/A	23	25	360/164

^{*}BTUs rated at 90°F air entering condenser.

QMVM/QMVM-L SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		PRODUCT HOOK ASSEMBLY	
A068-15000	\$98	For QMVM-36 & QMVM-36L [(1) 33.5" bar, (2) shelf brackets, and (8) 6" hooks]	8/4
A075-15000	\$111	For QMVM-48 & QMVM-48L [(1) 43" bar, (2) shelf brackets, and (10) 6" hooks]	5/2
A076-15000	\$124	For QMVM-72 [(1) 33.5" bar, (2) shelf brackets, and (8) 6" hooks]	4/2
44-01016	\$4	Extra 6" hooks (each)	5/2
		CASTERS	
A075-11140	\$293	Set of 4, 3" dia. for QMVM-36, QMVM-36L, QMVM-48 and QMVM-48L	16/7
A076-11140	\$429	Set of 6, 3" dia. for QMVM-72	24/11
		CONDENSATE PUMP	,
61-00529	\$372	For QMVM-72	12/5
		CONDENSATE EVAPORATOR DRAIN PAN (MUST BE FIELD	, -
		INSTALLED & REQUIRES DEDICATED 15A, 120V CIRCUIT)	
17-09287	\$555	For QMVM-36 and QMVM-36L	8/4
17-09264	\$624	For QMVM-48 , QMVM-48L and QMVM-72	15/7
		EXTRA SHELVES – WHITE	
A068DW214*	\$459	14" lighted shelf for QMVM-36* (full shelf) EXTENDED HOOD VERSION ONLY	15/7
		14" non-lighted shelf for QMVM-36 and QMVM-36L* (full shelf) EXTENDED HOOD	
A068DW114*	\$241	VERSION ONLY	11/5
A075DW214*	\$534	14" lighted shelf for QMVM-48* (full shelf) EXTENDED HOOD VERSION ONLY	20/9
7.07.02.112.1	400.	14" non-lighted shelf for QMVM-48 and QMVM-48L* (full shelf) EXTENDED	20/2
A075DW114*	\$420	HOOD VERSION ONLY	**
A076DW214*	\$464	14" lighted shelf for QMVM-72* (half shelf) EXTENDED HOOD VERSION ONLY	**
A076DW114*	\$314	14" non-lighted shelf for QMVM-72* (half shelf) EXTENDED HOOD VERSION ONLY	15/7
7.07 02 1111	Ψ311	EXTRA SHELVES – BLACK PAINTED	13//
A068DB214*	\$476	14" lighted shelf for QMVM-36* (full shelf) EXTENDED HOOD VERSION ONLY	15/7
A006DB214	Ψ - 770	14" non-lighted shelf for QMVM-36 and QMVM-36L* (full shelf) EXTENDED HOOD	13/7
A068DB114*	\$258	VERSION ONLY	11/5
A075DB214*	\$550	14" lighted shelf for QMVM-48* (full shelf) EXTENDED HOOD VERSION ONLY	20/9
AU/3DBZ14	\$330	14" non-lighted shelf for QMVM-48 and QMVM-48L* (full shelf) EXTENDED	20/9
A075DB114*	\$436	HOOD VERSION ONLY	**
	\$481		**
A076DB214*		14" lighted shelf for QMVM-72* (half shelf) EXTENDED HOOD VERSION ONLY	
A076DB114*	\$330	14" non-lighted shelf for QMVM-72* (half shelf) EXTENDED HOOD VERSION ONLY	15/7
	****	EXTRA SHELVES – STAINLESS STEEL	
A068-S214	\$800	14" lighted shelf for QMVM-36* (full shelf) EXTENDED HOOD VERSION ONLY	15/7
A075-S214	\$878	14" lighted shelf for QMVM-48* (full shelf) EXTENDED HOOD VERSION ONLY	20/9
		VINYL NIGHT CURTAIN – FACTORY INSTALLED (FITS "EXTENDED	
		HOOD" MODELS ONLY)	
A068D11131	\$323	For QMVM-36	**
A075D11131	\$339	For QMVM-48	**
A076D11131	\$663	For QMVM-72	**
		VINYL NIGHT CURTAIN – FIELD INSTALLED (FITS "EXTENDED	
		HOOD" MODELS ONLY)	
A068D11231	\$231	For QMVM-36	**
A075D11231	\$243	For QMVM-48	**
A076D11231	\$446	For QMVM-72	**
		LOCKING METAL NIGHT CURTAIN – LESS LOCK	
A068D16000	\$231	Locking metal night curtain for QMVM-36	4/2
A075D16000	\$265	Locking metal night curtain for QMVM-48	5/2
A076D16000	\$453	Locking metal night curtain for QMVM-72	7/3

^{*}One extra shelf per side only. **Consult factory.



QMVM/QMVM-L/QMPM SERIES Bumper Kits

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		BUMPER KITS	
A071-00100	\$142	White bumper for QMPM-36, QMVM-36 and QMVM-36L	5/2
A071-00200	\$142	Red bumper for QMPM-36, QMVM-36 and QMVM-36L	5/2
A071-00300	\$142	Green bumper for QMPM-36, QMVM-36 and QMVM-36L	5/2
A071-00400	\$142	Blue bumper for QMPM-36, QMVM-36 and QMVM-36L	5/2
A071-00500	\$142	Brown bumper for QMPM-36, QMVM-36 and QMVM-36L	5/2
A071-00600	\$142	Black bumper for QMPM-36, QMVM-36 and QMVM-36L	5/2
A072-00100	\$149	White bumper for QMPM-48, QMVM-48 and QMVM-48L	5/2
A072-00200	\$149	Red bumper for QMPM-48, QMVM-48 and QMVM-48L	5/2
A072-00300	\$149	Green bumper for QMPM-48, QMVM-48 and QMVM-48L	5/2
A072-00400	\$149	Blue bumper for QMPM-48, QMVM-48 and QMVM-48L	5/2
A072-00500	\$149	Brown bumper for QMPM-48, QMVM-48 and QMVM-48L	5/2
A072-00600	\$149	Black bumper for QMPM-48, QMVM-48 and QMVM-48L	5/2
A073-00100	\$175	White bumper for QMPM-72 and QMVM-72	5/2
A073-00200	\$175	Red bumper for QMPM-72 and QMVM-72	5/2
A073-00300	\$175	Green bumper for QMPM-72 and QMVM-72	5/2
A073-00400	\$175	Blue bumper for QMPM-72 and QMVM-72	5/2
A073-00500	\$175	Brown bumper for QMPM-72 and QMVM-72	5/2
A073-00600	\$175	Black bumper for QMPM-72 and QMVM-72	5/2




QMVM, QMVM-L AND QMPM SERIES BUMPERS

MPM/QMPM SERIES Medium Temp Open Display Merchandisers

Stainless Steel Interior & Exterior Finish Available



MPM-48



^{*}Electric condensate evaporator requires separate power supply.

MPM/QMPM SERIES Options (QMPM bumper kits are listed on p. 13)



QMPM-48



PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
TARTITO.	I MICE	CASTERS	LD/ NG
A075-11140	\$293	Set of 4, 3" dia. for QMPM/MPM-36 and QMPM/MPM-48	17/8
A076-11140	\$429	Set of 6, 3" dia. for QMPM/MPM-72	26/12
		SANDWICH RACKS - WELDED WIRE, CHROME PLATED	·
		16" L for QMPM and MPM models (Max. number of racks per model:	
33-01450	\$138	-36 size: 2, -48 size: 3, -72 size: 4)	8/4
		DIVIDERS FOR SANDWICH RACKS	
33-01452	\$113	All QMPM and MPM models	1/0.5
		NIGHT CURTAIN KIT - WHITE (MUST BE FACTORY INSTALLED)	
A071A11131	\$707	For QMPM/MPM-36	10/5
A072A11131	\$719	For QMPM/MPM-48	10/5
A073A11131	\$798	For QMPM/MPM-72	10/5
		NIGHT CURTAIN KIT - BLACK (MUST BE FACTORY INSTALLED)	
A071AB1131	\$720	For QMPM/MPM-36	10/5
A072AB1131	\$732	For QMPM/MPM-48	10/5
A073AB1131	\$838	For QMPM/MPM-72	10/5
		LIGHT KIT - WHITE (MUST BE FACTORY INSTALLED)	
A071A11151	\$743	For QMPM/MPM-36	15/7
A072A11151	\$749	For QMPM/MPM-48	15/7
A073A11151	\$833	For QMPM/MPM-72	15/7
		LIGHT KIT - BLACK (MUST BE FACTORY INSTALLED)	
A071AB1151	\$780	For QMPM/MPM-36	15/7
A072AB1151	\$787	For QMPM/MPM-48	15/7
A073AB1151	\$875	For QMPM/MPM-72	15/7
		NIGHT CURTAIN & LIGHT KIT - WHITE (MUST BE FACTORY INSTALLED)	
A071A11141	\$1034	For QMPM/MPM-36	15/7
A072A11141	\$1043	For QMPM/MPM-48	15/7
A073A11141	\$1121	For QMPM/MPM-72	15/7
		NIGHT CURTAIN & LIGHT KIT - BLACK (MUST BE FACTORY INSTALLED)	
A071AB1141	\$1085	For QMPM/MPM-36	15/7
A072AB1141	\$1095	For QMPM/MPM-48	15/7
A073AB1141	\$1178	For QMPM/MPM-72	15/7

MDT SERIES Multi-deck Open Front Merchandisers



MDT-06



MDT models are special order cabinets.
Consult factory for availability.

	LIST PRICE		MENSIO 1 Inch			CASE AMP DRAW		SHIP	
	W/O				120V	230V	SHIP	WT.	
MODEL	ENDS	L*	D	Н	LIGHTS	DEF. HEATERS	FANS	CU. FT.	LB/KG
MDT-06	\$12,162	72	371/2	801/8	0.5	4.4	0.6	204.0	1135/515
MDT-08	\$15,302	96	371/2	801/8	0.5	6.1	0.9	237.0	1230/558

^{*}Total overall length without ends, add 2" for each end.

When ends are ordered with model, they are factory installed and not included in cabinet price.

PART NO. A023-10000 MDT RIGHT HAND END KIT......\$834 PART NO. A023-10010 MDT LEFT HAND END KIT.....\$834

Note: Single units and line-ups require part no. 09-09598 EPR valve (per individual condensing unit requirement). Add \$267 each per EPR valve.

MDT SERIES Options

	LIST		SHIP WT.
PART NO.	PRICE	DESCRIPTION	LB/KG
		LOWER LIGHT ASSEMBLY	
A063-50000	\$580	For MDT-06	30/14
A064-50000	\$648	For MDT-08	35/16
		STAINLESS STEEL KICKPLATE	
A063A11150	\$227	For MDT-06	30/14
A064A11150	\$227	For MDT-08	35/16
		EXTRA SHELVES – WHITE	
A024-01598	\$224	23" X 21 ³ / ₄ " white epoxy-coated solid shelf for both MDT models	*
		EXTRA SHELVES – BLACK PAINTED	
A024-01591	\$241	23" X 21 ³ / ₄ " black epoxy-coated solid shelf for both MDT models	*

^{*}Consult factory.

REMOTE CONDENSING UNIT SPECIFICATIONS AND REFRIGERATION REQUIREMENTS LISTED ON P. 16

REMOTE CONDENSING UNIT SPECIFICATIONS FOR MDT SERIES

(Standard features listed on p. 35)*

Note: Single units and line-ups require part no. 09-09598 EPR valve (per individual condensing unit requirement). Add \$267 each per EPR valve.

				BTU	BTU	BTU	вти	ELECT	RICAL	
MODEL	LIST PRICE	VOLTAGE	REFRIG.	RATING AT +15°F SUCTION +30°F CABINET*	RATING AT -10°F SUCTION 0°F CABINET*	RATING AT -20°F SUCTION -10°F CABINET*	RATING AT -30°F SUCTION -20°F CABINET*	MCA	МОР	SHIP WT. LB/KG
MHHX0151B	\$3733	208-230/60/1	R-22	9849	N/A	N/A	N/A	19	25	240/109
MHHX0151C	\$3974	208-230/60/3	R-22	10,097	N/A	N/A	N/A	20	20	240/109
MHHX0191B	\$3853	208-230/60/1	R-22	12,294	N/A	N/A	N/A	23	35	380/173
MHHX0191C	\$4160	200-230/60/3	R-22	11,947	N/A	N/A	N/A	23	25	380/173
MHHX0251B	\$3956	208-230/60/1	R-22	16,246	N/A	N/A	N/A	38	40	400/182
MHHX0251C	\$4083	200-230/60/3	R-22	16,400	N/A	N/A	N/A	23	30	400/182
MHHX0351B	\$4009	208-230/60/1	R-22	22,249	N/A	N/A	N/A	38	50	430/195
MHHX0351C	\$3741	200-230/60/3	R-22	22,766	N/A	N/A	N/A	32	35	430/195
MHHX0441B	\$5052	208-230/60/1	R-22	30,170	N/A	N/A	N/A	45	70	385/175
MHHX0441C	\$4876	200-230/60/3	R-22	30,608	N/A	N/A	N/A	44	45	385/175
MHHX0501B	\$5331	208-230/60/1	R-22	34,686	N/A	N/A	N/A	52	80	530/241
MHHX0501C	\$4792	200-230/60/3	R-22	35,713	N/A	N/A	N/A	44	55	530/241

^{*}BTUs rated at 90°F air entering condenser.

NOTE: Semi-hermetic units and other refrigerants available. Consult factory for details.

REFRIGERATION REQUIREMENTS FOR MDT SERIES

	MODELS	REQUIRED			NORMAL	HIGH AMBIENT	
TOTAL OVERALL LENGTH*	MDT-06	MDT-08	BTUH SINGLE @15°F SUCTION	BTUH RACK @15°F SUCTION	AMBIENT UNIT UP TO 100°F**	UNIT 100°F TO 120°F**	
6'0"	1		8500	8250	MHHX0191	MHHX0251	
8'0"		1	10,640	10,320	MHHX0191	MHHX0251	
12'0"	2		15,960	15,480	MHHX0351	MHHX0441	
14'0"	1	1	18,620	18,060	MHHX0441	MHHX0441	
16'0"		2	21,000	20,370	MHHX0441	MHHX0501	
18'0"	3		23,940	23,220	MHHX0501	MHHX0501	
20'0"	2	1	26,600	25,800	MHHX0501	MHHX0501	
22'0"	1	2	29,260	28,380	MHHX0501	MHHX0501	
24'0"		3	31,920	30,960	MHHX0501	MHHX0501	
26'0"	3	1	34,580	33,540			
28'0"	2	2	37,240	36,120	CONSULT FACTORY		
30'0"	1	3	39,900	38,700			

^{*}Total overall length without ends, add 2" for each end.

NOTE: BTUH load and unit sizes are based on a 75°F, 55% relative humidity (maximum) store.



^{**}Add suffix "B" to indicate single phase unit or "C" to indicate three phase.

IM/IM-24 SERIES Outdoor and Indoor Ice Merchandisers



	LIST	DIMENSIONS (In Inches)				UNIT	CAPACITY 8 LB.	SHIP CU.	SHIP WT.		
MODEL	PRICE	L	D	Н	VOLTS	AMPS	H.P.	BAGS	FT.	LB/KG	
SOLID DOOR											
IM-38	\$4489	501/2	351/2	68 ¹ / ₂	115	5.7	1/4	125	90.3	340/155	
IM-60	\$5668	75	351/2	68 ¹ / ₂	115	7.7	1/3	200	132.1	430/195	
SINGLE G	LASS DO	OOR (IN	ID00	R USE C	NLY)						
IM-24	\$6006	271/2	36 ¹ / ₈	77 ⁵ /8	115	7.7	1/3	60	79.0	360/164	
IM-45G	\$6585	48	30	76 ¹ / ₂	115	9.3	1/3	137	87.2	380/173	



IM-24







IM-45G & IM-60)

(For IM-24)

(For IM-24)

BMG/BLG SERIES Swing Glass Door Bottom Mounted Merchandisers

Standard Electronic Controller On BLG Models

SELF-CONTAINED

	LIST	OIMENSIONS (In Inches)				UNIT	CAPACITY	SHIP	SHIP WT.			
MODEL	PRICE	L	D	Н	VOLTS	AMPS	H.P.	CU. FT.	CU. FT.	LB/KG		
MEDIUM TEMP												
BMG-27	\$6842	31	363/4	79	115	8.0	1/3	27.5	79.0	520/236		
BMG-48	\$8063	52	363/4	79	115	8.0	1/3	49.0	117.0	755/343		
BMG-52	\$9432	56	363/4	79	115	8.0	1/3	53.0	131.0	775/352		
BMG-74	\$10,765	78	363/4	79	115	12.0	1/2	75.5	168.0	1025/466		
BMG-80	\$11,253	84	363/4	79	115	12.0	1/2	81.6	185.0	1065/484		
LOW TEN	1P											
BLG-27HD	\$9552	31	363/4	79	115	13.9	3/4	27.5	79.0	630/286		
BLG-48HD	\$11,950	52	363/4	79	208-230	10.6	11/2	49.0	117.0	880/400		
BLG-52HD	\$12,659	56	363/4	79	208-230	10.6	11/2	53.0	128.0	890/405		
BLG-74HD	\$14,193	78	363/4	79	208-230	11.1	2	75.5	168.0	1105/502		
BLG-80HD	\$15,671	84	363/4	79	208-230	11.1	2	81.6	185.0	1165/530		



BLG-48HD

REMOTE (Less condensing unit)*

All models labor-saving bare tube condenser



coils.

feature



				ASE AMP	DRAW				
		115V			208-230V	230V	STANDARD	HEAVY-DUTY	
	LIST		EVAP. CASE		EVAP.		CONDENSING	CONDENSING	
MODEL	PRICE	LIGHTS	FANS	HEATER	FANS	DEFROST	UNIT*	UNIT*	
MEDIUM	TEMP								
BMG-48R	\$6768	1.2	0.5	1.4	N/A	N/A	MHHX0061B	MHHX0081B	
BMG-74R	\$8562	1.2	N/A	2.1	0.5	N/A	MHHX0081B	MHHX0111(B or C)	
LOW TEI	MP								
BLG-48R	\$8705	2.1	N/A	6.9	0.5	5.0	MHLZ0071(B or C)	MCLZ0081(B or C)	
BLG-74R	\$10,888	2.1 N/A 8.3		0.5	7.0	MHLZ0091(B or C)	MCLZ0101(B or C)		

^{*}Remote condensing units sized for 100°F ambient. Consult factory for higher ambient conditions.

BMG and BLG models are also available in quick-connect remote refrigeration options. Please consult factory for pricing and availability.

BLG cabinets (except BLG-27HD) operate on a minimum of 208 volts. Part no. 39-01087 voltage boosting transformer (see options on p. 20) must be used when the supply voltage is less than 208 volts. This transformer is shipped loose.

OPTIONS AND REMOTE CONDENSING UNIT SPECIFICATIONS LISTED ON P. 20



UNIT

H.P.

1/3

1/3

1/3

1/2

1/2

3/4

 $1^{1}/_{2}$

 $1^{1}/_{2}$

2

2

AMPS

8.0

8.0

8.0

12.0

12.0

16.5

11.9

11.9

12.4

12.4

CAPACITY

CU. FT.

27.5

49.0

53.0

75.5

81.6

27.5

49.0

53.0

75.5

81.6

TMG/TLG SERIES Swing Glass Door Top Mounted Merchandisers

H*

85

85

85

85

85

85

85

85

85

85

VOLTS

115

115

115

115

115

115

208-230

208-230

208-230

208-230

DIMENSIONS

(In Inches)

D

 $35^{3}/_{4}$

 $35^{3}/_{4}$

 $35^{3}/_{4}$

 $35^{3}/_{4}$

 $35^{3}/_{4}$

 $35^{3}/_{4}$

 $35^{3}/_{4}$

 $35^{3}/_{4}$

52

56

78

31

84

Standard **Electronic** Controller On TLG Models



TLG-48HD

MODEL

TMG-27

TMG-48

TMG-52

TMG-74

TMG-80

TLG-48HD

TLG-80HD

LOW TEMP TLG-27HD

\$12,132 TLG-52HD \$12,659 $35^{3}/_{4}$ 56 TLG-74HD \$15,037 78 $35^{3}/_{4}$ \$15,671

SELF-CONTAINED

MEDIUM TEMP

LIST

PRICE

\$6842

\$8197

\$9432

\$10,470

\$11,253

\$10,138

TMG & TLG models are special order cabinets. Consult factory for availability.

TLG models feature labor-saving bare tube condenser coils.





REMOTE (Less condensing unit)*

			C	ASE AMP						
		115V			208-230V	230V	STANDARD	HEAVY-DUTY		
	LIST			CASE	EVAP.		CONDENSING	CONDENSING		
MODEL	PRICE	LIGHTS	FANS	HEATER	FANS	DEFROST	UNIT*	UNIT*		
MEDIUM TEMP										
TMG-48R	\$6768	1.2	0.45	4.0	N/A	N/A	MHHX0061B	MHHX0081B		
TMG-74R	\$8562	1.2	N/A	4.7	0.5	N/A	MHHX0081B	MHHX0111(B or C)		
LOW TEN	OW TEMP									
TLG-48R	\$8874	2.1	N/A	6.4	0.5	5.0	MHLZ0071(B or C)	MCLZ0081(B or C)		
TLG-74R	\$11,100	2.1	N/A	8.3	0.5	7.0	MHLZ0091(B or C)	MCLZ0101(B or C)		

*Remote condensing units sized for 100°F ambient. Consult factory for higher ambient conditions.

TMG and TLG models are also available in quick-connect remote refrigeration options. Please consult factory for pricing and availability.

TLG cabinets (except TLG-27HD) operate on a minimum of 208 volts. Part no. 39-01087 voltage boosting transformer (see options on p. 20) must be used when the supply voltage is less than 208 volts. This transformer is shipped loose.

OPTIONS AND REMOTE CONDENSING UNIT SPECIFICATIONS LISTED ON P. 20

SHIP

WT.

LB/KG

490/223

685/311

700/318

930/423

960/436

600/273

830/377

850/386

1085/493

1100/500

SHIP

CU. FT.

79.0

117.0

128.0

168.0

185.0

79.0

118.7

128.0

168.0

185.0

^{*}Height includes 6"-7" adjustable legs.

REMOTE CONDENSING UNIT SPECIFICATIONS FOR BMG/BLG/TMG/TLG SERIES* (Standard features listed on p. 35)

				BTU	BTU	BTU	BTU	ELECT	RICAL	
MODEL	LIST PRICE	VOLTAGE	REFRIG.	RATING AT +20°F SUCTION +35°F CABINET*	RATING AT -10°F SUCTION 0°F CABINET*	RATING AT -20°F SUCTION -10°F CABINET*	RATING AT -30°F SUCTION -20°F CABINET*	MCA	МОР	SHIP WT. LB/KG
MHHX0061B	\$3009	208-230/60/1	R-22	4826	N/A	N/A	N/A	13	15	230/105
MHHX0081B	\$3157	208-230/60/1	R-22	6010	N/A	N/A	N/A	13	20	240/109
MHHX0111B	\$3158	208-230/60/1	R-22	8119	N/A	N/A	N/A	20	20	170/77
MHHX0111C	\$3269	208-230/60/3	R-22	8272	N/A	N/A	N/A	20	20	170/77
MHLZ0071B	\$3410	208-230/60/1	R-404A	N/A	7988	5938	4032	18	30	250/114
MHLZ0071C	\$3372	200-230/60/3	R-404A	N/A	7717	5722	3962	13	20	250/114
MHLZ0091B	\$4087	208-230/60/1	R-404A	N/A	12,480	9133	6193	27	40	260/118
MHLZ0091C	\$3982	200-230/60/3	R-404A	N/A	12,314	9230	6484	19	25	245/111
MCLZ0081B	\$4936	208-230/60/1	R-404A	N/A	9143	7528	5841	16	25	310/141
MCLZ0081C	\$5048	208-230/60/3	R-404A	N/A	9093	7438	5851	13	15	310/141
MCLZ0101B	\$7281	208-230/60/1	R-404A	N/A	11,804	9104	6999	24	35	330/150
MCLZ0101C	\$6912	208-230/60/3	R-404A	N/A	11,678	8755	6169	19	20	330/150


^{*}BTUs rated at 90°F air entering condenser.

BMG/BLG/TMG/TLG SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		BASKETS - CANTILEVER	
A200-16600	\$198	20" x 22" x 5" for BMG/TMG-48, BLG/TLG-48HD, BMG/TMG-74 & BLG/TLG-74HD	10/5
		CASTERS	
		Set of 4, 2" dia. for TMG/BMG-27, BLG-27HD, BMG-48, BLG-48HD, BMG-52 &	
A039-11140	\$144	BLG-52HD	4/2
A044-11140	\$207	Set of 6, 2" dia. for TMG/BMG-74, BLG-74HD, BMG-80 and BLG-80HD	5/2
		LEG KITS FOR BMG/BLG SERIES	
A200-11170	\$430	6" kit for BMG-27, BLG-27HD, BMG-48, BLG-48HD, BMG-52 & BLG 52HD	20/9
A212-11170	\$472	6" kit for BMG-74, BLG-74HD, BMG-80 and BLG-80HD	28/13
		EXTRA CANTILEVER SHELVING	
33-01473	\$111	For BMG/TMG-27 and BLG/TLG-27HD	7/3
33-01474	\$111	For BMG/TMG-48, BLG/TLG-48HD, BMG/TLG-74 and BLG/TLG-74HD	8/4
33-01475	\$111	For BMG/TMG-52, BLG/TLG-52HD, BMG/TMG-80 and BLG/TLG-80HD	8/4
		EXTRA CANTILEVER SHELVING - BLACK PAINTED UPCHARGE	
		\$20 each shelf for all BMG/BLG and TMG/TLG models	
		VOLTAGE BOOSTING TRANSFORMER	
39-01087	\$548	For all BLG and TLG models	14/6



BMG/BLG & TMG/TLG CANTILEVER BASKET




BMG/BLG & TMG/TLG CANTILEVER SHELF



BGR-14 SERIES Bottom Mounted Swing Glass Door Refrigerator





BGR-14







California Energy Commission Certified

SMB SERIES Sliding Glass Door Merchandisers



SMB-430



	LIST	DIMENSIONS (In Inches)					UNIT	UNIT CAPACITY		SHIP WT.
MODEL	PRICE	L	D	н	VOLTS	AMPS	H.P.	CU. FT.	FT.	LB/KG
SMB-430	\$6950	53	321/4	76 ¹ / ₂	115	15.0	1/2	43.0	103.0	615/280
SMB-580	\$7738	70	321/4	76 ¹ / ₂	115	15.0	1/2	58.0	147.0	900/409
SMB-870	\$11,583	1023/4	321/4	76 ¹ / ₂	115	22.5	3/4	87.0	210.0	1115/507

SMB SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
PART NO.	PRICE	CASTERS	LD/NG
A251-11140	\$332	Set of 4, 3" dia. for SMB-430	25/11
A253-11140	\$432	Set of 6, 3" dia. for SMB-580	34/15
A254-11140	\$432	Set of 6, 3" dia. for SMB-870	36/16
		LOCKS - BARREL TYPE	
35-01474	\$72	For all SMB models	1/0.5
		EXTRA WELDED WIRE, WHITE EPOXY SHELVING	
33-00106	\$111	For SMB-430 and SMB-870	7/3
33-00108	\$111	For SMB-580	7/3
		EXTRA WELDED WIRE SHELVING - BLACK PAINTED UPCHARGE	
		\$20 each shelf for all SMB models	

BEM/BEL SERIES Bottom Mounted Coil Reach-ins



BEL-5-30 (with ends)

BEM & BEL models are special order cabinets.
Consult factory for availability.





30" WIDE DOORS

	LIST PRICE		IENSIC Inche			CASE AMP DRAW						
	W/O	(,	12	OV-1 PHAS	E	230V-	SHIP WT.			
MODEL	ENDS*	L**	D	н	LIGHTS	HEATERS	FANS	FANS	DEFROST	LB/KG		
MEDIUM TEMP												
BEM-2-30	\$9560	62	371/4	821/2	1.5	2.1	0.9	N/A	N/A	984/446		
BEM-3-30	\$12,351	92 ⁷ / ₁₆	37 ¹ / ₄	821/2	2.0	3.1	1.4	N/A	N/A	1500/682		
BEM-4-30	\$15,091	122 ⁷ /8	371/4	821/2	2.5	4.0	1.8	N/A	N/A	1920/872		
BEM-5-30	\$17,501	1535/16	371/4	821/2	3.0	5.0	2.3	N/A	N/A	2340/1064		
LOW TEN	IP											
BEL-2-30	\$10,370	62	371/4	821/2	1.5	4.5	N/A	0.5	8.5	1085/493		
BEL-3-30	\$12,821	927/16	371/4	821/2	2.0	6.6	N/A	0.7	12.5	1500/682		
BEL-4-30	\$16,582	122 ⁷ /8	371/4	821/2	2.5	8.7	N/A	0.9	16.8	1900/864		
BEL-5-30	\$19,113	1535/16	371/4	821/2	3.0	10.6	N/A	1.2	20.9	2260/1027		

24" WIDE DOORS

	LIST PRICE		MENSIO 1 Inche			CASE AMP DRAW							
	W/O	(-,	12	OV-1 PHAS	E	230V-	SHIP WT.				
MODEL	ENDS*	L**	D	н	LIGHTS	HEATERS	FANS	FANS	DEFROST	LB/KG			
MEDIUM	MEDIUM TEMP												
BEM-3-24	\$10,639	723/8	371/4	821/2	2.0	2.7	0.9	N/A	N/A	1204/547			
BEM-4-24	\$14,125	961/8	371/4	821/2	2.5	3.5	1.4	N/A	N/A	1490/677			
BEM-5-24	\$16,117	119 ⁷ /8	37 ¹ / ₄	821/2	3.0	4.3	1.8	N/A	N/A	1760/800			
BEM-6-24	\$18,860	1435/8	371/4	821/2	3.4	5.1	2.3	N/A	N/A	2080/945			
LOW TEN	IP												
BEL-3-24	\$11,656	723/8	371/4	821/2	2.0	5.6	N/A	0.5	9.9	1150/523			
BEL-4-24	\$14,519	961/8	371/4	821/2	2.5	7.4	N/A	0.7	13.1	1520/691			
BEL-5-24	\$16,583	119 ⁷ / ₈	371/4	821/2	3.0	9.1	N/A	0.9	16.4	1785/811			
BEL-6-24	\$19,953	1435/8	371/4	821/2	3.4	10.7	N/A	1.2	19.6	2100/954			

^{*}List price includes 5 shelves per door.

NOTE: Medium temp units furnished with R-22 expansion valve unless otherwise specified. Low temp units furnished with R-404A expansion valve unless otherwise specified.

When ends are ordered, they are factory installed and not included in cabinet price.

48F12000: ONE FACTORY INSTALLED BEM/BEL RIGHT HAND END KIT AND	
AND END KIT\$141	0
48F12700: ONE FACTORY INSTALLED BEM/BEL RIGHT HAND END KIT\$70)5
48F12800: ONE FACTORY INSTALLED REM/RELLEFT HAND END KIT \$70	15

OPTIONS LISTED ON P. 24

REMOTE CONDENSING UNIT SPECIFICATIONS LISTED ON P. 25 REQUIRED CONDENSING UNITS LISTED ON P. 26



^{**}Add 2" to length for each end or insulated partition.

TEM/TEL SERIES Top Mounted Coil Reach-ins



TEL-5-30 (with ends)

TEM & TEL models are special order cabinets.
Consult factory for availability.





30" WIDE DOORS

	LIST PRICE		MENSIC Inche			SHIP				
	W/O			,	12	OV-1 PHAS	E	230V-	WT.	
MODEL	ENDS	L*	D	н	LIGHTS	HEATERS	FANS	FANS	DEFROST	LB/KG
MEDIUM TEMP										
TEM-2-30	\$9614	631/2	373/4	80	1.7	2.0	1.0	N/A	N/A	755/343
TEM-3-30	\$11,025	941/2	373/4	80	3.2	2.6	1.0	N/A	N/A	1435/652
TEM-4-30	\$13,722	124 ¹ / ₂	373/4	80	4.8	3.5	1.4	N/A	N/A	1670/759
TEM-5-30	\$15,534	155	373/4	80	4.8	4.3	1.4	N/A	N/A	2000/909
LOW TEN	MP (WIT	TH HEA	AT RE	FLECT	IVE GL	ASS)				
TEL-2-30	\$9876	631/2	373/4	80	3.0	3.5	N/A	0.5	5.0	1085/493
TEL-3-30	\$12,520	941/2	373/4	80	5.2	5.5	N/A	0.5	6.7	1325/602
TEL-4-30	\$15,537	124 ¹ / ₂	373/4	80	5.0	7.3	N/A	0.7	9.5	1915/870
TEL-5-30	\$18,266	155	373/4	80	7.8	9.2	N/A	0.7	12.5	1955/889

24" WIDE DOORS

	LIST PRICE		MENSIO 1 Inche			CASE	CASE AMP DRAW				
	W/O				12	OV-1 PHAS	E	230V-	1 PHASE	WT.	
MODEL	ENDS	L*	D	н	LIGHTS	HEATERS	FANS	FANS	DEFROST	LB/KG	
MEDIUM TEMP											
TEM-3-24	\$10,998	74 ¹ / ₄	373/4	80	2.3	2.3	1.0	N/A	N/A	1325/602	
TEM-4-24	\$13,186	98	373/4	80	2.9	3.1	1.0	N/A	N/A	1520/691	
TEM-5-24	\$15,179	1213/4	373/4	80	3.5	3.3	1.4	N/A	N/A	1720/782	
TEM-6-24	\$16,900	1451/2	373/4	80	5.2	4.8	1.4	N/A	N/A	2140/973	
LOW TEN	IP (WIT	H HEA	T REI	FLECTI	VE GLA	SS)					
TEL-3-24	\$11,283	74 ¹ / ₄	373/4	80	4.0	5.4	N/A	0.5	6.7	1245/566	
TEL-4-24	\$13,796	98	373/4	80	5.0	7.3	N/A	0.5	8.0	1300/591	
TEL-5-24	\$15,673	1213/4	373/4	80	6.0	8.9	N/A	0.7	9.2	1720/782	
TEL-6-24	\$17,673	1451/2	373/4	80	8.4	9.4	N/A	0.7	10.1	2140/973	

^{*}Add 2" to length for each end or insulated partition.

NOTE: Medium temp units furnished with R-22 expansion valve unless otherwise specified. Low temp units furnished with R-404A expansion valve unless otherwise specified.

When ends are ordered, they are factory installed and not included in cabinet price.

PART NO. A353-10000 FACTORY INSTALLED TEM/TEL RIGHT HAND END KIT....... \$608 PART NO. A353-10010 FACTORY INSTALLED TEM/TEL LEFT HAND END KIT........ \$608

OPTIONS LISTED ON P. 24 REMOTE CONDENSING UNIT SPECIFICATIONS LISTED ON P. 25 REQUIRED CONDENSING UNITS LISTED ON P. 26

BEM/BEL/TEM/TEL SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		PARTITIONS	,
A148F20001	\$408	1" insulated partition - to separate condensing units for BEM/BEL models	50/23
		2" insulated partition - multi-temp (adds 2" to overall length) for	
A148F30001	\$906	BEM/BEL models	80/36
A148F40001	\$848	3/8" non-insulated plexiglass partition for BEM/BEL models	40/18
A350-20001	\$363	1" insulated partition - to separate condensing units for TEM/TEL models	50/23
A350-30001	\$790	2" insulated partition - multi-temp (adds 2" to overall length) for TEM/TEL models	100/45
A350-40001	\$815	3/8" non-insulated plexiglass partition for TEM/TEL models	40/18
		STAINLESS STEEL KICKPLATE	
Specify	\$42	20 ga. stainless steel (per linear foot) for BEM/BEL and TEM/TEL models	1/0.5
		CANTILEVER ACCESSORIES - 30" DOORS	
		CANTILL VER ACCESSORIES - 50 DOORS	
		BASKETS	
A148-16700	\$216	Wire baskets with price tag molding and brackets for BEM/BEL models	7/3
		5.25" deep with integral brackets and price tag molding for TEM/TEL	,
A124-16700	\$188	models	7/3
		EXTRA SHELVES	
33-01500	\$114	Wire shelf with price tag molding for BEM/BEL models	4/2
33-01522	\$190	Bottom wire shelf with 2-1/2" raised front lip and price tag molding for BEM/BEL models	5/2
22.01.51.6	6117	Bottom wire shelf with 5" raised front lip and price tag molding for	5.12
33-01516	\$117	BEM/BEL models	5/2
A124-16600	\$152	Shelf, brackets and price tag molding for TEM/TEL models	4/2
33-01462	\$148	Bottom shelf with raised front lip and price tag molding for TEM/TEL models	5/2
		CANTILEVER ACCESSORIES – 24" DOORS	
		BASKETS	
A115-16700	\$233	5" deep with integral brackets and price tag molding	7/3
		EXTRA SHELVES	
A115-16600	\$67	Shelf and price tag molding	4/2
A115-16800	\$111	Bottom shelf and price tag molding	5/2
		EXTRA SHELVES - BLACK PAINTED UPCHARGE	
		\$20 each for all BEM/BEL and TEM/TEL models	
		\$20 Cacil for all DEIVI/DEE and TEIVI/TEE ITIOGES	



BEM/BEL CANTILEVER SHELF WITH PRICE TAG MOLDING



TEM/TEL CANTILEVER BASKET

CONDENSING UNIT SPECIFICATIONS FOR BEM/BEL AND TEM/TEL SERIES (Standard features listed on p. 35)*

				BTU	BTU	BTU	BTU	ELECT	RICAL	
				RATING AT +20°F	RATING AT -10°F	RATING AT -20°F	RATING AT -30°F			
				SUCTION*	SUCTION*	SUCTION*	SUCTION*			
	LIST			+35°F	0°F	-10°F	-20°F			SHIP WT.
MODEL	PRICE	VOLTAGE	REFRIG.	CABINET*	CABINET*	CABINET*	CABINET*	MCA	МОР	LB/KG
BUILT-UP B-	SERIES L	OW TEMP SE	MI-HERN	METIC		,				
BCLZ0750C	\$15,644	208-230/60/3	R-404A	N/A	46,609	37,322	29,152	55	80	730/332
BCLZ1000C	\$22,451	208-230/60/3	R-404A	N/A	62,719	50,630	39,632	71	100	880/400
BCLZ1500C	\$27,296	208-230/60/3	R-404A	N/A	86,932	70,782	56,305	90	125	990/450
HIGH AMBI	ENT M-S	ERIES MEDIUN	и темр	HERMETI	C					
MHHX0061B	\$3009	208-230/60/1	R-22	4826	N/A	N/A	N/A	13	15	230/105
MHHX0081B	\$3157	208-230/60/1	R-22	6010	N/A	N/A	N/A	13	20	240/109
MHHX0111B	\$3158	208-230/60/1	R-22	8119	N/A	N/A	N/A	20	20	170/77
MHHX0111C	\$3269	208-230/60/3	R-22	8272	N/A	N/A	N/A	20	20	170/77
MHHX0151B	\$3733	208-230/60/1	R-22	11,305	N/A	N/A	N/A	19	25	240/109
MHHX0151C	\$3974	208-230/60/3	R-22	11,534	N/A	N/A	N/A	20	20	240/109
MHHX0191B	\$3853	208-230/60/1	R-22	14,052	N/A	N/A	N/A	23	35	380/173
MHHX0191C	\$4160	200-230/60/3	R-22	13,756	N/A	N/A	N/A	23	25	380/173
MHHX0221B	\$3835	208-230/60/1	R-22	16,081	N/A	N/A	N/A	29	40	380/173
MHHX0221C	\$4065	200-230/60/3	R-22	15,408	N/A	N/A	N/A	29	30	380/173
MHHX0251B	\$3956	208-230/60/1	R-22	18,416	N/A	N/A	N/A	38	40	400/182
MHHX0251C	\$4083	200-230/60/3	R-22	18,251	N/A	N/A	N/A	23	30	400/182
MHHX0301B	\$3895	208-230/60/1	R-22	23,210	N/A	N/A	N/A	38	50	302/137
MHHX0301C	\$3991	200-230/60/3	R-22	23,462	N/A	N/A	N/A	32	40	302/137
MHHX0351B	\$4009	208-230/60/1	R-22	25,139	N/A	N/A	N/A	38	50	430/195
MHHX0351C	\$3741	200-230/60/3	R-22	25,621	N/A	N/A	N/A	32	35	430/195
MHHX0441B	\$5052	208-230/60/1	R-22	34,192	N/A	N/A	N/A	45	70	385/175
MHHX0441C	\$4876	200-230/60/3	R-22	34,476	N/A	N/A	N/A	44	45	385/175
MHHX0501B	\$5331	208-230/60/1	R-22	39,307	N/A	N/A	N/A	52	80	530/241
MHHX0501C	\$4792	200-230/60/3	R-22	40,176	N/A	N/A	N/A	44	55	530/241
HIGH AMBI	ENT M-S	ERIES LOW TE	MP HER	METIC						
MHLZ0071B	\$3410	208-230/60/1	R-404A	N/A	7988	5938	4032	18	30	250/114
MHLZ0071C	\$3372	200-230/60/3	R-404A	N/A	7717	5722	3962	13	20	250/114
MHLZ0091B	\$4087	208-230/60/1	R-404A	N/A	12,480	9133	6193	26	40	260/118
MHLZ0091C	\$3982	200-230/60/3	R-404A	N/A	12,314	9230	6484	19	25	245/111
MHLZ0121B	\$4279	208-230/60/1	R-404A	N/A	15,035	11,559	8077	30	45	260/118
MHLZ0121C	\$4236	200-230/60/3	R-404A	N/A	14,963	11,596	8402	21	30	260/118
HIGH AMBI	ENT M-S	ERIES LOW TE	MP SEN	II-HERME	TIC					
MCLZ0141B**	\$7948	230/60/1	R-404A	N/A	18,139	13,799	9948	28	40	500/227
MCLZ0141C	\$7570	208-230/60/3	R-404A	N/A	18,238	13,903	10,083	26	35	500/227
MCLZ0171B**	\$9868	230/60/1	R-404A	N/A	21,760	16,915	12,434	44	70	510/232
MCLZ0171C	\$9290	208-230/60/3	R-404A	N/A	22,136	17,291	12,822	32	45	510/232
MDLZ0201C	\$8268	208-230/60/3	R-404A	N/A	24,878	19,518	14,838	38	45	530/241
MDLZ0231C	\$8463	208-230/60/3	R-404A	N/A	29,022	22,958	17,605	42	60	530/241
MDLZ0291C	\$10,399	208-230/60/3	R-404A	N/A	36,996	29,187	22,203	47	70	560/255
MDLZ0331C	\$10,953	208-230/60/3	R-404A	N/A	40,682	32,417	25,189	50	70	560/255

^{*}BTUs rated at 90°F air entering condenser.

- M-Series models with 134a and 404A compressors are shipped with P.O.E. oil.
- B-Series models with 404A compressors are shipped with P.O.E. oil.
- Low temp. R-22 units with demand cooling available with Discus compressors only.
- All "M" units include low ambient kit (crankcase heater, head pressure control valve) as standard feature.
- Other voltages and refrigerants available, please consult factory.
- B-Series hermetic low temp models available. Consult factory for details.

^{**}Requires part #39-01084 (buck boost transformer) to make supply voltage 230V when only 208V is available. Add \$1111 for this part (shipped loose).

REQUIRED CONDENSING UNITS FOR BEM/BEL AND TEM/TEL SERIES (See previous page for unit voltage options and other specifications)

Use this chart to determine the correct condensing unit for your endless lineup.

	+ 75°F AIR 55% F COND.	20°F SUCTION CONDITION RELATIVE HU UNIT REQUI	NED STORE UMIDITY IRED FOR	-1 75°F AIR (55% R COND. U	AGE PRODU 1°F SUCTION CONDITION ELATIVE HU JNIT REQUI	ED STORE IMIDITY RED FOR	-12°F AVERAGE PRODUCT TEMP18°F SUCTION 75°F AIR CONDITIONED STORE 55% RELATIVE HUMIDITY COND. UNIT REQUIRED FOR			
NO. OF		ENTERING C			ENTERING CO			ENTERING C	ONDENSER*	
DOORS	90°F	100°F	110°F	90°F	100°F	110°F	90°F	100°F	110°F	
2	MHHX0061B	MHHX0061B	MHHX0061B	MHLZ0071	MHLZ0071	MHLZ0071	MHLZ0091	MHLZ0091	MHLZ0091	
3	MHHX0061B	MHHX0061B	MHHX0061B	MHLZ0071	MHLZ0091	MHLZ0091	MHLZ0091	MHLZ0121	MHLZ0121	
4	MHHX0061B	MHHX0081B	MHHX0081B	MHLZ0091	MHLZ0091	MHLZ0121	MHLZ0121	MHLZ0121	MHLZ0121	
5	MHHX0081B	MHHX0081B	MHHX0111	MHLZ0091	MHLZ0121	MHLZ0121	MHLZ0121	MCLZ0141	MCLZ0171	
6	MHHX0111	MHHX0111	MHHX0111	MHLZ0121	MHLZ0121	MCLZ0141	MCLZ0141	MCLZ0171	MDLZ0201	
7	MHHX0111	MHHX0111	MHHX0151	MHLZ0121	MCLZ0141	MCLZ0171	MCLZ0171	MDLZ0201	MDLZ0201	
8	MHHX0151	MHHX0151	MHHX0151	MCLZ0141	MCLZ0171	MCLZ0171	MDLZ0201	MDLZ0201	MDLZ0231	
9	MHHX0151	MHHX0151	MHHX0191	MCLZ0171	MCLZ0171	MDLZ0201	MDLZ0231	MDLZ0231	MDLZ0291	
10	MHHX0151	MHHX0191	MHHX0191	MCLZ0171	MDLZ0201	MDLZ0231	MDLZ0231	MDLZ0291	MDLZ0291	
11	MHHX0191	MHHX0191	MHHX0221	MDLZ0201	MDLZ0231	MDLZ0231	MDLZ0291	MDLZ0291	MDLZ0331	
12	MHHX0191	MHHX0221	MHHX0221	MDLZ0231	MDLZ0231	MDLZ0291	MDLZ0291	MDLZ0291	MDLZ0331	
13	MHHX0191	MHHX0221	MHHX0251	MDLZ0231	MDLZ0291	MDLZ0291	MDLZ0291	MDLZ0331	BCLZ0750	
14	MHHX0221	MHHX0251	MHHX0251	MDLZ0291	MDLZ0291	MDLZ0291	MDLZ0331	BCLZ0750	BCLZ1000	
15	MHHX0251	MHHX0251	MHHX0301	MDLZ0291	MDLZ0291	MDLZ0331	BCLZ0750	BCLZ0750	BCLZ1000	
16	MHHX0251	MHHX0251	MHHX0301	MDLZ0291	MDLZ0331	BCLZ0750	BCLZ0750	BCLZ1000	BCLZ1000	
17	MHHX0251	MHHX0301	MHHX0351	MDLZ0291	MDLZ0331	BCLZ0750	BCLZ1000	BCLZ1000	BCLZ1000	
18	MHHX0301	MHHX0301	MHHX0351	MDLZ0331	BCLZ0750	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1000	
19	MHHX0301	MHHX0351	MHHX0351	BCLZ0750	BCLZ0750	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1000	
20	MHHX0301	MHHX0351	MHHX0441	BCLZ0750	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1500	
21	MHHX0351	MHHX0351	MHHX0441	BCLZ0750	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1500	
22	MHHX0351	MHHX0441	MHHX0441	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1500	BCLZ1500	
23	MHHX0351	MHHX0441	MHHX0441	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1500	BCLZ1500	
24	MHHX0441	MHHX0441	MHHX0441	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1500	BCLZ1500	BCLZ1500	
25	MHHX0441	MHHX0441	MHHX0501	BCLZ1000	BCLZ1000	BCLZ1000	BCLZ1500	BCLZ1500	BCLZ1500	

^{*}Condensing unit and line size based on 100' line run.

See the Master-Bilt Condensing Unit & Refrigeration Systems I/O Manual for other conditions. For other than Master-Bilt high capacity units, consult our factory.



Deli, Dairy & Sandwich Merchandisers

DMS/DMS-F/DMS-L/DMS-LF SERIES Deli/Display Merchandisers



DMS-48L



All models also classified to NSF standards for food zone requirements.

	LIST		MENSIC n Inche				UNIT	DISPLAY AREA	SHIP CU.	SHIP WT.
MODEL	PRICE	L	D	Н	VOLTS	AMPS	H.P.	SQ. FT.	FT.	LB/KG
HIGH PRO	OFILE		,						•	
DMS-48	\$7220	48	29	503/16	115	6.0	1/3	19.0	58.0	405/184
DMS-72	\$8438	72	29	503/16	115	6.0	1/3	29.0	85.0	535/243
DMS-96	\$10,756	96	29	503/16	115	9.1	1/2	39.5	108.0	760/345
LOW PRO	FILE		,							
DMS-48L	\$7428	48	29	42	115	6.0	1/3	14.9	58.0	365/166
DMS-72L	\$8685	72	29	42	115	6.0	1/3	22.9	85.0	485/220
DMS-96L	\$10,616	96	29	42	115	9.1	1/2	30.9	108.0	680/309

HIGH PROFILE WITH FRONT SLIDING DOOR

	LIST
MODEL	PRICE
DMS-48F	\$7606
DMS-72F	\$9008
DMS-96F	\$11,155

LOW PROFILE WITH FRONT SLIDING DOOR

	LIST
MODEL	PRICE
DMS-48LF	\$7015
DMS-72LF	\$8068
DMS-96LF	\$10,434

DMS models are also available in remote refrigeration options. Please consult factory for pricing and availability.

DMS/DMS-F/DMS-L/DMS-LF SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		CASTERS	
A039-11140	\$144	Set of 4, 2" diameter for DMS-48, DMS-48F, DMS-48L and DMS-48LF	4/2
A044-11140	\$207	Set of 6, 2" diameter for DMS-72, DMS-72F, DMS-72L, DMS-72LF and DMS-96, DMS-96F, DMS-96L, DMS-96LF	5/2
		LEG KITS	
A039-11170	\$143	6" leg kit for DMS-48, DMS-48F, DMS-48L and DMS-48LF	18/8
		6" leg kit for for DMS-72, DMS-72F, DMS-72L, DMS-72LF and	
A044-11170	\$191	DMS-96, DMS-96F, DMS-96L, DMS-96LF	26/12
		ICE PANS FOR FRESH FISH AND SEAFOOD	
		Set of two pans and instructions for DMS-48, DMS-48F, DMS-48L	
A282-21000	\$165	and DMS-48LF	14/6
		Set of three pans and instructions for DMS-72, DMS-72F, DMS-72L	
A283-21000	\$234	and DMS-72LF	18/8
		Set of four pans and instructions for DMS-96, DMS-96F, DMS-96L	
A284-21000	\$299	and DMS-96LF	22/10

Milk Coolers

ATMC SERIES Air-Thru Open Front Milk Coolers



ATMC-122SS



		WHITE PAINTED	WHITE PAINTED		DIMENSIONS (In Inches)							
MODEL	LIST PRICE	STEEL INTERIOR/ EXTERIOR MODEL	STEEL INTERIOR/ EXTERIOR LIST PRICE	L	D	Н*	VOLTS		UNIT H.P.	CAP. CU. FT.	SHIP CU. FT.	SHIP WT. LB/KG
ATMC-82SS	\$4083	ATMC-82	\$3586	47	331/8	37	115	4.4	1/5	13.0	43.3	250/114
ATMC-122SS	\$4517	ATMC-122	\$3923	61	331/8	37	115	5.5	1/4	19.9	55.1	300/136
ATMC-162SS	\$4919	ATMC-162	\$4231	75	331/8	37	115	5.5	1/4	25.6	67.1	350/159

^{*}Height includes casters.










ATMC-D SERIES Air-Thru Dual Access Milk Coolers



ATMC-124DSS



^{*}Height includes casters.





Please note that the warranty on these milk coolers differs from other cabinets in that ATMC and ATMC-D models feature a one year parts, 18 month labor and one year compressor coverage. A four-year extended compressor warranty is optional. See pricing below.

ATMC/ATMC-D SERIES Extended Compressor Warranty


NET	
PRICE	DESCRIPTION
	FOUR YEAR EXTENDED COMPRESSOR WARRANTY
\$50	Extended compressor warranty for all ATMC-DSS dual access models
\$36	Extended compressor warranty for ATMC-82 and ATMC-82SS
\$39	Extended compressor warranty for ATMC-122, ATMC-122SS, ATMC-162 and ATMC-162SS



OMC SERIES Cold Wall Evaporator Open Front Milk Coolers



OMC-122



^{*}Height includes casters.





DOMC SERIES Cold Wall Evaporator Dual Access Milk Coolers



DOMC-124

		LIST	STAINLESS INTERIOR/ EXTERIOR	STAINLESS INTERIOR/ EXTERIOR		DIMENSIONS (In Inches)				UNIT	CAP.	SHIP CU.	SHIP WT.
	MODEL	PRICE	MODEL	LIST PRICE	L	D	Н*	VOLTS	AMPS	H.P.	CU. FT.	FT.	LB/KG
[OMC-084	\$5181	DOMC-084SS	\$5378	35	35	44	115	4.1	1/4	12.2	36.7	326/148
[OMC-124	\$5898	DOMC-124SS	\$6109	49	35	44	115	4.8	1/4	17.8	49.9	352/160
	OOMC-164	\$6327	DOMC-164SS	\$6823	63	35	44	115	5.7	1/4	23.5	64.0	484/220

^{*}Height includes casters.





OMC/DOMC SERIES Options

	LIST		SHIP WT.
PART NO.	PRICE	DESCRIPTION	LB/KG
		LAMINATE	
02-71126	\$1951	For top, front, sides and back for all OMC and DOMC models	*
		LEGS	
02-71127	\$84	Set of 4 adjustable legs for all OMC and DOMC models	*
		STAINLESS STEEL FLOOR RACK	
02-71123	\$259	For OMC-082/DOMC-084	*
02-71124	\$386	For OMC-122/DOMC-124	*
02-71125	\$517	For OMC-162/DOMC-164	*
		CORNER BUMPERS	
02-71117	\$191	Set of 4 bumpers for all OMC and DOMC models	*

^{*}Consult factory.

Heater/Proofing Cabinet

HP6A-LX SERIES Heater/Proofing Cabinet



HP6A-LX



	DIMENSIONS (In Inches)						PAN CAPACITY		4 ¹ / ₂ " LEDGE SPACING (BOTTOM LOAD) PAN CAPACITY			
MODEL	LIST PRICE	L	D	H*	VOLTS	HEATING UNIT WATTS	18 x 26 END LOAD	12 x 20 SIDE LOAD	18 x 26 END LOAD	12 x 20 SIDE LOAD	CU.	SHIP WT. LB/KG
HP6A-LX	\$3117	263/4	32 ¹ / ₄	71 ³ / ₄	115	1900	17	34	12	24	44.0	180/82

^{*}Height includes casters.

HP6ALX SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		LEDGE KIT	
A477-15000	\$607	1 ¹ / ₂ " spaced ledge kit	*

^{*}Consult factory.

Foodservice Reach-ins

TAC/TAF SERIES Top Mounted Foodservice Solid Door Reach-ins





	LIST	DIMENSIONS (In Inches)					UNIT	CAPACITY	SHIP CU.	SHIP WT.
MODEL	PRICE	L	D	Н*	VOLTS	AMPS	H.P.	CU. FT.	FT.	LB/KG
MEDIUM 1	ГЕМР									
TAC-27HDSA	\$8799	31	353/4	801/2	115	12.1	1/2	25.4	76.0	355/161
TAC-48HDSA	\$11,707	52	353/4	801/2	115	13.1	1/2	45.9	119.0	465/211
TAC-74HDSA	\$13,337	78	353/4	801/2	115	15.0	3/4	71.4	174.0	650/295
LOW TEM	P									
TAF-27HDSA	\$11,375	31	353/4	80 ¹ / ₂	115	10.5	3/4	25.4	76.0	385/175
TAF-48HDSA	\$13,560	52	353/4	801/2	115/208-230	5.0/7.5	1	45.9	119.0	540/245
TAF-74HDSA	\$17,634	78	353/4	801/2	115/208-230	6.2/11.2	11/2	71.4	174.0	670/305

^{*}Height includes casters.

TAF cabinets (except TAF-27HDSA) operate on a minimum of 208 volts. Part no. 39-01087 voltage boosting transformer (see options below) must be used when the supply voltage is less than 208 volts. This transformer is shipped loose.


All TAC and TAF models are available in remote refrigeration options. Please consult factory for pricing and availability.





TAC/TAF SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		LEG KITS	
A227-11170	\$124	Leg kit for TAC/TAF-27HDSA and TAC/TAF-48HDSA	20/9
A237-11170	\$184	Leg kit for TAC/TAF-74HDSA	30/14
		PAN RACK	
02-70976	\$623	For all TAC/TAF models (per section)	25/11
		EXTRA SHELVES - WELDED WIRE, GRAY EPOXY COATED	
33-01455	\$111	For TAC/TAF-27HDSA	4/2
33-01456	\$111	For TAC/TAF-48HDSA and TAC/TAF-74HDSA	4/2
		SHELVING CLIPS - 4 REQUIRED PER SHELF	
33-01011	\$4	Clips, each	2/1
		VOLTAGE BOOSTING TRANSFORMER	
39-01087	\$548	For TAF-48HDSA and TAF-74HDSA	14/6



TAC/TAF PAN RACK (ALSO FOR USE IN IHC MODELS)

Foodservice Reach-ins

BSD SERIES Bottom Mounted Solid Door Reach-ins





BSD-52DR









	LIST		IENSIC Inche				UNIT	CAPAC- ITY	SHIP	SHIP WT.	
MODEL	PRICE	L	D	Н*	VOLTS	AMPS	H.P.	CU. FT.	CU. FT.	LB/KG	
REFRIGER	REFRIGERATORS										
BSD-24SR	\$4467	279/16	361/8	821/2	115	4.4	1/5	24.0	64.0	365/166	
BSD-52DR	\$6640	55 ¹ / ₁₆	36 ¹ /8	82 ¹ / ₂	115	6.3	1/4	52.0	115.3	545/248	
BSD-80TR	\$8089	829/16	361/8	821/2	115	6.4	1/4	80.0	167.5	750/341	
FREEZERS	;										
BSD-24SF	\$5601	279/16	361/8	821/2	115	9.8	1/2	24.0	64.0	375/170	
BSD-52DF	\$8029	551/16	361/8	821/2	115	13.9	3/4	52.0	115.3	660/300	
BSD-80TF	\$9922	829/16	36 ¹ / ₈	821/2	208-230**	8.7	1	80.0	167.5	805/366	

^{*}Height includes casters. **208-230/60/1 also requires neutral and safety ground wire.

BSD SERIES Options

PART NO.	LIST PRICE	DESCRIPTION	SHIP WT. LB/KG
		PAN RACK	
		Half set pan rack for BSD models, holds (4) 18" x 26" or (8) 12" x	
02-71357	\$355	18" pans	
		Full set pan rack for BSD models, holds (8) 18" x 26" or (16) 12" x	
02-71358	\$709	18" pans	
		EXTRA SHELVES - WELDED WIRE, GRAY EPOXY COATED	CONSULT
		WITH SHELF CLIPS	FACTORY
33-01757	\$108	For BSD-24DR/DF, 28" x 22"	
33-01758	\$108	For BSD-80DR/DF (center shelf), 28" x 27 ¹ / ₂ "	
33-01759	\$108	For BSD-52DR/DF & BSD-80DR/DF (left shelf), 28" x 241/2"	
33-01760	\$108	For BSD-52DR/DF & BSD-80DR/DF (right shelf), 28" x 241/2"	






Prep Units & Undercounters

SPT/UC SERIES Salad/Sandwich Preparation Units, **Undercounter Refrigerators And Freezers**

DIMENSIONS



SPT-48



^{*}Height includes 5" casters.



UC-72TR

SPT/UC SERIES Options









UC **MODELS** ONLY



Certified *Consult factory.

LIST SHIP WT. PART NO. PRICE **DESCRIPTION** LB/KG **LEG KIT** 20/9 A039-11170 \$143 Leg kit for all SPT/UC models 2" DIAMETER CASTERS FOR UC MODELS (REDUCES HEIGHT TO 331/2") A039-11140 \$144 For UC-28SR/SF, UC-48SR/SF, UC-72TR 4/2 **BACK SPLASH GUARD** 02-70972 \$119 Back splash guard for UC-28SR/SF 5/2 02-70973 \$177 Back splash guard for UC-48DR/DF 7/3 02-71041 \$240 Back splash guard for UC-72TR

PPT SERIES Pizza Preparation Unit



	LIST	DIMENSIONS (In Inches)				UNIT	PAN	CAP.	SHIP CU.	SHIP WT.	
MODEL	PRICE	L	D	Н*	VOLTS	AMPS	H.P.	CAPACITY**	CU. FT.	FT.	LB/KG
PPT-67	\$7238	67	32 ³ /8	413/4	115	10.4	5/8	9	20.0	64.2	395/180

^{*}Height includes casters.





^{**}Nine 6" deep polycarbonate pans included with unit.

Sample Cabinet Warranty





908 Hwy. 15 North • New Albany, MS 38652 • 800-647-1284/662-534-9061 • FAX: 800-232-3966 Warranty Parts & Service: 800-684-8988 • FAX: 866-882-7629

LIMITED ONE-YEAR PARTS & LABOR WARRANTY FOR CABINETS, LIMITED ONE-YEAR PARTS & 18-MONTH LABOR WARRANTY FOR **ATMC & ATMC-D SERIES MILK COOLERS**

Master-Bilt Products (the "Company") warrants to the original purchaser-user that its refrigeration equipment, at the time of delivery, will be free from defects in material and workmanship. Master-Bilt will bear the reasonable and customary labor expense to repair or replace any component part (including said part) found to be defective under the terms and conditions as outlined under Master-Bilt's standard one (1) year parts warranty. Master-Bilt will reimburse said labor expenses to the original purchaser only if after evaluating the original service invoice submitted by the original purchaser-user Master-Bilt determines that this warranty applies. The labor warranty shall apply only to self-contained equipment installed by authorized or approved Master-Bilt dealers, distributors, service companies or refrigeration contractors. The labor warranty does not cover the cost (parts or labor) of installation, start-up, normal maintenance, or normal control adjustment. Your local compressor supplier should exchange the compressor at no charge during first year warranty. Written notice of a claim under this Warranty must be received by the Company within ONE YEAR from the date of installation but no longer than ONE YEAR AND THREE MONTHS from shipment. All claims submitted must have the equipment serial number on the claim.

Any defects caused by misapplication, abnormal use or misuse, lack of or improper maintenance, damage by third parties, alterations, acts of God; failure to follow installation, maintenance or safety instructions or any other event beyond the control of the Company will not be covered under this Warranty.

The obligation of Master-Bilt shall be limited to repairing or replacing (at the option of the Company) any part, which is defective in the reasonable opinion of the Company. The cost of service labor reimbursed will be based on straight-time rate and reasonable time for the repair of the defect.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall the Company be liable for loss of use, revenue or profit or for any other indirect, incidental, special or consequential damages including, but not limited to, food spoilage or product loss.

This warranty shall apply only within the continental United States, it territories and possessions, Canada and Mexico.

EXTENDED FOUR-YEAR COMPRESSOR REPLACEMENT WARRANTY (OPTIONAL ON ATMC & ATMC-D SERIES MILK COOLERS)*

The Company warrants to the original purchaser-user that it will replace the compressor on the Equipment if found, in the reasonable opinion of the Company, to be defective in material or workmanship if written notice is received within five years from date of shipment.

Defective conditions caused by abnormal use or misuse, lack of or improper maintenance, damage by third parties, alterations, acts of God, failure to follow installation, maintenance or safety instructions or any other event beyond the control of the Company will not be covered under this Warranty.

The Compressor Replacement Warranty does not apply to any part of the equipment other that the compressor. The purchaser-user will have the sole responsibility and bear all expenses of removing and returning the defective compressor to the Company as well as the cost of reinstalling the replacement compressor. The Company may satisfy its obligations hereunder by supplying a replacement compressor, which is reasonably similar in design and capacity.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

In no event shall the Company be liable for loss of use, revenue or profit or for any other indirect, incidental, special or consequential damages including, but not limited to, losses involving food spoilage or product loss.

This Compressor Replacement Warranty shall apply only within the continental United States, it territories and possessions, Canada and Mexico.

REPLACEMENT PART WARRANTY

Master-Bilt warrants to the original purchaser-user that all parts purchased after the first year warranty period will be warranted for 90 days from invoice date.

*CONSULT OUR PRICE LIST FOR PRICING ON THIS OPTION.

Shipment Date: **SAMPLE**

Serial Number:

SAMPLE



Condensing Unit Features

STANDARD COMPONENTS

All components pre-wired and mounted except as noted. Components may vary depending on horsepower and application. Consult our factory for verification of standard and optional components.

	Built-up	High Ambient
Component	B-Series	M-Series
• Liquid line and suction line vibration absorbers (eliminators)		
for semi-hermetic units only	✓	✓
Adjustable dual pressure control	✓	
Head pressure control (flooding valve)	/	✓
Preset non-adjustable high pressure control and		
preset non-adjustable low pressure control		✓ *
Corrosion-resistant hinged weather hood with lockable		
snap-down hood latch for easy installation and service access	✓	
Heavy gauge, galvanized steel mechanically-fastened weather hood		✓
• Suction line filter	/	
• Heavy-duty 12 gauge galvanized steel legs	/	
• Heavy-duty angle leg base		✓
Pre-wired electrical control panel	/	✓
• Circuit breaker	/	
Crankcase heater	/	✓
• Liquid line filter/drier	/	✓
• Sight glass	/	✓
• Liquid and suction line kit with service valve	/	✓
• Liquid line solenoid valve (shipped loose)	/	
Generously-sized condenser	/	✓
• Large liquid receiver (good for maximum 250 ft. line run,		
100 ft. in M-Series units)	✓	✓
• Defrost heater contactor (when required)	/	✓
• Compressor contactor	/	✓
• PSC fan motors	/	✓
• Extended four year limited compressor warranty		
(optional on ATMC & ATMC-D series milk coolers)	✓	✓
• Defrost timer standard on BEL and TEL series merchandisers	V	✓
• Solenoid valve(s) standard on MDT, BEM/BEL and TEM/TEL series	/	✓
Rotalock suction service valve		✓
Rifled tubes in condenser to add turbulence		✓
• Liquid line shut-off valve for easy change of filter		✓

^{*}Preset high pressure control and preset low pressure control are non-adjustable in medium temp M-series units. The low pressure control is adjustable in low temp units.

Terms Of Sale

- **1. PRICES.** This list supersedes all other price lists. Master-Bilt reserves the right to change the price of the equipment without notice. All quotations for equipment shall be void if not accepted within 30 days.
- **2. DELIVERY.** Shipping or delivery date is approximate. Seller will not be liable for failure to deliver due to strikes, supplier's delays, changes requested by buyer or any causes beyond Master-Bilt's control.
- **3. SHIPMENTS.** When possible, requested carrier will be used. Master-Bilt, however, reserves the right to ship via any responsible carrier. Shipping charges are payable by consignee and any claims arising as to such charges shall be resolved between the carrier and consignee. All prices are F.O.B. factory.
- 4. HANDLING CHARGES. Handling charges of \$35.00 are applicable for all cabinets shipped from Master-Bilt off-site warehouses.
- **5. DAMAGE.** Claims for damage in transit must be made by the consignee with the carrier. Master-Bilt assumes no responsibility for damages while in transit.
- **6. TAXES.** Federal, state, city sales or use taxes are not included with these prices.

7. CANCELLATIONS/RETURNED GOODS.

- A. STOCK ITEMS. All cancelled orders and returned goods will be assessed a minimum of 25% cancellation or restocking charge. Merchandise may not be returned without written authorization from the Seller. Requests for return must be made within 90 days after shipment. Return authorizations issued are valid for 30 days. Products must be returned in their original factory packaging with freight prepaid. They shall not have been used and must be in the same condition as originally shipped by Master-Bilt.
- **B. NON-STOCK ITEMS.** Orders for custom or modified units cannot be cancelled or returned.
- **8.** All orders not shipped within 60 days of order date are subject to storage charges and/or price increases.
- **9. WARRANTY.** See p. 34 for Master-Bilt warranty details.
- **10.** Possession of price list does not constitute intent to sell.
- **11.** Storage charges are applicable to any cabinet or walk-in that does not ship within two weeks of completion. Charges are calculated at \$25.00 per week per cabinet or, for walk-ins, \$25.00 per week per skid of panels or crated materials.

Special Considerations

- **1. FREIGHT CLASSIFICATIONS.** All cabinets and options (shipped loose) shown in this price list are class 85. Condensing units are class 92.5. NOTE: Classifications are based on the use of Master-Bilt specified carriers. Third party classifications and rates may vary.
- **2. 50 CYCLE CABINETS.** Please consult our factory for 50 cycle electrical needs.
- **3. NO UPCHARGE ON MASTER-BILT STANDARD BLACK COLOR FINISH.** Applies to cabinet exterior only on cabinets and merchandisers except for Coldin IG and IG-C models, the BGR-14 model and cabinets with a standard stainless steel finish. Please consult our factory for other special paint requirements.
- **4. OFF-SITE WAREHOUSING.** Shipments of cabinets and step-ins originating from off-site Master-Bilt warehouses will include a \$35.00 handling fee per piece plus applicable freight/associated fees.
- **5. STORAGE CHARGES.** Completed orders placed on shipping hold are subject to a storage charge of \$25.00 per piece per week.
- **6. MINIMUM INVOICE AMOUNT.** A minimum invoice of \$40.00 applies to all orders.
- **7. CREDIT CARDS ACCEPTED.** Master-Bilt proudly accepts the following:











Contact Directory

Please contact us at the numbers below for assistance.

Phone: 800-647-1284 or 662-534-9061 **SALES & CUSTOMER SERVICE**

Fax: 800-232-3966 or 662-534-6049

E-mail: sales@master-bilt.com

WARRANTY PARTS Phone: 800-684-8988 or 662-534-9061

& TECHNICAL SERVICE Fax: 866-882-7629

E-mail: service@master-bilt.com

PARTS SALES Heritage Food Service Equipment

> Phone: 800-458-5593 or 260-482-1444 Fax: 800-800-4981 or 260-482-4542 E-mail: master-biltinfo@hfse.com

Phone: 662-539-4310 **CREDIT**

Fax: 662-539-3961

E-mail: credit@master-bilt.com

Phone: 800-647-1284 or 662-534-9061 LITERATURE REQUESTS

Fax: 800-232-3966 or 662-534-6049

E-mail: info@master-bilt.com

WEBSITE www.master-bilt.com

For the latest product information and specifications go to www.master-bilt.com/products/products.htm

Our equipment is featured in







All Non-Warranty Parts Distributed By



Phone: 800-458-5593/260-482-1444 Fax: 800-800-4981/260-482-4542 E-mail: master-biltinfo@hfse.com

For the latest product information and specifications go to www.master-bilt.com/products/products.htm.



908 Highway 15 North • New Albany, MS 38652 Phone: 800-647-1284 • Fax: 800-232-3966 www.master-bilt.com

